

LIPQ

Ronchi Dei Legionari


LIRN

Naples Capodichino

2024/05/07 0426Z

LIPQ BUSER **UL865** ANC **L982** PES LIRN

304.91 nm / 564.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 16000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPQ APT	-	45.82786 13.46666	0 ft 0 m	-	Ronchi Dei Legionari
BUSER FIX	-	44.10667 13.64889	35,000 ft 10,668 m	103	-
ANC VOR	UL865 AWY-HI	43.58639 13.47111	35,000 ft 10,668 m	32	ANCONA VOR-DME
ERDUX FIX	L982 AWY-LO	43.25083 13.68222	31,400 ft 9,571 m	22	-
PES VOR	L982 AWY-LO	42.43611 14.18444	19,900 ft 6,066 m	53	PESCARA VOR-DME
LIRN APT	-	40.88603 14.29078	0 ft 0 m	93	Naples Capodichino

LIPQ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 37 ft / 11 m
Location: 45.827900 13.466700
Magnetic Var: 4.157 E

METAR

LIPQ 070350Z AUTO VRB01KT 9999 SCT056/// BKN078/// BKN120/// 14/12 Q1013

TAF

TAF LIPQ 062300Z 0700/0724 VRB05KT 9999 BKN030 TEMPO 0707/0717 SHRA BECMG 0709/0711 19010KT BECMG 0713/0715 VRB04

Frequencies

TWR - 119.17 MHz - RONCHI APPROACH

TWR - 130.20 MHz - RONCHI TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	9,852 ft	90.41	ASPHALT	656 ft	0 ft
	45 m	3,003 m	86.26		200 m	0 m
27	148 ft	9,852 ft	270.44	ASPHALT	0 ft	0 ft
	45 m	3,003 m	266.28		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	RNC	110.75 MHz	18 nm	-	-	53 ft
				33 km	-		53 m
09	LOC-ILS	RNC	110.75 MHz	18 nm	90.43	-	43 ft
				33 km	86.27		43 m
09	GS	RNC	110.75 MHz	10 nm	90.86	3.00	82 ft
				19 km	86.70		82 m

LIRN

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 292 ft / 89 m
Location: 40.886000 14.290800
Magnetic Var: 3.961 E

METAR

LIRN 070350Z AUTO 28002KT 9999 BKN140/// 13/10 Q1014

TAF

TAF LIRN 062300Z 0700/0724 16008KT 9999 FEW040 BECMG 0710/0712 22010KT BECMG 0717/0719 VRB05KT

Frequencies

APP - 124.35 MHz - NAPOLI APPROACH
TWR - 118.50 MHz - NAPOLI TOWER
REC - 135.97 MHz - ATIS

APP - 120.95 MHz - NAPOLI APPROACH
GND - 121.90 MHz - NAPOLI GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,630 ft	58.04	ASPHALT	1,312 ft	217 ft
	45 m	2,630 m	54.08		400 m	66 m
24	148 ft	8,630 ft	238.05	ASPHALT	607 ft	230 ft
	45 m	2,630 m	234.09		185 m	70 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	NPC	110.15 MHz	25 nm	-	-	294 ft
				46 km	-		294 m
24	DME	INPL	109.50 MHz	25 nm	-	-	250 ft
				46 km	-		250 m
06	LOC-ILS	NPC	110.15 MHz	18 nm	58.08	-	292 ft
				33 km	54.12		292 m
24	LOC-ILS	INPL	109.50 MHz	18 nm	238.03	-	288 ft
				33 km	234.06		288 m
24	LOC-ILS	INP	109.50 MHz	18 nm	238.08	-	292 ft
				33 km	234.12		292 m
24	GS	INPL	109.50 MHz	10 nm	238.06	3.33	250 ft
				19 km	234.10		250 m
24	GS	INP	109.50 MHz	10 nm	238.08	3.33	292 ft
				19 km	234.12		292 m