

LEVX

Vigo


LPPT

Lisboa

2024/05/09 2016Z

LEVX MANIK A5 XAMAX LPPT

212.54 nm / 393.62 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEVX	-	42.23189	0 ft	-	Vigo
APT	-	-8.62677	0 m		
MANIK	-	40.69194	25,700 ft	92	-
FIX	-	-8.61611	7,833 m		
XAMAX	A5	40.03111	17,100 ft	39	-
FIX	AWY-LO	-8.53611	5,212 m		
LPPT	-	38.77856	0 ft	80	Lisboa
APT	-	-9.13515	0 m		

LEVX

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 856 ft / 261 m
Location: 42.232000 -8.626750
Magnetic Var: 1.549 W

METAR

LEVX 092000Z 36004KT CAVOK 20/10 Q1015 NOSIG

TAF

TAF LEVX 091700Z 0918/1018 VRB05KT CAVOK TX26/1015Z TN13/1006Z TEMPO 1010/1018 30010KT PROB40 TEMPO 1014/1018 080

Frequencies

GND - 121.70 MHz - VIGO GROUND
TWR - 118.95 MHz - VIGO TOWER

TWR - 118.45 MHz - VIGO TOWER
APP - 120.20 MHz - SANTIAGO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	7,833 ft	11.39	ASPHALT	0 ft	0 ft
	45 m	2,387 m	12.94		0 m	0 m
19	148 ft	7,833 ft	191.40	ASPHALT	0 ft	0 ft
	45 m	2,387 m	192.94		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	LOC-ILS	VIG	110.90 MHz	18 nm	191.39	-	856 ft
				33 km	192.94		856 m
19	GS	VIG	110.90 MHz	10 nm	191.39	3.00	856 ft
				19 km	192.94		856 m

LPPT

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 2

Elevation: 374 ft / 114 m
Location: 38.778800 -9.135190
Magnetic Var: 1.569 W

METAR

LPPT 092000Z 31006KT CAVOK 21/13 Q1014

TAF

TAF LPPT 091700Z 0918/1024 24008KT CAVOK BECMG 0918/0920 30010KT BECMG 1000/1002 VRB02KT BECMG 1012/1014 31012KT

Frequencies

REC - 121.95 MHz - ATIS	REC - 124.15 MHz - ATIS
TWR - 118.10 MHz - LISBOA TOWER	TWR - 118.50 MHz - LISBOA TOWER
GND - 121.75 MHz - LISBOA GROUND	CLD - 118.95 MHz - CLEARANCE DELIVERY
APP - 119.10 MHz - LISBOA APPROACH	APP - 119.55 MHz - LISBOA APPROACH
APP - 125.35 MHz - LISBOA ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,505 ft	22.65	ASPHALT	302 ft	0 ft
	45 m	3,812 m	24.22		92 m	0 m
21	148 ft	12,505 ft	202.66	ASPHALT	1,965 ft	0 ft
	45 m	3,812 m	204.23		599 m	0 m
17	148 ft	7,612 ft	168.14	ASPHALT	0 ft	0 ft
	45 m	2,320 m	169.71		0 m	0 m
35	148 ft	7,612 ft	348.14	ASPHALT	194 ft	299 ft
	45 m	2,320 m	349.71		59 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	ILI	109.10 MHz	18 nm	-	-	419 ft
				33 km	-		419 m
21	DME	ILB	109.50 MHz	18 nm	-	-	423 ft
				33 km	-		423 m
03	LOC-ILS	ILI	109.10 MHz	18 nm	22.66	-	374 ft
				33 km	24.23		374 m
21	LOC-ILS	ILB	109.50 MHz	18 nm	202.59	-	335 ft
				33 km	204.15		335 m
03	GS	ILI	109.10 MHz	10 nm	22.66	3.00	374 ft
				19 km	24.23		374 m
21	GS	ILB	109.50 MHz	10 nm	203.42	3.00	423 ft
				19 km	204.99		423 m