

FIMP

SIR SEEWOSAGUR RAMGOOLAM INTL


EGLL

London Heathrow

2024/05/06 0042Z

FIMP PLS **UM665F** AMBOD **UA665F** ANKOR **UM665** ITLOX **UM665G** MA **UG300** GETOL **G650** GWZ **UB525** ITGEV KASLA
B526 DENDI BOPID MRW **A727** NUBAR **P557** AVIVA **A145** PLH **M872** LUPAL **UM872** AME **M872** PES **UL168** PREKI
UZ904 PAR **L153** PUNSA **UL153** VADEM **UN853** PENDU REKLA **UT10** RLP **UL48** DIDOR **UT420** DIMAL EGLL

5423.97 nm / 10045.20 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIMP APT	-	-20.43023 57.68360	0 ft 0 m	-	SIR SEEWOOSAGUR RAMGOOLAM INTL
PLS VOR	-	-20.42003 57.66233	400 ft 122 m	1	PLAISANCE VOR-DME
OKMAR FIX	UM665F AWY-LO	-18.20167 56.07694	35,000 ft 10,668 m	160	-
KARAT FIX	UM665F AWY-LO	-17.47194 55.56639	35,000 ft 10,668 m	52	-
AMBOD FIX	UM665F AWY-LO	-17.37750 55.50000	35,000 ft 10,668 m	6	-
TIDOB FIX	UA665F AWY-HI	-15.96167 54.52444	35,000 ft 10,668 m	101	-
KOBAR FIX	UA665F AWY-HI	-15.00000 53.87139	35,000 ft 10,668 m	69	-
TSARA FIX	UA665F AWY-HI	-12.50000 52.20556	35,000 ft 10,668 m	178	-
UVDUK FIX	UA665F AWY-HI	-11.67278 51.66333	35,000 ft 10,668 m	59	-
ANKOR FIX	UA665F AWY-HI	-10.00000 50.57833	35,000 ft 10,668 m	119	-
UVESO FIX	UM665 AWY-HI	-7.00000 48.66000	35,000 ft 10,668 m	213	-
ANTIS FIX	UM665 AWY-HI	-4.14833 46.86667	35,000 ft 10,668 m	202	-
MITCH FIX	UM665 AWY-HI	-2.00000 45.52667	35,000 ft 10,668 m	152	-
ITLOX FIX	UM665 AWY-HI	-1.17167 45.02667	35,000 ft 10,668 m	58	-
RAGGS FIX	UM665G AWY-HI	0.32500 44.16000	35,000 ft 10,668 m	103	-
TULAP FIX	UM665G AWY-HI	1.30000 43.58333	35,000 ft 10,668 m	68	-
MA NDB	UM665G AWY-HI	3.94033 41.86418	35,000 ft 10,668 m	189	MANDERA NDB
IBTAN FIX	UG300 AWY-HI	5.23872 40.85428	35,000 ft 10,668 m	98	-
MASLO FIX	UG300 AWY-HI	7.41597 39.05411	35,000 ft 10,668 m	169	-
GETOL FIX	UG300 AWY-HI	8.17992 38.53814	35,000 ft 10,668 m	55	-
GWZ VOR	G650 AWY-LO	9.10620 38.76992	35,000 ft 10,668 m	57	GAWASA VOR-DME
UVARO FIX	UB525 AWY-HI	10.64700 38.10864	35,000 ft 10,668 m	100	-
ITGEV FIX	UB525 AWY-HI	14.29197 36.84617	35,000 ft 10,668 m	231	-
KASLA FIX	- -	15.36333 36.31667	35,000 ft 10,668 m	71	-
DENDI FIX	B526 AWY-LO	15.48128 34.27742	35,000 ft 10,668 m	118	-
BOPID FIX	- -	16.66294 33.86102	35,000 ft 10,668 m	74	-
MRW	-	18.44977	35,000 ft	158	MEROWE VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	-	31.81866	10,668 m		
NUBAR	A727	22.00000	35,000 ft	213	-
FIX	AWY-LO	31.63500	10,668 m		
SML06	P557	22.36444	35,000 ft	22	-
FIX	AWY-LO	31.51444	10,668 m		
ORLEX	P557	22.95889	35,000 ft	37	-
FIX	AWY-LO	31.31639	10,668 m		
KHG08	P557	25.32556	35,000 ft	148	-
FIX	AWY-LO	30.50944	10,668 m		
VUTAB	P557	25.44667	35,000 ft	7	-
FIX	AWY-LO	30.46722	10,668 m		
KHG07	P557	25.49000	35,000 ft	2	-
FIX	AWY-LO	30.45194	10,668 m		
AVIVA	P557	25.80500	35,000 ft	19	-
FIX	AWY-LO	30.34139	10,668 m		
KHG56	A145	26.24667	35,000 ft	31	-
FIX	AWY-LO	30.03000	10,668 m		
AST72	A145	26.60056	35,000 ft	25	-
FIX	AWY-LO	29.77167	10,668 m		
DANAD	A145	28.85167	35,000 ft	161	-
FIX	AWY-LO	28.10250	10,668 m		
BRN	A145	31.57556	35,000 ft	196	SIDI BARRANI VOR-DME
VOR	AWY-LO	26.00556	10,668 m		
NEV42	A145	32.22056	35,000 ft	43	-
FIX	AWY-LO	25.62861	10,668 m		
SALUN	A145	34.00000	35,000 ft	122	-
FIX	AWY-LO	24.45000	10,668 m		
PLH	A145	35.22764	35,000 ft	82	PALEOCHORA VOR-DME
VOR	AWY-LO	23.68084	10,668 m		
LIDRI	M872	35.86528	35,000 ft	50	-
FIX	AWY-LO	23.00694	10,668 m		
KFN	M872	38.11306	35,000 ft	180	KEFALLINIA VOR-DME
VOR	AWY-LO	20.50472	10,668 m		
ENESI	M872	38.31389	35,000 ft	16	-
FIX	AWY-LO	20.25361	10,668 m		
LATAN	M872	39.29333	35,000 ft	83	-
FIX	AWY-LO	19.00000	10,668 m		
LUPAL	M872	39.46972	35,000 ft	15	-
FIX	AWY-LO	18.76944	10,668 m		
GRTNB	UM872	40.44597	35,000 ft	85	-
FIX	AWY-HI	17.42214	10,668 m		
MOKTO	UM872	40.61444	35,000 ft	15	-
FIX	AWY-HI	17.17417	10,668 m		
LUXIL	UM872	40.81917	35,000 ft	18	-
FIX	AWY-HI	16.87083	10,668 m		
AME	UM872	41.50000	35,000 ft	62	AMENDOLA NDB
NDB	AWY-HI	15.83778	10,668 m		
PES	M872	42.43611	35,000 ft	92	PESCARA VOR-DME
VOR	AWY-LO	14.18444	10,668 m		
PREKI	UL168	42.87750	35,000 ft	54	-
FIX	AWY-HI	13.11917	10,668 m		
VERNA	UZ904	43.74222	35,000 ft	76	-
FIX	AWY-HI	11.83167	10,668 m		
VALEN	UZ904	43.93722	35,000 ft	17	-
FIX	AWY-HI	11.53306	10,668 m		
PAR	UZ904	44.82229	35,000 ft	75	PARMA NDB

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NDB	AWY-HI	10.29327	10,668 m		
ROBAS	L153	45.19361	35,000 ft	32	-
FIX	AWY-LO	9.72611	10,668 m		
SRN	L153	45.64667	35,000 ft	40	SARONNO NDB
NDB	AWY-LO	9.02278	10,668 m		
IXORA	L153	45.83667	35,000 ft	21	-
FIX	AWY-LO	8.58889	10,668 m		
ARLES	L153	45.92944	35,000 ft	10	-
FIX	AWY-LO	8.37500	10,668 m		
PUNSA	L153	46.07861	35,000 ft	17	-
FIX	AWY-LO	8.02583	10,668 m		
SOSAL	UL153	46.55806	35,000 ft	55	-
FIX	AWY-HI	6.88444	10,668 m		
VADEM	UL153	46.72167	35,000 ft	19	-
FIX	AWY-HI	6.48333	10,668 m		
GILIR	UN853	47.06333	35,000 ft	22	-
FIX	AWY-HI	6.23917	10,668 m		
PENDU	UN853	47.34889	35,000 ft	19	-
FIX	AWY-HI	6.03278	10,668 m		
REKLA	-	47.53556	35,000 ft	13	-
FIX	-	5.85083	10,668 m		
RLP	UT10	47.90631	35,000 ft	32	ROLAMPONT VOR-DME
VOR	AWY-HI	5.24917	10,668 m		
CTL	UL48	49.13775	35,000 ft	99	CHATILLON SUR MARNE VOR-DME
VOR	AWY-HI	3.57769	10,668 m		
DIDOR	UL48	49.31361	35,000 ft	15	-
FIX	AWY-HI	3.28194	10,668 m		
NITAR	UT420	49.92000	29,700 ft	54	-
FIX	AWY-HI	2.23639	9,053 m		
ABNUR	UT420	50.17139	25,200 ft	20	-
FIX	AWY-HI	1.85861	7,681 m		
DIMAL	UT420	50.49250	19,400 ft	26	-
FIX	AWY-HI	1.36639	5,913 m		
EGLL	-	51.47122	0 ft	90	London Heathrow
APT	-	-0.46098	0 m		

FIMP

Region: MAURITIUS
Timezone: INDIAN/MAURITIUS
Runways: 1

Elevation: 183 ft / 56 m
Location: -20.430200 57.683600
Magnetic Var: 18.071 W

METAR

FIMP 060000Z 12010KT 9999 SCT016 SCT050 24/18 Q1018

TAF

TAF FIMP 052305Z 0600/0706 13015G25KT 9999 SCT017 TEMPO 0600/0606 7000 -SHRA BKN015 PROB30 TEMPO 0615/0704 7000 -

Frequencies

REC - 126.20 MHz - MAURITIUS ATIS
APP - 119.10 MHz - MAURITIUS APPROACH
TWR - 118.10 MHz - MAURITIUS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	11,073 ft	117.17	ASPHALT	1,086 ft	203 ft
	45 m	3,375 m	135.25		331 m	62 m
32	148 ft	11,073 ft	297.17	ASPHALT	0 ft	197 ft
	45 m	3,375 m	315.24		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IPL	109.90 MHz	18 nm	-	-	186 ft
				33 km	-		186 m
14	LOC-ILS	IPL	109.90 MHz	18 nm	117.12	-	183 ft
				33 km	135.19		183 m
14	GS	IPL	109.90 MHz	10 nm	117.12	3.50	183 ft
				19 km	135.19		183 m

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.376 E

METAR

EGLL 060020Z AUTO 00000KT 9999 FEW019 SCT031 10/09 Q1007 NOSIG

TAF

TAF EGLL 052258Z 0600/0706 VRB03KT 9999 SCT020 TEMPO 0600/0608 7000 BKN006 PROB30 TEMPO 0601/0607 3000 BR BKN003 B

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.29		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.31		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.35		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m