


2024/05/08 0803Z

EGKK ETRAT **UN859** AMB **UT158** TUDRA **UT210** PERIG **UT185** AGN **UN863** RES **UN856** MARTA **LEIB**

745.93 nm / 1381.47 km



Notes

Basic altitude profile:

- Ascent Rate: 2600ft/min
- Ascent Speed: 240kts
- Cruise Altitude: 36000ft
- Cruise Speed: 280kts
- Descent Rate: 1500ft/min
- Descent Speed: 240kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGKK APT	-	51.14875 -0.19247	0 ft 0 m	-	London Gatwick
ETRAT FIX	-	49.68333 0.16333	31,800 ft 9,693 m	89	-
DVL VOR	UN859 AWY-HI	49.31075 0.31272	35,000 ft 10,668 m	23	DEAUVILLE SAINT GATIEN VOR
LGL VOR	UN859 AWY-HI	48.79061 0.53028	35,000 ft 10,668 m	32	L AIGLE VOR
SORAP FIX	UN859 AWY-HI	48.52222 0.63528	35,000 ft 10,668 m	16	-
BENAR FIX	UN859 AWY-HI	48.25306 0.74444	35,000 ft 10,668 m	16	-
VANAD FIX	UN859 AWY-HI	47.83722 0.90722	35,000 ft 10,668 m	25	-
AMB VOR	UN859 AWY-HI	47.42892 1.06444	35,000 ft 10,668 m	25	AMBOISE VOR-DME
BEVOL FIX	UT158 AWY-HI	47.01194 0.93083	35,000 ft 10,668 m	25	-
TUDRA FIX	UT158 AWY-HI	46.53889 0.78083	35,000 ft 10,668 m	29	-
DIBAG FIX	UT210 AWY-HI	45.78944 0.78750	35,000 ft 10,668 m	45	-
PERIG FIX	UT210 AWY-HI	45.11722 0.96944	35,000 ft 10,668 m	41	-
AGN VOR	UT185 AWY-HI	43.88803 0.87286	35,000 ft 10,668 m	73	AGEN-Gaudonville VOR-DME
GIROM FIX	UN863 AWY-HI	42.77486 0.99730	35,000 ft 10,668 m	67	-
MOPAS FIX	UN863 AWY-HI	42.43537 1.03436	35,000 ft 10,668 m	20	-
USKAR FIX	UN863 AWY-HI	42.14373 1.06587	35,000 ft 10,668 m	17	-
REBUL FIX	UN863 AWY-HI	41.69791 1.11348	35,000 ft 10,668 m	26	-
ARBK FIX	UN863 AWY-HI	41.54386 1.12977	34,400 ft 10,485 m	9	-
KARES FIX	UN863 AWY-HI	41.33102 1.15216	31,700 ft 9,662 m	12	-
SELVA FIX	UN863 AWY-HI	41.19617 1.16627	29,900 ft 9,114 m	8	-
RES VOR	UN863 AWY-HI	41.14969 1.17112	29,300 ft 8,931 m	2	REUS VOR-DME
EBROX FIX	UN856 AWY-HI	40.70873 1.23178	23,600 ft 7,193 m	26	-
MARTA FIX	UN856 AWY-HI	40.35462 1.27991	19,000 ft 5,791 m	21	-
LEIB APT	-	38.87287 1.37304	0 ft 0 m	89	Ibiza

EGKK

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 187 ft / 57 m
Location: 51.148800 -0.191923
Magnetic Var: 0.494 E

METAR

EGKK 080720Z 09005KT 050V120 8000 BKN007 11/10 Q1029

TAF

TAF EGKK 080454Z 0806/0912 07005KT 1200 BR BKN003 BECMG 0806/0809 9999 NSW SCT008 PROB30 TEMPO 0809/0811 8000 BECMG

Frequencies

REC - 136.52 MHz - GATWICK INFORMATION	GND - 121.80 MHz - GATWICK GROUND
TWR - 124.22 MHz - GATWICK TOWER	TWR - 134.22 MHz - GATWICK TOWER
CLD - 121.95 MHz - GATWICK DELIVERY	APP - 118.95 MHz - GATWICK DIRECTOR
APP - 126.82 MHz - GATWICK DIRECTOR	APP - 129.02 MHz - GATWICK DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	10,851 ft	77.60	ASPHALT	1,289 ft	0 ft
	45 m	3,308 m	77.10		393 m	0 m
26L	148 ft	10,851 ft	257.63	ASPHALT	1,388 ft	102 ft
	45 m	3,308 m	257.14		423 m	31 m
08L	148 ft	8,382 ft	77.59	ASPHALT	1,047 ft	0 ft
	45 m	2,555 m	77.09		319 m	0 m
26R	148 ft	8,382 ft	257.61	ASPHALT	1,358 ft	0 ft
	45 m	2,555 m	257.12		414 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IGG	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
26L	DME	IWW	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
08R	LOC-ILS	IGG	110.90 MHz	18 nm	77.62	-	187 ft
				33 km	77.13		187 m
26L	LOC-ILS	IWW	110.90 MHz	18 nm	257.62	-	187 ft
				33 km	257.13		187 m
08R	GS	IGG	110.90 MHz	10 nm	77.62	3.00	187 ft
				19 km	77.13		187 m
26L	GS	IWW	110.90 MHz	10 nm	257.62	3.00	187 ft
				19 km	257.13		187 m

LEIB

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 24 ft / 7 m
Location: 38.872800 1.373130
Magnetic Var: 1.355 E

METAR

LEIB 080730Z 35007KT 310V030 CAVOK 19/10 Q1020 NOSIG

TAF

TAF AMD LEIB 080538Z 0805/0903 VRB04KT 9999 FEW020 TX22/0812Z TN13/0805Z BECMG 0805/0807 36010KT TEMPO 0814/0816

Frequencies

REC - 119.80 MHz - ATIS
TWR - 118.50 MHz - IBIZA TOWER
APP - 134.82 MHz - PALMA APPROACH
GND - 121.92 MHz - IBIZA GROUND
CLD - 121.37 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.63		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.64		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.64		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.64		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.64		24 m