


2024/05/20 1049Z

OAHR CHARN OIMM

175.94 nm / 325.85 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 26000ft
- Cruise Speed: 300kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OAHR	-	34.21002	0 ft	-	HERAT
APT	-	62.22830	0 m		
CHARN	-	35.16858	20,700 ft	78	-
FIX	-	61.13536	6,309 m		
OIMM	-	36.23526	0 ft	97	MASHHAD INTL
APT	-	59.64098	0 m		

OIMM

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 2

Elevation: 3,263 ft / 995 m
Location: 36.235200 59.641100
Magnetic Var: 4.695 E

METAR

OIMM 201030Z 07010KT 9999 FEW040 21/13 Q1018 A3006

TAF

TAF OIMM 200550Z 2006/2112 10008KT 9999 FEW030CB SCT035 BKN100 BECMG 2007/2009 FEW030 SCT100 TEMPO 2010/2015 1401

Frequencies

REC - 126.40 MHz - ATIS
TWR - 121.70 MHz -
APP - 127.30 MHz -
TWR - 121.90 MHz -
TWR - 118.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft	12,851 ft	133.72	ASPHALT	0 ft	758 ft
	45 m	3,917 m	129.03		0 m	231 m
31L	148 ft	12,851 ft	313.74	ASPHALT	0 ft	994 ft
	45 m	3,917 m	309.05		0 m	303 m
13L	148 ft	12,495 ft	133.73	ASPHALT	0 ft	1,017 ft
	45 m	3,809 m	129.04		0 m	310 m
31R	148 ft	12,495 ft	313.75	ASPHALT	0 ft	1,001 ft
	45 m	3,809 m	309.05		0 m	305 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31R	DME	IMSD	109.90 MHz	18 nm	-	-	3,258 ft
				33 km	-		3,258 m
31R	LOC-ILS	IMSD	109.90 MHz	18 nm	313.74	-	3,263 ft
				33 km	309.04		3,263 m
31R	GS	IMSD	109.90 MHz	10 nm	313.74	3.00	3,263 ft
				19 km	309.04		3,263 m