

# LFPG

Paris Charles De Gaulle


# LIPR

Rimini Mil

2024/05/14 2215Z

LFPG ERTIP **UM982** ROMTA **UL153** SRN **UL982** TZO **UW95** BOA LIPR

518.21 nm / 959.73 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00974 2.56262	0 ft 0 m	-	Paris Charles De Gaulle
ERTIP FIX	-	48.13444 4.40667	32,200 ft 9,815 m	90	-
TINIL FIX	UM982 AWY-HI	47.58889 5.09861	35,000 ft 10,668 m	43	-
DERAK FIX	UM982 AWY-HI	47.29639 5.46528	35,000 ft 10,668 m	23	-
ROMTA FIX	UM982 AWY-HI	46.97028 5.85722	35,000 ft 10,668 m	25	-
BIBOT FIX	UL153 AWY-HI	46.75139 6.41028	35,000 ft 10,668 m	26	-
VADEM FIX	UL153 AWY-HI	46.72167 6.48333	35,000 ft 10,668 m	3	-
SOSAL FIX	UL153 AWY-HI	46.55806 6.88444	35,000 ft 10,668 m	19	-
PUNSA FIX	UL153 AWY-HI	46.07861 8.02583	35,000 ft 10,668 m	55	-
ARLES FIX	UL153 AWY-HI	45.92944 8.37500	35,000 ft 10,668 m	17	-
IXORA FIX	UL153 AWY-HI	45.83667 8.58889	35,000 ft 10,668 m	10	-
SRN NDB	UL153 AWY-HI	45.64667 9.02278	35,000 ft 10,668 m	21	SARONNO NDB
TZO VOR	UL982 AWY-HI	45.55916 9.50722	34,700 ft 10,577 m	21	TREZZO VOR-DME
NERBO FIX	UW95 AWY-HI	45.28333 10.00000	29,000 ft 8,839 m	26	-
BOA VOR	UW95 AWY-HI	44.53694 11.29055	13,800 ft 4,206 m	70	BOLOGNA VOR-DME
LIPR APT	-	44.02029 12.61175	0 ft 0 m	64	Rimini Mil

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.497 E

## METAR

LFPG 142200Z 16006KT 9999 OVC007 SCT120 13/13 Q1005 NOSIG

## TAF

TAF LFPG 141700Z 1418/1524 15008KT 9999 -RA SCT010 BKN060 TX21/1514Z TN12/1504Z PROB40 TEMPO 1421/1503 4000 -SHRA

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m

## LIPR

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 41 ft / 12 m  
Location: 44.020400 12.611600  
Magnetic Var: 3.870 E

## METAR

LIPR 142150Z AUTO 17003KT 9999 NCD 17/16 Q1010

## TAF

TAF LIPR 141700Z 1418/1518 09011KT 9999 FEW030 BECMG 1418/1420 VRB05KT BECMG 1506/1508 10013KT TEMPO 1511/1518 40

## Frequencies

TWR - 119.10 MHz - RIMINI TOWER  
TWR - 122.10 MHz - RIMINI TOWER  
APP - 122.10 MHz - ROMAGNA RADAR

TWR - 121.60 MHz - RIMINI TOWER  
APP - 118.15 MHz - ROMAGNA RADAR  
APP - 118.57 MHz - ROMAGNA RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	9,728 ft	127.78	CONCRETE	1,024 ft	830 ft
	45 m	2,965 m	123.91		312 m	253 m
31	148 ft	9,728 ft	307.80	CONCRETE	896 ft	459 ft
	45 m	2,965 m	303.93		273 m	140 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	LOC-ILS	MIR	109.30 MHz	18 nm	307.77	-	41 ft
				33 km	303.90		41 m
31	GS	MIR	109.30 MHz	10 nm	308.60	3.00	41 ft
				19 km	304.73		41 m