


2024/05/09 0729Z

LIEE CAR **UM871** LIBRO LICC

302.78 nm / 560.75 km



Notes

Requested: LIEE CAR **UM871** LIBRO LICC

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIEE APT	-	39.25147 9.05429	0 ft 0 m	-	Cagliari Elmas
CAR NDB	-	39.11167 9.50917	0 ft 0 m	22	CARBONARA NDB
ADAMI FIX	UM871 AWY-HI	38.70472 10.94889	0 ft 0 m	71	-
KAPIL FIX	UM871 AWY-HI	38.35611 12.12583	0 ft 0 m	59	-
PAL VOR	UM871 AWY-HI	38.03389 13.17750	0 ft 0 m	53	PALERMO VOR-DME
INTER FIX	UM871 AWY-HI	37.87750 13.66806	0 ft 0 m	25	-
ENEPA FIX	UM871 AWY-HI	37.77333 13.99944	0 ft 0 m	16	-
LIBRO FIX	UM871 AWY-HI	37.62139 14.46472	0 ft 0 m	23	-
LICC APT	-	37.46678 15.06640	0 ft 0 m	30	Catania Fontanarossa

LIEE

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 13 ft / 4 m
Location: 39.251500 9.054300
Magnetic Var: 2.945 E

METAR

LIEE 090650Z 01008KT 9999 SCT040 15/13 Q1015

TAF

TAF LIEE 090500Z 0906/1006 35010KT 9999 FEW040 BECMG 0910/0912 15010KT BECMG 0917/0919 VRB05KT

Frequencies

REC - 127.05 MHz - ATIS	GND - 125.42 MHz - ELMAS GROUND
TWR - 120.60 MHz - ELMAS TOWER	TWR - 122.10 MHz - ELMAS TOWER
APP - 118.40 MHz - CAGLIARI APPROACH	APP - 118.75 MHz - CAGLIARI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	9,209 ft	138.10	ASPHALT	0 ft	0 ft
	45 m	2,807 m	135.15		0 m	0 m
32	148 ft	9,209 ft	318.11	ASPHALT	0 ft	0 ft
	45 m	2,807 m	315.17		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IEL	109.50 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
32	LOC-ILS	IEL	109.50 MHz	18 nm	318.10	-	13 ft
				33 km	315.16		13 m
32	GS	IEL	109.50 MHz	10 nm	318.10	3.00	13 ft
				19 km	315.16		13 m

LICC

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 39 ft / 12 m
Location: 37.466800 15.066400
Magnetic Var: 3.831 E

METAR

LICC 090650Z 11008KT 9999 SCT025 BKN090 17/14 Q1010

TAF

TAF LICC 090500Z 0906/1006 04015KT 9999 SCT040 TEMPO 0906/0912 4000 TSRA BECMG 0908/0910 05015KT TEMPO 0912/0916 R

Frequencies

GND - 129.72 MHz - CATANIA GROUND
APP - 120.80 MHz - CATANIA APPROACH
REC - 127.67 MHz - ATIS

TWR - 118.70 MHz - CATANIA TOWER
APP - 119.25 MHz - CATANIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	8,000 ft	83.93	ASPHALT	308 ft	0 ft
	45 m	2,438 m	80.10		94 m	0 m
26	148 ft	8,000 ft	263.95	ASPHALT	285 ft	0 ft
	45 m	2,438 m	260.12		87 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	CTN	109.90 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
08	LOC-ILS	CTN	109.90 MHz	18 nm	83.95	-	39 ft
				33 km	80.12		39 m
08	GS	CTN	109.90 MHz	10 nm	83.95	3.00	39 ft
				19 km	80.12		39 m