


2024/05/06 0052Z

LFMV CM LFML

31.52 nm / 58.38 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 90kts
- Cruise Altitude: 3500ft
- Cruise Speed: 110kts
- Descent Rate: 1500ft/min
- Descent Speed: 90kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMV	-	43.90860	0 ft	-	Caumont
APT	-	4.90180	0 m		
CM	-	43.90828	0 ft	0	AVIGNON NDB
NDB	-	4.90539	0 m		
LFML	-	43.43589	0 ft	31	Marseille Provence
APT	-	5.21328	0 m		

## LFMV

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 124 ft / 38 m  
Location: 43.908400 4.902140  
Magnetic Var: 2.211 E

## METAR

LFMV 060030Z AUTO 17005KT 9999 FEW078/// OVC094/// ///TCU 15/10 Q1012

## TAF

TAF AMD LFMV 052014Z 0520/0615 CNL

## Frequencies

REC - 120.82 MHz - AVIGNON ATIS  
TWR - 122.60 MHz - AVIGNON TOWER

GND - 121.75 MHz - AVIGNON GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17L	66 ft	936 ft	168.89	GRASS	0 ft	0 ft
	20 m	285 m	166.68		0 m	0 m
35R	66 ft	936 ft	348.89	GRASS	0 ft	0 ft
	20 m	285 m	346.68		0 m	0 m
17	148 ft	6,170 ft	169.00	ASPHALT	663 ft	0 ft
	45 m	1,881 m	166.78		202 m	0 m
35	148 ft	6,170 ft	349.00	ASPHALT	1,020 ft	0 ft
	45 m	1,881 m	346.79		311 m	0 m
17R	164 ft	2,299 ft	168.97	GRASS	0 ft	0 ft
	50 m	701 m	166.76		0 m	0 m
35L	164 ft	2,299 ft	348.97	GRASS	0 ft	0 ft
	50 m	701 m	346.76		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	AN	110.50 MHz	27 nm	-	-	124 ft
				50 km	-		124 m
17	LOC-LOC	AN	110.50 MHz	18 nm	167.00	-	124 ft
				33 km	164.79		124 m
35	GS	AN	110.50 MHz	10 nm	349.00	3.00	121 ft
				19 km	346.79		121 m

## LFML

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 69 ft / 21 m  
Location: 43.435800 5.213430  
Magnetic Var: 2.281 E

## METAR

LFML 060030Z AUTO 09010KT 9999 ///TCU 17/05 Q1012 BECMG NSC

## TAF

TAF LFML 052000Z 0521/0703 12010KT CAVOK TX21/0614Z TN12/0703Z PROB30 TEMPO 0523/0602 -SHRA SCT080TCU PROB40 TEMPO

## Frequencies

TWR - 125.35 MHz - PROVENCE ATIS	GND - 121.72 MHz - PROVENCE PREFLIGHT
GND - 121.90 MHz - PROVENCE GROUND	TWR - 133.10 MHz - PROVENCE TOWER
TWR - 123.72 MHz - PROVENCE TOWER	APP - 120.20 MHz - PROVENCE APPROACH
TWR - 120.87 MHz - PROVENCE APPROACH	APP - 121.42 MHz - PROVENCE APPROACH
APP - 124.35 MHz - PROVENCE APPROACH	APP - 127.72 MHz - PROVENCE APPROACH
TWR - 129.47 MHz - PROVENCE APPROACH	APP - 132.30 MHz - PROVENCE APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	148 ft	11,485 ft	134.05	ASPHALT	1,122 ft	295 ft
	45 m	3,501 m	131.77		342 m	90 m
31R	148 ft	11,485 ft	314.07	ASPHALT	2,165 ft	331 ft
	45 m	3,501 m	311.79		660 m	101 m
13R	148 ft	7,783 ft	134.89	ASPHALT	0 ft	197 ft
	45 m	2,372 m	132.61		0 m	60 m
31L	148 ft	7,783 ft	314.91	ASPHALT	348 ft	194 ft
	45 m	2,372 m	312.62		106 m	59 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	ML	110.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13R	DME	MCE	108.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
31R	DME	MPV	111.15 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13L	LOC-ILS	ML	110.30 MHz	18 nm	134.05	-	74 ft
				33 km	131.77		74 m
13R	LOC-ILS	MCE	108.30 MHz	18 nm	134.90	-	74 ft
				33 km	132.62		74 m
31R	LOC-ILS	MPV	111.15 MHz	18 nm	314.05	-	74 ft
				33 km	311.77		74 m
13L	GS	ML	110.30 MHz	10 nm	134.05	3.00	10 ft
				19 km	131.77		10 m
13R	GS	MCE	108.30 MHz	10 nm	134.90	3.00	74 ft
				19 km	132.62		74 m
31R	GS	MPV	111.15 MHz	10 nm	314.05	4.00	10 ft
				19 km	311.77		10 m