


2024/06/06 1102Z

VIDP PEKIX **G452** TIGER **G202** RK **G214** JI EGRON **A791** SHJ **A415** DUMPI OTBD

1425.57 nm / 2640.16 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VIDP	-	28.56650	0 ft	-	INDIRA GANDHI INTL
APT	-	77.10309	0 m		
PEKIX	-	28.75002	23,300 ft	65	-
FIX	-	75.88224	7,102 m		
LUN	G452	28.57030	35,000 ft	111	MABOR VOR-DME
VOR	AWY-HI	73.78421	10,668 m		
TIGER	G452	28.46694	35,000 ft	81	-
FIX	AWY-HI	72.24944	10,668 m		
RK	G202	28.36565	35,000 ft	104	RAHIM YAR KHAN VOR-DME
VOR	AWY-HI	70.27315	10,668 m		
ZEMKO	G214	28.06694	35,000 ft	83	-
FIX	AWY-HI	68.73333	10,668 m		
SHANO	G214	27.76000	35,000 ft	72	-
FIX	AWY-HI	67.41361	10,668 m		
PG	G214	26.95561	35,000 ft	181	PANJGUR VOR-DME
VOR	AWY-HI	64.12528	10,668 m		
JI	G214	25.06389	35,000 ft	169	JIWANI VOR-DME
VOR	AWY-HI	61.79556	10,668 m		
EGRON	-	25.07889	35,000 ft	13	-
FIX	-	61.54583	10,668 m		
EGPIC	A791	25.14306	35,000 ft	57	-
FIX	AWY-HI	60.49250	10,668 m		
KANAS	A791	25.26444	35,000 ft	147	-
FIX	AWY-HI	57.78333	10,668 m		
IMLOT	A791	25.28556	35,000 ft	35	-
FIX	AWY-HI	57.13444	10,668 m		
LALDO	A791	25.30167	35,000 ft	29	-
FIX	AWY-HI	56.60000	10,668 m		
SHJ48	A791	25.30778	35,000 ft	11	-
FIX	AWY-HI	56.39444	10,668 m		
NADNI	A791	25.32083	35,000 ft	24	-
FIX	AWY-HI	55.94972	10,668 m		
TUKLA	A791	25.32667	35,000 ft	15	-
FIX	AWY-HI	55.66944	10,668 m		
SHJ	A791	25.33016	35,000 ft	8	SHARJAH VOR-DME
VOR	AWY-HI	55.52043	10,668 m		
RANBI	A415	25.31889	35,000 ft	41	-
FIX	AWY-HI	54.75000	10,668 m		
ASKOP	A415	25.30750	29,900 ft	33	-
FIX	AWY-HI	54.14139	9,114 m		
DUMPI	A415	25.29028	21,500 ft	39	-
FIX	AWY-HI	53.41667	6,553 m		
OTBD	-	25.26106	0 ft	100	DOHA INTL
APT	-	51.56500	0 m		

## VIDP

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 3

Elevation: 778 ft / 237 m  
Location: 28.558500 77.097900  
Magnetic Var: 1.605 E

## METAR

VIDP 061030Z 01009G19KT 3500 BLDU NSC 39/16 Q1004 TEMPO 3000 BLDU

## TAF

TAF VIDP 060500Z 0606/0712 29005KT 5000 HZ FEW035 SCT100 TEMPO 0610/0614 32020G30KT 0800 DS TS SCT030 FEW035CB BKN

## Frequencies

REC - 126.40 MHz - DELHI ATIS  
TWR - 118.10 MHz - DELHI TOWER  
APP - 124.20 MHz - DELHI APPROACH  
GND - 121.90 MHz - DELHI GROUND  
APP - 126.35 MHz - DELHI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.09		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.11		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.08		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.10		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.85		152 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.84		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.09		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.84		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.09		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.10		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.10		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.84		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.09		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.84		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.09		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.10		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.10		778 m

## OTBD

Region: QATAR  
Timezone: ASIA/QATAR  
Runways: 1

Elevation: 37 ft / 11 m  
Location: 25.261100 51.565100  
Magnetic Var: 2.780 E

## METAR

OTBD 061030Z 12006KT 080V160 CAVOK 38/20 Q1004 NOSIG

## TAF

TAF OTBD 060525Z 0606/0712 15007KT CAVOK TEMPO 0606/0608 27005KT TEMPO 0609/0618 08007KT PROB30 TEMPO 0709/0715 5

## Frequencies

REC - 126.45 MHz - ATIS  
TWR - 118.65 MHz -  
APP - 121.10 MHz -  
TWR - 121.80 MHz - GND  
TWR - 118.90 MHz -  
APP - 119.40 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	151 ft	15,014 ft	158.21	ASPHALT	2,461 ft	0 ft
	46 m	4,576 m	155.43		750 m	0 m
33	151 ft	15,014 ft	338.21	ASPHALT	0 ft	459 ft
	46 m	4,576 m	335.43		0 m	140 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	IBD	109.50 MHz	18 nm	-	-	35 ft
				33 km	-		35 m
15	LOC-ILS	AMD	108.50 MHz	18 nm	158.21	-	37 ft
				33 km	155.43		37 m
33	LOC-ILS	IBD	109.50 MHz	18 nm	338.21	-	37 ft
				33 km	335.43		37 m
15	GS	AMD	108.50 MHz	10 nm	158.21	3.00	37 ft
				19 km	155.43		37 m
33	GS	IBD	109.50 MHz	10 nm	338.21	3.00	35 ft
				19 km	335.43		35 m