

SBGL

Galeao Antonio Carlos Jombim


TNCM

St Maarten - Princess Juliana Intl

2024/05/04 0414Z

SBGL VUMPI 0364N VAGAN URM CMA RAYAS RAFEE PORQE GABAR ELOPO TNCM

3043.08 nm / 5635.79 km



Notes

Requested: SBGL EDNAM UM409 VUMPI 0364N VAGAN POVLA URM CMA ISEDI A300 RAYAS RAFEE A516 PORQE GABAR ELOPO TNCM
Unmatched points: EDNAM UM409 POVLA ISEDI A300 A516

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBGL	-	-22.80894	0 ft	-	Galeao Antonio Carlos Jombim
APT	-	-43.24368	0 m		
VUMPI	-	1.98972	0 ft	1920	-
FIX	-	-63.94861	0 m		
0364N	-	3.00000	0 ft	60	-
LATLON	-	-64.00000	0 m		
VAGAN	-	3.81917	0 ft	73	-
FIX	-	-63.08383	0 m		
URM	-	5.33306	0 ft	92	URIMAN NDB
NDB	-	-62.76700	0 m		
CMA	-	6.25025	0 ft	55	CANAIMA VOR-DME
VOR	-	-62.85756	0 m		
RAYAS	-	15.68786	0 ft	587	-
FIX	-	-65.48857	0 m		
RAFEE	-	16.10923	0 ft	34	-
FIX	-	-65.07009	0 m		
PORQE	-	17.15999	0 ft	87	-
FIX	-	-64.01449	0 m		
GABAR	-	17.35332	0 ft	59	-
FIX	-	-63.00000	0 m		
ELOPO	-	17.65006	0 ft	31	-
FIX	-	-62.55439	0 m		
TNCM	-	18.04089	0 ft	39	St Maarten - Princess Juliana Intl
APT	-	-63.10897	0 m		

SBGL

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 28 ft / 9 m
Location: -22.808900 -43.243800
Magnetic Var: 23.419 W

METAR

SBGL 040400Z 04002KT CAVOK 24/20 Q1015

TAF

TAF SBGL 031937Z 0400/0506 06004KT 9999 SCT020 TN23/0408Z TX35/0417Z BECMG 0406/0408 35005KT FEW015 PROB40 0408/0

Frequencies

REC - 127.60 MHz - ATIS	CLD - 121.00 MHz - GALEAO CLEARANCE
CLD - 135.10 MHz - GALEAO CLEARANCE	GND - 121.65 MHz - GALEAO GROUND
GND - 128.35 MHz - GALEAO GROUND	TWR - 118.00 MHz - GALEAO TOWER
TWR - 118.20 MHz - GALEAO TOWER	APP - 129.80 MHz - RIO APPROACH
APP - 125.95 MHz - RIO APPROACH	APP - 128.90 MHz - RIO APPROACH
APP - 119.35 MHz - RIO APPROACH	COM - 122.80 MHz - GALEAO UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	13,136 ft	74.40	CONCRETE	0 ft	0 ft
	45 m	4,004 m	97.82		0 m	0 m
28	148 ft	13,136 ft	254.38	CONCRETE	0 ft	174 ft
	45 m	4,004 m	277.80		0 m	53 m
15	154 ft	10,426 ft	125.65	ASPHALT	0 ft	184 ft
	47 m	3,178 m	149.07		0 m	56 m
33	154 ft	10,426 ft	305.64	ASPHALT	0 ft	184 ft
	47 m	3,178 m	329.06		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IGL	110.30 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28	DME	ILM	111.50 MHz	18 nm	-	-	28 ft
				33 km	-		28 m
10	LOC-ILS	ITB	109.30 MHz	18 nm	74.39	-	28 ft
				33 km	97.81		28 m
15	LOC-ILS	IGL	110.30 MHz	18 nm	125.65	-	28 ft
				33 km	149.07		28 m
28	LOC-ILS	ILM	111.50 MHz	18 nm	254.39	-	28 ft
				33 km	277.81		28 m
10	GS	ITB	109.30 MHz	10 nm	74.39	3.00	28 ft
				19 km	97.81		28 m
15	GS	IGL	110.30 MHz	10 nm	125.65	3.00	28 ft
				19 km	149.07		28 m
28	GS	ILM	111.50 MHz	10 nm	254.39	2.94	28 ft
				19 km	277.81		28 m