


2024/06/06 2024Z

FYWB UTULO **UN185** IBNIS FACT

811.73 nm / 1503.32 km



Notes

Requested: FYWB UTULO UN185 IMLED IBNIS ERDAS FACT
Unmatched points: ERDAS

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FYWB	-	-22.97989	0 ft	-	WALVIS BAY
APT	-	14.64533	0 m	-	
UTULO	-	-23.24585	0 ft	163	-
FIX	-	17.59696	0 m	-	-
EGRED	UN185	-23.49189	0 ft	14	-
FIX	AWY-HI	17.63745	0 m	-	-
UTSAL	UN185	-23.77121	0 ft	16	-
FIX	AWY-HI	17.68342	0 m	-	-
ETMOR	UN185	-24.01732	0 ft	14	-
FIX	AWY-HI	17.72393	0 m	-	-
KEBAT	UN185	-27.49993	0 ft	211	-
FIX	AWY-HI	18.29897	0 m	-	-
MITAR	UN185	-27.87874	0 ft	22	-
FIX	AWY-HI	18.31441	0 m	-	-
EGTAR	UN185	-28.12727	0 ft	15	-
FIX	AWY-HI	18.35141	0 m	-	-
BONON	UN185	-28.37581	0 ft	14	-
FIX	AWY-HI	18.37171	0 m	-	-
IMLED	UN185	-30.53866	0 ft	130	-
FIX	AWY-HI	18.54696	0 m	-	-
IBNIS	UN185	-32.64359	0 ft	126	-
FIX	AWY-HI	18.71562	0 m	-	-
FACT	-	-33.97050	0 ft	79	Cape Town International
APT	-	18.60440	0 m	-	

FYWB

Region: NAMIBIA
Timezone: AFRICA/WINDHOEK
Runways: 1

Elevation: 299 ft / 91 m
Location: -22.979400 14.647100
Magnetic Var: 12.141 W

METAR

FYWB 061900Z AUTO 20009KT //// // // 15/11 Q1023

TAF

TAF FYWB 061000Z 0612/0712 21003KT CAVOK BECMG 0614/0616 19014KT

Frequencies

REC - 127.00 MHz - ATIS
TWR - 122.50 MHz - WALVIS BAY TOWER
COM - 122.80 MHz - UNICOM
APP - 122.50 MHz - WALVIS BAY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	197 ft	11,271 ft	71.88	ASPHALT	0 ft	0 ft
	60 m	3,436 m	84.02		0 m	0 m
27	197 ft	11,271 ft	251.87	ASPHALT	0 ft	0 ft
	60 m	3,436 m	264.01		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	WBI	109.30 MHz	18 nm	251.87	-	299 ft
				33 km	264.01		299 m
27	GS	WBI	109.30 MHz	10 nm	251.87	3.00	299 ft
				19 km	264.01		299 m

FACT

Region: SOUTH AFRICA

Timezone: AFRICA/JOHANNESBURG

Runways: 2

Elevation: 147 ft / 45 m

Location: -33.970300 18.604200

Magnetic Var: 26.087 W

METAR

FACT 062000Z 34008KT 9999 FEW020 BKN040 14/13 Q1023 NOSIG

TAF

TAF FACT 061600Z 0618/0724 33008KT 9999 SCT012 BKN035 TX18/0712Z TN11/0701Z BECMG 0620/0622 VRB03KT PROB30 TEMPO

Frequencies

REC - 127.00 MHz - ATIS

TWR - 118.10 MHz - CAPE TOWN TOWER

GND - 121.90 MHz - CAPE TOWN GROUND

APP - 119.70 MHz - ARSA RDR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	5,586 ft	135.31	ASPHALT	0 ft	164 ft
	46 m	1,703 m	161.39		0 m	50 m
34	151 ft	5,586 ft	315.30	ASPHALT	0 ft	0 ft
	46 m	1,703 m	341.39		0 m	0 m
01	200 ft	10,512 ft	345.30	ASPHALT	0 ft	200 ft
	61 m	3,204 m	11.38		0 m	61 m
19	200 ft	10,512 ft	165.30	ASPHALT	0 ft	194 ft
	61 m	3,204 m	191.39		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	CTI	110.30 MHz	18 nm	-	-	151 ft
				33 km	-		151 m
19	DME	KSI	109.10 MHz	18 nm	-	-	151 ft
				33 km	-		151 m
01	LOC-ILS	CTI	110.30 MHz	18 nm	345.30	-	147 ft
				33 km	11.39		147 m
19	LOC-ILS	KSI	109.10 MHz	18 nm	165.30	-	147 ft
				33 km	191.39		147 m
01	GS	CTI	110.30 MHz	10 nm	345.30	3.00	147 ft
				19 km	11.39		147 m
19	GS	KSI	109.10 MHz	10 nm	165.30	3.20	147 ft
				19 km	191.39		147 m