
NZAA
Auckland International

NWWW
Noumea La Tontouta

2024/03/29 0616Z

NZAA AA **A597** LTO NWWW

1009.92 nm / 1870.38 km



Notes

Basic altitude profile:
- Ascent Rate: 2000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 450kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NZAA APT	–	-37.01079 174.78733	0 ft 0 m	–	Auckland International
AA VOR	–	-37.00464 174.81364	400 ft 122 m	1	AUCKLAND VOR-DME
DUGAN FIX	A597 AWY-HI	-33.87947 173.39017	34,000 ft 10,363 m	200	–
MINET FIX	A597 AWY-HI	-29.94539 170.79981	34,000 ft 10,363 m	270	–
LEKAX FIX	A597 AWY-HI	-27.09061 169.06489	34,000 ft 10,363 m	194	–
VIRAR FIX	A597 AWY-HI	-24.79333 167.74167	34,000 ft 10,363 m	155	–
LTO VOR	A597 AWY-HI	-22.00511 166.21178	20,000 ft 6,096 m	187	LA TONTOUTA VOR-DME
NWWW APT	–	-22.01453 166.21302	0 ft 0 m	0	Noumea La Tontouta

NZAA

Region: NEW ZEALAND AND ANTARCTICA
Timezone: PACIFIC/AUCKLAND
Runways: 1

Elevation: 23 ft / 7 m
Location: -37.008100 174.792000
Magnetic Var: 20.172 E

METAR

NZAA 290600Z AUTO 21016KT 9999 FEW042/// SCT050/// 16/09 Q1010

TAF

TAF NZAA 290507Z 2906/3012 22018KT 9999 -SHRA FEW030 BKN050 FM290900 18008KT 9999 FEW030 BECMG 2920/2922 21018KT E

Frequencies

REC - 127.80 MHz - ATIS
GND - 121.90 MHz - AUCKLAND GROUND
TWR - 120.95 MHz - AUCKLAND TOWER
APP - 120.10 MHz - AUCKLAND APPROACH
APP - 129.50 MHz - AUCKLAND APPROACH

REC - 127.00 MHz - ATIS
TWR - 118.70 MHz - AUCKLAND TOWER
CLD - 128.20 MHz - CLEARANCE DELIVERY
APP - 124.30 MHz - AUCKLAND APPROACH
APP - 129.60 MHz - AUCKLAND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	151 ft 46 m	12,040 ft 3,670 m	70.92 50.75	CONCRETE	1,250 ft 381 m	0 ft 0 m
23L	151 ft 46 m	12,040 ft 3,670 m	250.90 230.73	CONCRETE	0 ft 0 m	131 ft 40 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IAA	110.30 MHz	18 nm 33 km	- -	-	23 ft 23 m
23L	DME	IMG	109.90 MHz	18 nm 33 km	- -	-	23 ft 23 m
05R	LOC-ILS	IAA	110.30 MHz	18 nm 33 km	70.91 50.74	-	23 ft 23 m
23L	LOC-ILS	IMG	109.90 MHz	18 nm 33 km	250.91 230.74	-	23 ft 23 m
05R	GS	IAA	110.30 MHz	10 nm 19 km	70.91 50.74	3.00	23 ft 23 m
23L	GS	IMG	109.90 MHz	10 nm 19 km	250.91 230.74	3.00	23 ft 23 m

NWWW

Region: NEW CALEDONIA
Timezone: PACIFIC/NOUMEA
Runways: 1

Elevation: 50 ft / 15 m
Location: -22.014500 166.213000
Magnetic Var: 12.520 E

METAR

NWWW 290600Z AUTO 15017KT CAVOK 26/19 Q1014 BECMG VRB02KT

TAF

TAF NWWW 290500Z 2906/3006 14015KT 9999 FEW025 BECMG 2907/2909 VRB02KT BECMG 2922/2924 14018KT

Frequencies

APP - 119.70 MHz - NOUMEA LA APPROACH
TWR - 118.10 MHz - NOUMEA LA TOWER
COM - 119.70 MHz - TONTOUTA INFORMATION

DEP - 128.30 MHz - NOUMEA LA DEPARTURE
REC - 126.20 MHz - TONTOUTA ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft 45 m	10,673 ft 3,253 m	121.25 108.73	ASPHALT	0 ft 0 m	328 ft 100 m
29	148 ft 45 m	10,673 ft 3,253 m	301.24 288.72	ASPHALT	0 ft 0 m	325 ft 99 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	LT	109.90 MHz	18 nm 33 km	120.69 108.17	-	52 ft 52 m
11	GS	LT	109.90 MHz	10 nm 19 km	121.40 108.88	3.00	24 ft 24 m