

TFFR

Pointe a Pitre Le Raizet


LFPO

Paris Orly

2024/05/11 0530Z

TFFR TOTEM 2000N06000W 2100N06000W 2500N05500W 2900N05000W 3000N05000W 3300N04500W 3600N04000W
3900N03500W KOKER KOLIT LUKAL +44.000_--30.000 Z SEPAL **UN470** LAPEX **UN472** QPR **UN868** ARE **R11** DIN **R9**
RANES LFPO

3792.75 nm / 7024.17 km



Notes

Using NAT tracks from 9/1/2016

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TFFR	-	16.26531	0 ft	-	Pointe a Pitre Le Raizet
APT	-	-61.53181	0 m		
TOTEM	-	18.00000	34,000 ft	106	-
FIX	-	-61.88367	10,363 m		
2000N06000W	-	20.00000	35,000 ft	160	-
LATLON	-	-60.00000	10,668 m		
2100N06000W	-	21.00000	35,000 ft	60	-
LATLON	-	-60.00000	10,668 m		
2500N05500W	-	25.00000	35,000 ft	366	-
LATLON	-	-55.00000	10,668 m		
2900N05000W	-	29.00000	35,000 ft	359	-
LATLON	-	-50.00000	10,668 m		
3000N05000W	-	30.00000	35,000 ft	60	-
LATLON	-	-50.00000	10,668 m		
3300N04500W	-	33.00000	35,000 ft	313	-
LATLON	-	-45.00000	10,668 m		
3600N04000W	-	36.00000	35,000 ft	306	-
LATLON	-	-40.00000	10,668 m		
3900N03500W	-	39.00000	35,000 ft	298	-
LATLON	-	-35.00000	10,668 m		
KOKER	-	39.90583	35,000 ft	80	-
FIX	-	-33.73389	10,668 m		
KOLIT	-	40.54861	35,000 ft	41	-
FIX	-	-33.38917	10,668 m		
LUKAL	-	41.25306	35,000 ft	63	-
FIX	-	-32.35583	10,668 m		
+44.000_--30.000	-	44.00000	35,000 ft	195	-
LATLON	-	-30.00000	10,668 m		
+46.000_--20.000	Z	46.00000	35,000 ft	440	-
LATLON	NAT	-20.00000	10,668 m		
+46.000_--15.000	Z	46.00000	35,000 ft	208	-
LATLON	NAT	-15.00000	10,668 m		
SEPAL	Z	47.00000	35,000 ft	265	-
FIX	NAT	-8.75000	10,668 m		
LAPEX	UN470	47.00000	35,000 ft	30	-
FIX	AWY-HI	-8.00000	10,668 m		
QPR	UN472	47.95728	35,000 ft	165	QUIMPER PLUGUFFAN VOR-DME
VOR	AWY-HI	-4.18472	10,668 m		
ARE	UN868	48.33264	35,000 ft	32	MONTES D ARREE VOR
VOR	AWY-HI	-3.60247	10,668 m		
LAMBA	R11	48.52722	19,500 ft	47	-
FIX	AWY-LO	-2.43972	5,944 m		
DIN	R11	48.58606	19,500 ft	14	DINARD PLEURTUIT SAINT MALO VO
VOR	AWY-LO	-2.08233	5,944 m		
RUEXX	R9	48.61944	19,500 ft	14	-
FIX	AWY-LO	-1.72389	5,944 m		
RANES	R9	48.73750	19,500 ft	58	-
FIX	AWY-LO	-0.25000	5,944 m		
LFPO	-	48.72636	0 ft	103	Paris Only
APT	-	2.36703	0 m		

TFFR

Region: FRANCE (GUADELOUPE, MARTINIQUE, SAINT BARTHÉLEMY, SAINT MARTIN)
Elevation: 35 ft / 11 m
Coordinates: 16.265500 -61.533000
Timezone: AMERICA/GUADELOUPE
Magnetic Var: 15.020 W
Runways: 1

METAR

TFFR 110500Z AUTO 15005KT CAVOK 26/23 Q1013 NOSIG

TAF

TAF TFFR 102300Z 1100/1124 VRB02KT 9999 BKN025 BECMG 1110/1112 13013KT TEMPO 1116/1120 SCT015TCU BECMG 1121/1123

Frequencies

REC - 127.60 MHz - ATIS
TWR - 118.40 MHz - POINT A PITRE TOWER
APP - 129.80 MHz - RAIZET APPROACH
GND - 121.85 MHz - POINT A PITRE GROUND
APP - 121.30 MHz - RAIZET APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,673 ft	100.87	ASPHALT	1,309 ft	98 ft
	45 m	3,253 m	115.89		399 m	30 m
30	148 ft	10,673 ft	280.87	ASPHALT	978 ft	853 ft
	45 m	3,253 m	295.89		298 m	260 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	PP	110.30 MHz	18 nm	100.95	-	35 ft
				33 km	115.97		35 m
12	GS	PP	110.30 MHz	10 nm	100.95	3.20	35 ft
				19 km	115.97		35 m

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.450 E

METAR

LFPO 110500Z AUTO 36004KT CAVOK 13/10 Q1019 NOSIG

TAF

TAF LFPO 102300Z 1100/1206 05005KT CAVOK BECMG 1111/1113 11010KT

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm 33 km	74.37 72.92	-	291 ft 291 m
02	GS	OLN	110.30 MHz	10 nm 19 km	18.31 16.86	3.00	291 ft 291 m
06	GS	ORE	108.50 MHz	10 nm 19 km	61.80 60.35	3.00	291 ft 291 m
07	GS	OLE	108.15 MHz	10 nm 19 km	74.36 72.91	3.00	291 ft 291 m
24	GS	OLO	110.90 MHz	10 nm 19 km	241.80 240.35	3.00	291 ft 291 m
25	GS	OLW	111.75 MHz	10 nm 19 km	254.36 252.91	3.00	291 ft 291 m