

LFOB

Beauvais-Tille


LELC

Murcia San Javier

2024/05/09 1133Z

LFOB DOMOD **UT158** AMB **UN859** BALAN **UL152** LMG **A34** PERIG **UT185** AGN **UN860** VLC LELC

716.91 nm / 1327.72 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 30000ft
- Cruise Speed: 310kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFOB	-	49.45600	0 ft	-	Beauvais-Tille
APT	-	2.11891	0 m		
DOMOD	-	47.86278	34,000 ft	101	-
FIX	-	1.28583	10,363 m		
DIBES	UT158	47.50750	28,500 ft	22	-
FIX	AWY-HI	1.10472	8,687 m		
AMB	UT158	47.42892	28,500 ft	4	AMBOISE VOR-DME
VOR	AWY-HI	1.06444	8,687 m		
BALAN	UN859	46.51611	34,000 ft	54	-
FIX	AWY-HI	1.03333	10,363 m		
LMG	UL152	45.81592	34,000 ft	42	LIMOGES VOR-DME
VOR	AWY-HI	1.02558	10,363 m		
LMG18	A34	45.51639	18,500 ft	18	-
FIX	AWY-LO	1.00139	5,639 m		
PERIG	A34	45.11722	18,500 ft	24	-
FIX	AWY-LO	0.96944	5,639 m		
AGN	UT185	43.88803	34,000 ft	73	AGEN-Gaudonville VOR-DME
VOR	AWY-HI	0.87286	10,363 m		
GONUP	UN860	43.46083	34,000 ft	26	-
FIX	AWY-HI	0.75889	10,363 m		
ANETO	UN860	42.69300	34,000 ft	46	-
FIX	AWY-HI	0.55846	10,363 m		
TURBO	UN860	42.36754	34,000 ft	19	-
FIX	AWY-HI	0.47496	10,363 m		
GRAUS	UN860	41.97904	34,000 ft	23	-
FIX	AWY-HI	0.37645	10,363 m		
LOBAR	UN860	41.74801	34,000 ft	14	-
FIX	AWY-HI	0.31844	10,363 m		
SEROX	UN860	41.34669	34,000 ft	24	-
FIX	AWY-HI	0.21869	10,363 m		
CASPE	UN860	41.26845	34,000 ft	4	-
FIX	AWY-HI	0.19939	10,363 m		
MLA	UN860	41.12959	34,000 ft	8	MAELLA VOR-DME
VOR	AWY-HI	0.16524	10,363 m		
CRETA	UN860	40.87226	34,000 ft	16	-
FIX	AWY-HI	0.06156	10,363 m		
SAURA	UN860	40.25603	32,500 ft	38	-
FIX	AWY-HI	-0.18336	9,906 m		
PLANA	UN860	39.89043	26,600 ft	22	-
FIX	AWY-HI	-0.32646	8,108 m		
VLC	UN860	39.48565	24,500 ft	25	VALENCIA VOR-DME
VOR	AWY-HI	-0.48304	7,468 m		
LELC	-	37.78026	0 ft	103	Murcia San Javier
APT	-	-0.81226	0 m		

LFOB

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 359 ft / 109 m
Location: 49.456000 2.118930
Magnetic Var: 1.342 E

METAR

LFOB 091100Z AUTO 02004KT 340V090 6000 OVC009 14/11 Q1027 BECMG NSC

TAF

TAF AMD LFOB 090850Z 0908/1006 02005KT CAVOK TEMPO 0908/0910 2500 BR BKN002 TEMPO 0910/0911 4000 BR BKN009 PROB40

Frequencies

REC - 120.00 MHz - ATIS	REC - 118.37 MHz - ATIS
TWR - 119.90 MHz - BEAUVAIS TOWER	TWR - 121.40 MHz - BEAUVAIS TOWER
APP - 119.90 MHz - BEAUVAIS APPROACH	APP - 121.40 MHz - BEAUVAIS APPROACH
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 133.35 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	7,952 ft	123.73	ASPHALT	144 ft	0 ft
	45 m	2,424 m	122.39		44 m	0 m
30	148 ft	7,952 ft	303.75	ASPHALT	0 ft	0 ft
	45 m	2,424 m	302.41		0 m	0 m
04	59 ft	2,320 ft	41.41	ASPHALT	0 ft	0 ft
	18 m	707 m	40.07		0 m	0 m
22	59 ft	2,320 ft	221.41	ASPHALT	0 ft	0 ft
	18 m	707 m	220.07		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BVT	111.15 MHz	18 nm	-	-	344 ft
				33 km	-		344 m
30	DME	BI	109.95 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
12	LOC-ILS	BVT	111.15 MHz	18 nm	123.75	-	359 ft
				33 km	122.41		359 m
30	LOC-LOC	BI	109.95 MHz	18 nm	303.75	-	359 ft
				33 km	302.41		359 m
12	GS	BVT	111.15 MHz	10 nm	123.75	3.00	359 ft
				19 km	122.41		359 m

LELC

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 29 ft / 9 m
Location: 37.775000 -0.812500
Magnetic Var: 0.819 E

METAR

LELC 091100Z 11004KT 060V160 CAVOK 23/13 Q1021 NOSIG

TAF

TAF LELC 090500Z 0906/1006 32004KT CAVOK TX23/0914Z TN14/1006Z BECMG 0910/0912 09008KT BECMG 0920/0922 32005KT

Frequencies

APP - 130.30 MHz - SAN JAVIER APPROACH	APP - 398.32 MHz - SAN JAVIER APPROACH
APP - 125.02 MHz - SAN JAVIER APPROACH	TWR - 124.42 MHz - TOWER CIV
TWR - 139.30 MHz - TOWER	TWR - 143.67 MHz - TOWER
TWR - 257.80 MHz - TOWER	GND - 121.60 MHz - GMC
GND - 278.57 MHz - GMC MIL	TWR - 125.02 MHz - TOWER BACK-UP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	7,611 ft	45.64	ASPHALT	0 ft	600 ft
	45 m	2,320 m	44.83		0 m	183 m
23L	148 ft	7,611 ft	225.66	ASPHALT	0 ft	617 ft
	45 m	2,320 m	224.84		0 m	188 m
05L	148 ft	5,173 ft	45.63	ASPHALT	0 ft	646 ft
	45 m	1,577 m	44.81		0 m	197 m
23R	148 ft	5,173 ft	225.64	ASPHALT	0 ft	748 ft
	45 m	1,577 m	224.82		0 m	228 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	LOC-ILS	ISJ	110.50 MHz	18 nm	46.65	-	11 ft
				33 km	45.83		11 m
23L	LOC-ILS	ISR	109.30 MHz	18 nm	226.65	-	11 ft
				33 km	225.83		11 m