


2024/05/05 0346Z

CYVR MERYT **J508** YNY **J503** YRM CYEG

440.36 nm / 815.55 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYVR	-	49.19233	0 ft	-	Vancouver Intl
APT	-	-123.18799	0 m		
MERYT	-	49.94167	33,900 ft	97	-
FIX	-	-120.96083	10,333 m		
ICOLA	J508	50.16944	35,000 ft	27	-
FIX	AWY-HI	-120.35222	10,668 m		
STUMM	J508	50.35500	35,000 ft	22	-
FIX	AWY-HI	-119.84944	10,668 m		
YNY	J508	50.67797	35,000 ft	39	ENDERBY VOR-DME
VOR	AWY-HI	-118.93867	10,668 m		
WASEN	J503	51.57917	35,000 ft	84	-
FIX	AWY-HI	-117.21694	10,668 m		
ALRUG	J503	52.14444	23,500 ft	54	-
FIX	AWY-HI	-116.07389	7,163 m		
YRM	J503	52.50219	17,000 ft	34	ROCKY MOUNTAIN VOR-DME
VOR	AWY-HI	-115.32356	5,182 m		
CYEG	-	53.30988	0 ft	79	Edmonton Intl
APT	-	-113.58013	0 m		

CYVR

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 3

Elevation: 13 ft / 4 m
Location: 49.194000 -123.185000
Magnetic Var: 15.270 E

METAR

CYVR 050300Z 19007KT 180V270 10SM FEW090 OVC100 13/11 A2956 RMK AC2AC6 SLP011

TAF

TAF TAF CYVR 050240Z 0503/0606 29008KT P6SM FEW060 BKN100 BECMG 0507/0509 10012KT FM051500 08012KT P6SM FEW012 BKN

Frequencies

REC - 124.60 MHz - ATIS	CLD - 121.40 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - VANCOUVER GROUND	GND - 127.50 MHz - VANCOUVER GROUND
TWR - 118.70 MHz - VANCOUVER TOWER	TWR - 119.55 MHz - VANCOUVER TOWER
APP - 128.60 MHz - VANCOUVER APPROACH	APP - 133.10 MHz - VANCOUVER APPROACH
DEP - 126.12 MHz - VANCOUVER DEPARTURE	DEP - 132.30 MHz - VANCOUVER DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	200 ft	10,777 ft	99.88	ASPHALT	0 ft	0 ft
	61 m	3,285 m	84.61		0 m	0 m
26L	200 ft	10,777 ft	279.91	ASPHALT	0 ft	0 ft
	61 m	3,285 m	264.64		0 m	0 m
13	200 ft	7,294 ft	141.92	ASPHALT	0 ft	0 ft
	61 m	2,223 m	126.65		0 m	0 m
31	200 ft	7,294 ft	321.93	ASPHALT	0 ft	0 ft
	61 m	2,223 m	306.66		0 m	0 m
08L	200 ft	9,916 ft	99.89	CONCRETE	0 ft	0 ft
	61 m	3,022 m	84.62		0 m	0 m
26R	200 ft	9,916 ft	279.92	CONCRETE	0 ft	0 ft
	61 m	3,022 m	264.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ITL	110.55 MHz	18 nm	-	-	1 ft
				33 km	-		1 m
08R	DME	IVR	109.50 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
26L	DME	IFZ	111.95 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
26R	DME	IRD	110.70 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
08L	LOC-ILS	ITL	110.55 MHz	18 nm	99.90	-	13 ft
				33 km	84.63		13 m
08R	LOC-ILS	IVR	109.50 MHz	18 nm	99.89	-	13 ft
				33 km	84.62		13 m
13	LOC-ILS	IMK	111.10 MHz	18 nm	141.93	-	13 ft
				33 km	126.66		13 m
26L	LOC-ILS	IFZ	110.70 MHz	18 nm	279.89	-	13 ft
				33 km	264.62		13 m
26R	LOC-ILS	IRD	111.95 MHz	18 nm	279.90	-	13 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	264.63		13 m
08L	GS	ITL	110.55 MHz	10 nm	99.90	3.00	13 ft
				19 km	84.63		13 m
08R	GS	IVR	109.50 MHz	10 nm	99.89	3.00	13 ft
				19 km	84.62		13 m
13	GS	IMK	111.10 MHz	10 nm	141.93	3.00	13 ft
				19 km	126.66		13 m
26L	GS	IFZ	110.70 MHz	10 nm	279.89	3.00	13 ft
				19 km	264.62		13 m
26R	GS	IRD	111.95 MHz	10 nm	279.90	3.00	13 ft
				19 km	264.63		13 m

CYEG

Region: CANADA
Timezone: AMERICA/EDMONTON
Runways: 2

Elevation: 2,373 ft / 723 m
Location: 53.308700 -113.581000
Magnetic Var: 13.306 E

METAR

CYEG 050300Z 10013KT 20SM BKN180 BKN250 10/M02 A2979 RMK AS5CS2 SLP107 DENSITY ALT 2600FT

TAF

TAF CYEG 050240Z 0503/0524 13010KT P6SM FEW060 SCT180 BKN250 FM051000 13010KT P6SM FEW060 OVC140 FM051500 13010KT

Frequencies

REC - 128.00 MHz - ATIS	CLD - 124.10 MHz - EDMONTON CLEARANCE
GND - 121.70 MHz - EDMONTON GROUND	TWR - 118.30 MHz - EDMONTON TOWER
COM - 122.37 MHz - EDMONTON UNICOM	APP - 120.50 MHz - EDMONTON ARRIVAL
DEP - 133.65 MHz - EDMONTON DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	200 ft	10,191 ft	135.02	ASPHALT	0 ft	95 ft
	61 m	3,106 m	121.71		0 m	29 m
30	200 ft	10,191 ft	315.04	ASPHALT	0 ft	92 ft
	61 m	3,106 m	301.74		0 m	28 m
02	200 ft	10,988 ft	34.87	ASPHALT	0 ft	98 ft
	61 m	3,349 m	21.56		0 m	30 m
20	200 ft	10,988 ft	214.89	ASPHALT	0 ft	98 ft
	61 m	3,349 m	201.59		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IEG	110.30 MHz	18 nm	34.89	-	2,373 ft
				33 km	21.58		2,373 m
12	LOC-ILS	IFP	109.90 MHz	18 nm	135.04	-	2,373 ft
				33 km	121.73		2,373 m
30	LOC-ILS	IKB	109.10 MHz	18 nm	315.04	-	2,373 ft
				33 km	301.73		2,373 m
02	GS	IEG	110.30 MHz	10 nm	34.89	3.00	2,373 ft
				19 km	21.58		2,373 m
12	GS	IFP	109.90 MHz	10 nm	135.04	3.00	2,373 ft
				19 km	121.73		2,373 m
30	GS	IKB	109.10 MHz	10 nm	315.04	3.00	2,373 ft
				19 km	301.73		2,373 m