

CYUL

Montreal Pierre E Trudeau Intl


CYBG

BAGOTVILLE

2024/05/23 0921Z

CYUL DICEN CYBG

206.23 nm / 381.95 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 22000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
CYUL	-	45.46727	0 ft	-		Montreal Pierre E Trudeau Intl
APT	-	-73.74403	0 m			
DICEN	-	46.80008	22,600 ft	100	-	
FIX	-	-72.28894	6,888 m			
CYBG	-	48.33118	0 ft	105		BAGOTVILLE
APT	-	-70.99417	0 m			

CYUL

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 3

Elevation: 118 ft / 36 m
Location: 45.467500 -73.743800
Magnetic Var: 13.895 W

METAR

CYUL 230900Z 25017G22KT 15SM FEW050 BKN130 OVC230 22/17 A2971 RMK SC2AC3CS3 SLP063 DENSITY ALT 1200FT

TAF

TAF AMD CYUL 230909Z 2309/2406 25012G22KT P6SM SCT050 SCT120 TEMPO 2309/2311 P6SM -SHRA VCTS BKN025 BKN050CB FM23

Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.45		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.47		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.50		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.50		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.52		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.46		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.49		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.51		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.49		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.46		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.46		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.49		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.51		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.49		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.46		118 m

CYBG

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 2

Elevation: 520 ft / 158 m
Location: 48.330600 -70.996400
Magnetic Var: 15.833 W

METAR

CYBG 230900Z 16003KT 25SM BKN037 OVC055 14/13 A2965 RMK SC6SC2 DENSITY ALT 1005FT CB S MOV E LTNG DTCTRS REP STRIKE

TAF

TAF TAF CYBG 230540Z 2306/2406 VRB03KT P6SM BKN060 BKN180 TEMPO 2306/2311 6SM -SHRA SCT020 OVC040 PROB30 2306/2311

Frequencies

REC - 124.20 MHz - ATIS (EN)	REC - 125.80 MHz - ATIS (FR)
REC - 302.50 MHz - ATIS (MIL)	CLD - 119.00 MHz - CLEARANCE DELIVERY
CLD - 384.50 MHz - CLEARANCE DELIVERY	GND - 121.70 MHz - GROUND
GND - 275.80 MHz - GROUND	TWR - 126.20 MHz - TOWER
TWR - 337.70 MHz - TOWER	APP - 127.20 MHz - TRML
APP - 227.60 MHz - TRML	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	150 ft	9,990 ft	91.16	CONCRETE	0 ft	187 ft
	46 m	3,045 m	106.99		0 m	57 m
29	150 ft	9,990 ft	271.19	CONCRETE	0 ft	190 ft
	46 m	3,045 m	287.02		0 m	58 m
18	150 ft	6,024 ft	162.68	ASPHALT	0 ft	0 ft
	46 m	1,836 m	178.51		0 m	0 m
36	150 ft	6,024 ft	342.69	ASPHALT	0 ft	0 ft
	46 m	1,836 m	358.52		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29	LOC-ILS	IBG	111.50 MHz	18 nm	271.17	-	520 ft
				33 km	287.00		520 m
29	GS	IBG	111.50 MHz	10 nm	271.17	3.00	520 ft
				19 km	287.00		520 m