

LHBP

Ferihegy (Budapest)


LROP

Bucarest Otopeni Intl

2024/05/11 2247Z

LHBP BUDOP **UL602** NEPOT **UT705** EPUKI LROP

333.14 nm / 616.97 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LHBP	-	47.43529	0 ft	-	Ferihegy (Budapest)
APT	-	19.26579	0 m	-	
BUDOP	-	46.68738	35,000 ft	101	-
FIX	-	21.49666	10,668 m	-	
EVRIK	UL602	46.35190	35,000 ft	36	-
FIX	AWY-HI	22.24225	10,668 m	-	
NEPOT	UL602	45.96030	31,600 ft	42	-
FIX	AWY-HI	23.08808	9,632 m	-	
EPUKI	UT705	45.49351	23,500 ft	49	-
FIX	AWY-HI	24.06413	7,163 m	-	
LROP	-	44.57216	0 ft	102	Bucarest Otopeni Intl
APT	-	26.10218	0 m	-	

LHBP

Region: HUNGARY
Timezone: EUROPE/BUDAPEST
Runways: 2

Elevation: 495 ft / 151 m
Location: 47.436900 19.255600
Magnetic Var: 5.501 E

METAR

LHBP 112230Z 09008KT 9999 VCSH NSC 16/09 Q1019 NOSIG

TAF

TAF LHBP 111715Z 1118/1218 30006KT CAVOK BECMG 1118/1120 08008KT PROB40 TEMPO 1118/1124 VRB15G25KT 6000 SHRA SCT0

Frequencies

REC - 117.30 MHz - ATIS	REC - 132.37 MHz - ATIS
TWR - 119.97 MHz - BUDAPEST TOWER	TWR - 118.10 MHz - BUDAPEST TOWER
GND - 121.90 MHz - BUDAPEST GROUND	CLD - 134.55 MHz - CLEARANCE DELIVERY
APP - 119.50 MHz - BUDAPEST APPROACH	APP - 122.97 MHz - BUDAPEST APPROACH
APP - 123.85 MHz - BUDAPEST APPROACH	APP - 124.90 MHz - BUDAPEST APPROACH
REC - 119.35 MHz - BUDAPEST INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft	9,882 ft	132.42	CONCRETE	0 ft	0 ft
	45 m	3,012 m	126.92		0 m	0 m
31L	148 ft	9,882 ft	312.44	CONCRETE	0 ft	0 ft
	45 m	3,012 m	306.94		0 m	0 m
13L	148 ft	12,175 ft	132.46	CONCRETE	0 ft	0 ft
	45 m	3,711 m	126.96		0 m	0 m
31R	148 ft	12,175 ft	312.49	CONCRETE	0 ft	0 ft
	45 m	3,711 m	306.99		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	BPL	111.70 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
13R	DME	FER	110.50 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
31L	DME	FHL	111.50 MHz	14 nm	-	-	495 ft
				26 km	-		495 m
31R	DME	BPR	109.50 MHz	32 nm	-	-	495 ft
				59 km	-		495 m
13L	LOC-ILS	BPL	109.15 MHz	18 nm	132.48	-	495 ft
				33 km	126.98		495 m
13R	LOC-ILS	FER	110.50 MHz	18 nm	132.44	-	495 ft
				33 km	126.94		495 m
31L	LOC-ILS	FHL	111.50 MHz	18 nm	312.44	-	495 ft
				33 km	306.94		495 m
31R	LOC-ILS	BPR	109.50 MHz	18 nm	312.48	-	495 ft
				33 km	306.98		495 m
13L	GS	BPL	109.15 MHz	10 nm	132.48	3.00	495 ft
				19 km	126.98		495 m
13R	GS	FER	110.50 MHz	10 nm	132.44	3.00	495 ft
				19 km	126.94		495 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31L	GS	FHL	111.50 MHz	10 nm	312.44	3.00	495 ft
				19 km	306.94		495 m
31R	GS	BPR	109.50 MHz	10 nm	312.48	3.00	495 ft
				19 km	306.98		495 m

LROP

Region: ROMANIA
Timezone: EUROPE/BUCHAREST
Runways: 2

Elevation: 313 ft / 95 m
Location: 44.572300 26.102300
Magnetic Var: 6.291 E

METAR

LROP 112230Z 30003KT 250V330 CAVOK 14/09 Q1016 NOSIG

TAF

TAF LROP 111700Z 1118/1218 VRB04KT CAVOK BECMG 1204/1206 06012KT PROB30 TEMPO 1206/1210 5000 -SHRA SCT045CB PROB30

Frequencies

REC - 118.50 MHz - OTOPENI ATIS
TWR - 121.85 MHz - OTOPENI TWR

GND - 121.70 MHz - OTOPENI GND
APP - 118.25 MHz - BUCHAREST APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	11,494 ft	83.90	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.61		0 m	0 m
26L	148 ft	11,494 ft	263.93	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.64		0 m	0 m
08L	148 ft	11,493 ft	83.91	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.62		0 m	0 m
26R	148 ft	11,493 ft	263.94	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ILL	110.90 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08R	DME	IOP	110.30 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
26L	DME	IOE	109.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
26R	DME	IRR	110.70 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08L	LOC-ILS	ILL	110.90 MHz	18 nm	83.74	-	314 ft
				33 km	77.45		314 m
08R	LOC-ILS	IOP	110.30 MHz	18 nm	83.74	-	303 ft
				33 km	77.45		303 m
26L	LOC-ILS	IOE	109.10 MHz	18 nm	264.11	-	314 ft
				33 km	257.82		314 m
26R	LOC-ILS	IRR	110.70 MHz	18 nm	264.12	-	314 ft
				33 km	257.83		314 m
08L	GS	ILL	110.90 MHz	10 nm	84.84	3.00	314 ft
				19 km	78.55		314 m
08R	GS	IOP	110.30 MHz	10 nm	84.81	2.70	314 ft
				19 km	78.52		314 m
26L	GS	IOE	109.10 MHz	10 nm	264.81	2.70	303 ft
				19 km	258.52		303 m
26R	GS	IRR	110.70 MHz	10 nm	264.84	3.00	314 ft
				19 km	258.55		314 m