

CYUL

Montreal Pierre E Trudeau Intl


CYVO

VAL D OR

2024/06/06 1723Z

CYUL FIRON T101 ATUKO CYVO

231.10 nm / 427.99 km



Notes

Basic altitude profile:

- Ascent Rate: 1000ft/min
- Ascent Speed: 120kts
- Cruise Altitude: 10000ft
- Cruise Speed: 160kts
- Descent Rate: 1000ft/min
- Descent Speed: 120kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYUL APT	-	45.46727 -73.74403	0 ft 0 m	-	Montreal Pierre E Trudeau Intl
FIRON FIX	-	45.84333 -74.71639	16,600 ft 5,060 m	46	-
ATUKO FIX	T101 AWY-HI	47.00000 -76.68700	16,500 ft 5,029 m	107	-
CYVO APT	-	48.05329 -77.78266	0 ft 0 m	77	VAL D OR

CYUL

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 3

Elevation: 118 ft / 36 m
Location: 45.467500 -73.743800
Magnetic Var: 13.892 W

METAR

CYUL 061700Z 13010KT 15SM OVC130 25/20 A2950 RMK AC8 SLP991 DENSITY ALT 1900FT

TAF

TAF CYUL 061440Z 0615/0712 13008KT P6SM BKN040 OVC080 TEMPO 0615/0616 P6SM -SHRA VCTS BKN030CB OVC080 FM061600 150

Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.44		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.46		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.50		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.50		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.52		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.46		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.49		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.51		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.49		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.46		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.46		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.49		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.51		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.49		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.46		118 m

CYVO

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 1

Elevation: 1,106 ft / 337 m
Location: 48.053300 -77.782700
Magnetic Var: 12.470 W

METAR

CYVO 061700Z 19007KT 15SM FEW030TCU BKN100 OVC160 22/16 A2944 RMK TCU2AC3AC3 SLP970 DENSITY ALT 2700FT

TAF

TAF CYVO 061140Z 0612/0624 18008KT P6SM SCT005 OVC080 TEMPO 0612/0615 5SM -SHRA -DZ BR BKN005 OVC080 FM061500 1801

Frequencies

TWR - 118.50 MHz - MANDATORY FREQUENCY

DEP - 125.90 MHz - DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	150 ft	10,011 ft	169.17	ASPHALT	0 ft	0 ft
	46 m	3,051 m	181.64		0 m	0 m
36	150 ft	10,011 ft	349.17	ASPHALT	0 ft	0 ft
	46 m	3,051 m	1.64		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	IVO	110.30 MHz	18 nm	169.17	-	1,106 ft
				33 km	181.64		1,106 m
18	GS	IVO	110.30 MHz	10 nm	169.17	3.00	1,106 ft
				19 km	181.64		1,106 m