


2024/05/10 1844Z

BIEG ASKJA **G2** ARNAR BIRK

205.35 nm / 380.30 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BIEG	-	65.28283	0 ft	-	Egilsstadir
APT	-	-14.40206	0 m		
ASKJA	-	64.87083	26,300 ft	76	-
FIX	-	-17.26222	8,016 m		
ARNAR	G2	64.68083	20,100 ft	34	-
FIX	AWY-LO	-18.55028	6,126 m		
BIRK	-	64.12964	0 ft	93	Reykjavik
APT	-	-21.94061	0 m		

## BIEG

Region: ICELAND

Timezone: ATLANTIC/REYKJAVIK

Runways: 1

Elevation: 76 ft / 23 m

Location: 65.283300 -14.401400

Magnetic Var: 8.482 W

## METAR

BIEG 101800Z 17013KT 9999 SCT040 BKN100 11/05 Q1006

## TAF

TAF BIEG 101603Z 1018/1118 02005KT 9999 SCT025 BKN040 TX15/1115Z TN06/1103Z TEMPO 1018/1103 RADZ BKN014 PROB40 TE

## Frequencies

TWR - 119.40 MHz - TOWER

APP - 119.70 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	6,569 ft	25.15	ASPHALT	492 ft	0 ft
	45 m	2,002 m	33.63		150 m	0 m
22	148 ft	6,569 ft	205.17	ASPHALT	0 ft	0 ft
	45 m	2,002 m	213.65		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IES	109.30 MHz	18 nm	25.16	-	76 ft
				33 km	33.64		76 m
04	GS	IES	109.30 MHz	10 nm	25.16	3.00	76 ft
				19 km	33.64		76 m

## BIRK

Region: ICELAND

Timezone: ATLANTIC/REYKJAVIK

Runways: 2

Elevation: 43 ft / 13 m

Location: 64.130000 -21.940600

Magnetic Var: 12.081 W

## METAR

BIRK 101800Z 11013KT 9999 FEW014 SCT033 BKN075 BKN150 11/09 Q1001

## TAF

TAF BIRK 101604Z 1018/1118 16014KT 9999 -DZ SCT030 BKN045 TX11/1115Z TN07/1103Z TEMPO 1018/1100 4000 RA BR OVC012

## Frequencies

REC - 128.10 MHz - REYKJAVIK INFORMATION

GND - 121.70 MHz - REYKJAVIK GROUND

TWR - 118.00 MHz - REYKJAVIK TOWER

APP - 119.00 MHz - REYKJAVIK APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	5,243 ft	355.27	ASPHALT	400 ft	0 ft
	45 m	1,598 m	7.35		122 m	0 m
19	148 ft	5,243 ft	175.27	ASPHALT	0 ft	0 ft
	45 m	1,598 m	187.35		0 m	0 m
13	148 ft	4,184 ft	116.31	ASPHALT	0 ft	0 ft
	45 m	1,275 m	128.39		0 m	0 m
31	148 ft	4,184 ft	296.33	ASPHALT	374 ft	0 ft
	45 m	1,275 m	308.41		114 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	LOC-ILS	IRK	109.90 MHz	18 nm	175.27	-	42 ft
				33 km	187.35		42 m
13	LOC-LOC	IRE	109.10 MHz	18 nm	116.32	-	42 ft
				33 km	128.40		42 m
19	GS	IRK	109.90 MHz	10 nm	175.27	3.50	42 ft
				19 km	187.35		42 m