

LELC

Murcia San Javier


LEAL

Alicante

2024/05/13 0243Z

LELC ALT LEAL

32.48 nm / 60.14 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LELC	-	37.78026	0 ft	-	Murcia San Javier
APT	-	-0.81226	0 m		
ALT	-	38.26828	200 ft	31	ALICANTE VOR-DME
VOR	-	-0.57012	61 m		
LEAL	-	38.28217	0 ft	1	Alicante
APT	-	-0.55816	0 m		

LELC

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 29 ft / 9 m
Location: 37.775000 -0.812500
Magnetic Var: 0.820 E

METAR

LELC 130230Z AUTO 33003KT CAVOK 17/15 Q1014

TAF

TAF LELC 122300Z 1300/1324 VRB03KT CAVOK TX25/1314Z TN15/1306Z PROB40 TEMPO 1304/1308 4000 BR BKN010 BECMG 1311/1

Frequencies

APP - 130.30 MHz - SAN JAVIER APPROACH	APP - 398.32 MHz - SAN JAVIER APPROACH
APP - 125.02 MHz - SAN JAVIER APPROACH	TWR - 124.42 MHz - TOWER CIV
TWR - 139.30 MHz - TOWER	TWR - 143.67 MHz - TOWER
TWR - 257.80 MHz - TOWER	GND - 121.60 MHz - GMC
GND - 278.57 MHz - GMC MIL	TWR - 125.02 MHz - TOWER BACK-UP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	7,611 ft	45.64	ASPHALT	0 ft	600 ft
	45 m	2,320 m	44.82		0 m	183 m
23L	148 ft	7,611 ft	225.66	ASPHALT	0 ft	617 ft
	45 m	2,320 m	224.84		0 m	188 m
05L	148 ft	5,173 ft	45.63	ASPHALT	0 ft	646 ft
	45 m	1,577 m	44.81		0 m	197 m
23R	148 ft	5,173 ft	225.64	ASPHALT	0 ft	748 ft
	45 m	1,577 m	224.82		0 m	228 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	LOC-ILS	ISJ	110.50 MHz	18 nm	46.65	-	11 ft
				33 km	45.83		11 m
23L	LOC-ILS	ISR	109.30 MHz	18 nm	226.65	-	11 ft
				33 km	225.83		11 m

LEAL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 142 ft / 43 m
Location: 38.282200 -0.558114
Magnetic Var: 0.888 E

METAR

LEAL 130230Z 11003KT CAVOK 17/09 Q1014 NOSIG

TAF

TAF TAF LEAL 122300Z 1300/1324 VRB03KT CAVOK TX24/1312Z TN16/1306Z BECMG 1310/1312 18008KT BECMG 1318/1320 VRB03KT

Frequencies

REC - 120.05 MHz - ATIS	TWR - 118.15 MHz - ALICANTE TOWER
TWR - 125.15 MHz - ALICANTE TOWER	GND - 130.65 MHz - ALICANTE GROUND
CLD - 119.85 MHz - CLEARANCE DELIVERY	APP - 119.07 MHz - VALENCIA APPROACH
APP - 120.40 MHz - VALENCIA APPROACH	APP - 118.80 MHz - VALENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,828 ft	100.08	ASPHALT	0 ft	0 ft
	45 m	2,996 m	99.19		0 m	0 m
28	148 ft	9,828 ft	280.10	ASPHALT	0 ft	0 ft
	45 m	2,996 m	279.21		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IAT	110.30 MHz	18 nm	-	-	129 ft
				33 km	-		129 m
10	LOC-ILS	IAT	110.30 MHz	18 nm	100.09	-	29 ft
				33 km	99.20		29 m
10	GS	IAT	110.30 MHz	10 nm	100.19	3.00	129 ft
				19 km	99.30		129 m