


2024/05/06 1247Z

OOMS MIBSI **P899** PAXIM OMAA

206.10 nm / 381.69 km



## Notes

Basic altitude profile:

- Ascent Rate: 5000ft/min
- Ascent Speed: 240kts
- Cruise Altitude: 10000ft
- Cruise Speed: 320kts
- Descent Rate: 1500ft/min
- Descent Speed: 230kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OOMS	-	23.59554	0 ft	-	SEEB INTL
APT	-	58.29378	0 m		
MIBSI	-	23.69417	7,500 ft	21	-
FIX	-	57.92306	2,286 m		
PAXIM	P899	24.04583	18,600 ft	92	-
FIX	AWY-HI	56.27528	5,669 m		
OMAA	-	24.43305	0 ft	91	ABU DHABI INTL
APT	-	54.65118	0 m		

## OOMS

Region: OMAN  
Timezone: ASIA/MUSCAT  
Runways: 2

Elevation: 46 ft / 14 m  
Location: 23.600300 58.280900  
Magnetic Var: 1.785 E

## METAR

OOMS 061150Z 08010KT 9999 FEW030 SCT100 36/18 Q1006 NOSIG

## TAF

TAF OOMS 061100Z 0612/0718 06012KT 8000 FEW040 BECMG 0616/0618 VRB02KT PROB30 TEMPO 0618/0624 21022KT BECMG 0620/

## Frequencies

REC - 126.80 MHz - ATIS  
TWR - 118.40 MHz -  
APP - 119.80 MHz - RADAR  
GND - 121.80 MHz -  
APP - 121.20 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	197 ft	13,106 ft	84.99	ASPHALT	0 ft	390 ft
	60 m	3,995 m	83.21		0 m	119 m
26R	197 ft	13,106 ft	265.01	ASPHALT	525 ft	394 ft
	60 m	3,995 m	263.22		160 m	120 m
08R	148 ft	11,743 ft	84.98	CONCRETE	1,371 ft	197 ft
	45 m	3,579 m	83.20		418 m	60 m
26L	148 ft	11,743 ft	264.99	CONCRETE	0 ft	200 ft
	45 m	3,579 m	263.21		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IMW	108.30 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
26L	DME	ISB	110.30 MHz	18 nm	-	-	25 ft
				33 km	-		25 m
08L	LOC-ILS	IML	108.90 MHz	18 nm	84.97	-	47 ft
				33 km	83.19		47 m
26R	LOC-ILS	IMR	110.70 MHz	18 nm	264.97	-	48 ft
				33 km	263.19		48 m
08L	GS	IML	108.90 MHz	10 nm	84.97	3.00	47 ft
				19 km	83.19		47 m
26R	GS	IMR	110.70 MHz	10 nm	264.97	3.00	48 ft
				19 km	263.19		48 m

## OMAA

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 83 ft / 25 m  
Location: 24.443400 54.652700  
Magnetic Var: 2.280 E

## METAR

OMAA 061200Z 32011KT CAVOK 39/16 Q1005 NOSIG

## TAF

TAF OMAA 061100Z 0612/0718 33010KT CAVOK BECMG 0618/0620 10005KT BECMG 0709/0711 33012KT BECMG 0716/0718 08005KT

## Frequencies

APP - 124.40 MHz -	APP - 124.62 MHz -
ABU DHABI RADAR CENTRAL PRIMARY	ABU DHABI RADAR CENTRAL SECONDARY
APP - 128.10 MHz - ABU DHABI RADAR WEST PRIMARY	APP - 124.65 MHz - ABU DHABI RADAR WEST SECONDARY
APP - 135.15 MHz - ABU DHABI RADAR NORTH PRIMARY	APP - 135.35 MHz -
APP - 118.42 MHz -	ABU DHABI RADAR NORTH SECONDARY
ABU DHABI DIRECTOR NORTH PRIMARY	APP - 121.15 MHz -
APP - 118.00 MHz -	ABU DHABI DIRECTOR NORTH SECONDARY
ABU DHABI DIRECTOR SOUTH PRIMARY	APP - 121.15 MHz -
APP - 133.55 MHz - ABU DHABI RADAR EAST PRIMARY	ABU DHABI DIRECTOR SOUTH SECONDARY
APP - 135.35 MHz - ABU DHABI RADAR EAST SECONDARY	APP - 132.67 MHz - ABU DHABI RADAR EAST PRIMARY
REC - 124.62 MHz -	REC - 127.50 MHz - ABU DHABI INFORMATION PRIMARY
ABU DHABI INFORMATION SECONDARY	TWR - 119.20 MHz - ABU DHABI TOWER SOUTH PRIMARY
TWR - 120.42 MHz -	TWR - 118.67 MHz - ABU DHABI TOWER NORTH PRIMARY
ABU DHABI TOWER SOUTH SECONDARY	GND - 121.95 MHz - ABU DHABI GROUND NORTH
GND - 123.97 MHz - ABU DHABI GROUND SOUTH	CLD - 125.10 MHz - ABU DHABI DELIVERY
GND - 119.42 MHz - ABU DHABI GROUND SECONDARY	REC - 119.67 MHz - ABU DHABI ATIS (DEP)
REC - 119.97 MHz - ABU DHABI ATIS (ARR)	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	197 ft	13,478 ft	127.99	ASPHALT	0 ft	394 ft
	60 m	4,108 m	125.71		0 m	120 m
31L	197 ft	13,478 ft	308.01	ASPHALT	0 ft	397 ft
	60 m	4,108 m	305.73		0 m	121 m
13L	197 ft	13,460 ft	127.99	ASPHALT	0 ft	397 ft
	60 m	4,103 m	125.71		0 m	121 m
31R	197 ft	13,460 ft	308.01	ASPHALT	0 ft	387 ft
	60 m	4,103 m	305.73		0 m	118 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31R	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m
13R	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31L	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	LOC-ILS	IAS	110.30 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
13R	LOC-ILS	IAE	109.15 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
31L	LOC-ILS	IAW	109.30 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
31R	LOC-ILS	IAN	108.75 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
13L	GS	IAS	110.30 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
13R	GS	IAE	109.15 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
31L	GS	IAW	109.30 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m
31R	GS	IAN	108.75 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m