


2024/05/08 0429Z

LFPO OBURO **UZ124** IBABA **UB37** KOVAR MILPA **UM135** TOP **UL50** ELB LIRF

595.62 nm / 1103.09 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72636	0 ft	-	Paris Orly
APT	-	2.36703	0 m		
OBURO	-	47.65167	35,000 ft	99	-
FIX	-	4.26472	10,668 m		
TUTAX	UZ124	46.92139	35,000 ft	59	-
FIX	AWY-HI	5.24694	10,668 m		
IBABA	UZ124	46.87722	35,000 ft	7	-
FIX	AWY-HI	5.42083	10,668 m		
DIPIR	UB37	46.66917	35,000 ft	14	-
FIX	AWY-HI	5.59306	10,668 m		
KELUK	UB37	46.55556	35,000 ft	7	-
FIX	AWY-HI	5.68556	10,668 m		
KOVAR	UB37	46.39194	35,000 ft	11	-
FIX	AWY-HI	5.81694	10,668 m		
MILPA	-	46.30250	35,000 ft	5	-
FIX	-	5.87972	10,668 m		
GVA	UM135	46.25392	35,000 ft	10	GENEVA COINTRIN VOR-DME
VOR	AWY-HI	6.13222	10,668 m		
GVA02	UM135	46.22955	35,000 ft	1	-
FIX	AWY-HI	6.16503	10,668 m		
MOBLO	UM135	45.80972	35,000 ft	34	-
FIX	AWY-HI	6.72278	10,668 m		
VEROB	UM135	45.29556	35,000 ft	41	-
FIX	AWY-HI	7.38944	10,668 m		
TOP	UM135	44.92525	35,000 ft	29	TORINO VOR-DME
VOR	AWY-HI	7.86166	10,668 m		
NEDED	UL50	44.69389	35,000 ft	18	-
FIX	AWY-HI	8.14056	10,668 m		
LAGEN	UL50	44.39417	35,000 ft	23	-
FIX	AWY-HI	8.49806	10,668 m		
ANAKI	UL50	44.20111	35,000 ft	15	-
FIX	AWY-HI	8.72556	10,668 m		
IXITO	UL50	44.13472	35,000 ft	5	-
FIX	AWY-HI	8.80361	10,668 m		
UNITA	UL50	43.94444	35,000 ft	14	-
FIX	AWY-HI	9.02500	10,668 m		
KAFEE	UL50	43.80000	35,000 ft	11	-
FIX	AWY-HI	9.19194	10,668 m		
KONER	UL50	43.50472	33,100 ft	23	-
FIX	AWY-HI	9.53000	10,089 m		
MAURO	UL50	43.18806	27,800 ft	24	-
FIX	AWY-HI	9.88750	8,473 m		
ELB	UL50	42.73069	21,200 ft	35	ELBA VORTAC
VOR	AWY-HI	10.39572	6,462 m		
LIRF	-	41.81081	0 ft	99	Roma Fiumicino Leonardo Da Vinci
APT	-	12.25090	0 m		

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.449 E

METAR

LFPO 080400Z AUTO 35006KT 9000 NSC 10/07 Q1026 TEMPO BKN007

TAF

TAF LFPO 072300Z 0800/0906 36008KT CAVOK TEMPO 0805/0807 BKN007 TEMPO 0807/0809 BKN014 BECMG 0904/0906 4000 BR

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.34		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.93		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.665 E

METAR

LIRF 080350Z VRB01KT CAVOK 12/11 Q1014 NOSIG

TAF

TAF LIRF 072300Z 0800/0906 VRB04KT 9999 FEW030 TEMPO 0801/0805 3000 BCFG BKN002 BECMG 0809/0811 21010KT BECMG 0811/0813 1500 BCFG BKN002

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE
GND - 121.72 MHz - FIUME APRON
GND - 121.90 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER
DEP - 131.10 MHz - ROMA DEPARTURE
APP - 125.50 MHz - ROMA ARRIVAL
APP - 131.25 MHz - ROMA DIRECT

REC - 126.12 MHz - ATIS ARRIVAL
CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.67 MHz - FIUME GROUND
GND - 122.12 MHz - FIUME GROUND
TWR - 123.72 MHz - FIUME TOWER
DEP - 130.90 MHz - ROMA DEPARTURE
APP - 127.95 MHz - ROMA ARRIVAL
APP - 119.20 MHz - ROMA DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.03		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.01		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.03		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.01		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.03		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.03		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.01		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.03		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.01		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.03		13 m