

# TFFR

Pointe a Pitre Le Raizet


# LFPG

Paris Charles De Gaulle

2024/05/05 2106Z

TFFR TOTEM 2000N06000W 2100N06000W 2500N05500W 2900N05000W 3000N05000W +34.000\_--50.000  
+35.000\_--50.000 +40.000\_--50.000 Z +47.000\_--15.000 OMOKO GUNSO **UN491** TAKAS **UN490** MOSIS **UN491**  
LGL LFPG

4037.41 nm / 7477.28 km



## Notes

Using NAT tracks from 13/2/2018

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TFFR	-	16.26531	0 ft	-	Pointe a Pitre Le Raizet
APT	-	-61.53181	0 m		
TOTEM	-	18.00000	35,000 ft	106	-
FIX	-	-61.88367	10,668 m		
2000N06000W	-	20.00000	35,000 ft	160	-
LATLON	-	-60.00000	10,668 m		
2100N06000W	-	21.00000	35,000 ft	60	-
LATLON	-	-60.00000	10,668 m		
2500N05500W	-	25.00000	35,000 ft	366	-
LATLON	-	-55.00000	10,668 m		
2900N05000W	-	29.00000	35,000 ft	359	-
LATLON	-	-50.00000	10,668 m		
3000N05000W	-	30.00000	35,000 ft	60	-
LATLON	-	-50.00000	10,668 m		
+34.000_--50.000	-	34.00000	35,000 ft	240	-
LATLON	-	-50.00000	10,668 m		
+35.000_--50.000	-	35.00000	35,000 ft	60	-
LATLON	-	-50.00000	10,668 m		
+40.000_--50.000	-	40.00000	35,000 ft	300	-
LATLON	-	-50.00000	10,668 m		
+42.000_--40.000	Z	42.00000	35,000 ft	468	-
LATLON	NAT	-40.00000	10,668 m		
+45.000_--30.000	Z	45.00000	35,000 ft	471	-
LATLON	NAT	-30.00000	10,668 m		
+47.000_--20.000	Z	47.00000	35,000 ft	433	-
LATLON	NAT	-20.00000	10,668 m		
+47.000_--15.000	Z	47.00000	35,000 ft	204	-
LATLON	NAT	-15.00000	10,668 m		
OMOKO	-	48.83889	35,000 ft	163	-
FIX	-	-12.00000	10,668 m		
GUNSO	-	49.05278	35,000 ft	15	-
FIX	-	-11.76833	10,668 m		
TAKAS	UN491	49.00000	35,000 ft	148	-
FIX	AWY-HI	-8.00000	10,668 m		
ALUTA	UN490	49.00528	35,000 ft	19	-
FIX	AWY-HI	-7.49806	10,668 m		
MOSIS	UN490	49.00722	35,000 ft	11	-
FIX	AWY-HI	-7.21472	10,668 m		
DEKOR	UN491	49.00722	35,000 ft	50	-
FIX	AWY-HI	-5.93306	10,668 m		
NERLA	UN491	48.99306	35,000 ft	51	-
FIX	AWY-HI	-4.63194	10,668 m		
RUSIB	UN491	48.97694	35,000 ft	32	-
FIX	AWY-HI	-3.80861	10,668 m		
BETUV	UN491	48.95444	35,000 ft	27	-
FIX	AWY-HI	-3.12222	10,668 m		
KOKOS	UN491	48.90694	35,000 ft	57	-
FIX	AWY-HI	-1.67611	10,668 m		
GALBO	UN491	48.83806	24,000 ft	56	-
FIX	AWY-HI	-0.25000	7,315 m		
LGL	UN491	48.79061	17,400 ft	30	L AIGLE VOR
VOR	AWY-HI	0.53028	5,304 m		
LFPG	-	49.00974	0 ft	81	Paris Charles De Gaulle
APT	-	2.56262	0 m		

## TFFR

Region: FRANCE (GUADELOUPE, MARTINIQUE, SAINT BARTHÉLEMY, SAINT MARTIN)  
Elevation: 35 ft / 11 m  
Coordinates: 16.265500 -61.533000  
Timezone: AMERICA/GUADELOUPE  
Magnetic Var: 15.019 W  
Runways: 1

## METAR

TFFR 052030Z AUTO 16007KT 120V180 9999 FEW028/// ///CB 31/23 Q1012 NOSIG

## TAF

TAF TFFR 051700Z 0518/0618 13013KT 9999 SCT025TCU BKN040 BECMG 0522/0524 VRB03KT PROB30 TEMPO 0609/0618 SCT020TCU

## Frequencies

REC - 127.60 MHz - ATIS  
TWR - 118.40 MHz - POINT A PITRE TOWER  
APP - 129.80 MHz - RAIZET APPROACH  
GND - 121.85 MHz - POINT A PITRE GROUND  
APP - 121.30 MHz - RAIZET APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,673 ft	100.87	ASPHALT	1,309 ft	98 ft
	45 m	3,253 m	115.89		399 m	30 m
30	148 ft	10,673 ft	280.87	ASPHALT	978 ft	853 ft
	45 m	3,253 m	295.89		298 m	260 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	PP	110.30 MHz	18 nm	100.95	-	35 ft
				33 km	115.97		35 m
12	GS	PP	110.30 MHz	10 nm	100.95	3.20	35 ft
				19 km	115.97		35 m

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.494 E

## METAR

LFPG 052030Z 14006KT CAVOK 14/12 Q1007 NOSIG

## TAF

TAF LFPG 051700Z 0518/0624 16005KT 9999 SCT013 BKN040 TX18/0614Z TN11/0624Z TEMPO 0523/0602 4000 SHRA SCT020TCU T

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m