

MMMX

Licenciado Benito Juarez Intl


PANC

Ted Stevens Anchorage Intl

2024/05/10 0428Z

MMMX QET **UJ45** SLP **UJ47** TRC **J13** RUTR **J86** BAVPE GCN **V257** BCE **J523** WANTA **J54** TOU **J523** YZP **TRK19**
FRIED **J804R** NOWEL PANC

3347.56 nm / 6199.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMMX APT	-	19.43631 -99.07210	0 ft 0 m	-	Licenciado Benito Juarez Intl
QET VOR	-	20.61747 -100.19364	32,900 ft 10,028 m	95	QUERETARO VOR-DME
SLP VOR	UJ45 AWY-HI	22.25639 -100.93042	34,000 ft 10,363 m	106	POTOSI VOR-DME
IDEAL FIX	UJ47 AWY-HI	23.38077 -101.75544	34,000 ft 10,363 m	81	-
KATLA FIX	UJ47 AWY-HI	24.81387 -102.83243	34,000 ft 10,363 m	104	-
TRC VOR	UJ47 AWY-HI	25.56396 -103.40841	34,000 ft 10,363 m	54	TORREON VOR-DME
DEL VOR	J13 AWY-HI	28.21411 -105.44844	34,000 ft 10,363 m	193	DELICIAS VOR-DME
PATOS FIX	J13 AWY-HI	30.41278 -106.21861	34,000 ft 10,363 m	138	-
BECON FIX	J13 AWY-HI	31.78822 -106.71255	34,000 ft 10,363 m	86	-
RUTER FIX	J13 AWY-HI	32.28373 -106.89867	34,000 ft 10,363 m	31	-
VERNO FIX	J86 AWY-HI	34.26069 -109.62721	34,000 ft 10,363 m	181	-
PYRIT FIX	J86 AWY-HI	34.86955 -110.51143	34,000 ft 10,363 m	57	-
INW VOR	J86 AWY-HI	35.06161 -110.79503	34,000 ft 10,363 m	18	WINSLOW VORTAC
BAVPE FIX	J86 AWY-HI	35.58950 -111.88044	34,000 ft 10,363 m	61	-
GCN DME	-	35.96034 -112.14605	34,000 ft 10,363 m	25	GRAND CANYON VOR-DME
DOZIT FIX	V257 AWY-LO	36.37348 -112.18304	18,000 ft 5,486 m	24	-
JALMA FIX	V257 AWY-LO	36.55959 -112.19996	18,000 ft 5,486 m	11	-
CAKVU FIX	V257 AWY-LO	36.65904 -112.20898	18,000 ft 5,486 m	5	-
KACIR FIX	V257 AWY-LO	36.99191 -112.23945	18,000 ft 5,486 m	20	-
BCE VOR	V257 AWY-LO	37.68919 -112.30389	18,000 ft 5,486 m	41	BRYCE CANYON VORTAC
ELY VOR	J523 AWY-HI	39.29811 -114.84831	34,000 ft 10,363 m	153	ELY VOR-DME
REO VOR	J523 AWY-HI	42.59056 -117.86814	34,000 ft 10,363 m	240	ROME VOR-DME
IMB VOR	J523 AWY-HI	44.64839 -119.71164	34,000 ft 10,363 m	147	KIMBERLY VORTAC
LTJ VOR	J523 AWY-HI	45.71358 -121.10083	34,000 ft 10,363 m	86	KLICKITAT VOR-DME
WANTA FIX	J523 AWY-HI	46.47329 -121.62363	34,000 ft 10,363 m	50	-
SUMMA FIX	J54 AWY-HI	46.61786 -121.98832	34,000 ft 10,363 m	17	-
OLM	J54	46.97164	34,000 ft	43	OLYMPIA VORTAC

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	-122.90183	10,363 m		
TOU	J54	48.29989	34,000 ft	106	TATOOSH VORTAC
VOR	AWY-HI	-124.62706	10,363 m		
TOU15	J523	48.50194	34,000 ft	14	-
FIX	AWY-HI	-124.84815	10,363 m		
INHAM	J523	49.05217	34,000 ft	40	-
FIX	AWY-HI	-125.45508	10,363 m		
YZT	J523	50.68425	34,000 ft	122	PORT HARDY VOR-DME
VOR	AWY-HI	-127.36519	10,363 m		
YZP	J523	53.25217	34,000 ft	225	SANDSPIT VOR-DME
VOR	AWY-HI	-131.80708	10,363 m		
FRIED	TRK19	54.22188	34,000 ft	87	-
FIX	AWY-HI	-133.63245	10,363 m		
EEDEN	J804R	55.89960	34,000 ft	153	-
FIX	AWY-HI	-137.00176	10,363 m		
SNOUT	J804R	57.89066	34,000 ft	196	-
FIX	AWY-HI	-141.75529	10,363 m		
MDO	J804R	59.42181	32,300 ft	170	MIDDLETON ISLAND VOR-DME
DME	AWY-HI	-146.35001	9,845 m		
NOWEL	J804R	60.48392	18,000 ft	90	-
FIX	AWY-HI	-148.47520	5,486 m		
PANC	-	61.17411	0 ft	60	Ted Stevens Anchorage Intl
APT	-	-149.99598	0 m		

MMM

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 7,315 ft / 2,230 m
Location: 19.436300 -99.072100
Magnetic Var: 3.902 E

METAR

MMM 100345Z 04007KT 8SM SCT030 BKN220 26/06 A3027 NOSIG RMK 8/403 ISOL AC HZY

TAF

TAF AMD MMM 100105Z 1001/1100 08010KT P6SM -TSRA BKN020CB BKN080 OVC220 TX32/1020Z TN15/1012Z FM100200 08006KT P

Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.34		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.35		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.35		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.36		509 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.35		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.35		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.35		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.35		7,315 m

PANC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 151 ft / 46 m

Location: 61.174300 -149.998000

Magnetic Var: 14.025 E

METAR

PANC 100353Z 15007KT 10SM FEW006 SCT026 OVC050 02/01 A2983

TAF

TAF PANC 092320Z 1000/1106 19006KT 5SM -RASN SCT009 BKN015 OVC030 TEMPO 1000/1004 BKN009 FM100400 17014G26KT P6SM

Frequencies

REC - 135.50 MHz - D-ATIS

GND - 121.90 MHz - ANCHORAGE GROUND

CLD - 119.40 MHz - CLEARANCE DELIVERY

APP - 118.60 MHz - ANCHORAGE APPROACH

APP - 123.80 MHz - ANCHORAGE APPROACH

DEP - 118.60 MHz - ANCHORAGE DEPARTURE

DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM

TWR - 118.30 MHz - ANCHORAGE TOWER

CLD - 128.65 MHz - CLEARANCE DELIVERY

APP - 119.10 MHz - ANCHORAGE APPROACH

APP - 126.40 MHz - ANCHORAGE APPROACH

DEP - 119.10 MHz - ANCHORAGE DEPARTURE

DEP - 126.40 MHz - ANCHORAGE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	12,357 ft	89.84	ASPHALT	0 ft	0 ft
	61 m	3,767 m	75.82		0 m	0 m
25L	200 ft	12,357 ft	269.90	ASPHALT	0 ft	194 ft
	61 m	3,767 m	255.88		0 m	59 m
07L	150 ft	10,566 ft	89.88	ASPHALT	0 ft	387 ft
	46 m	3,221 m	75.85		0 m	118 m
25R	150 ft	10,566 ft	269.93	ASPHALT	0 ft	387 ft
	46 m	3,221 m	255.91		0 m	118 m
15	200 ft	10,847 ft	164.89	ASPHALT	0 ft	397 ft
	61 m	3,306 m	150.86		0 m	121 m
33	200 ft	10,847 ft	344.90	ASPHALT	463 ft	236 ft
	61 m	3,306 m	330.88		141 m	72 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07R	DME	IANC	111.30 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
15	DME	IBSC	111.75 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm	89.90	-	151 ft
				33 km	75.88		151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm	89.87	-	151 ft
				33 km	75.85		151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm	164.90	-	151 ft
				33 km	150.88		151 m
07L	GS	ITGN	109.90 MHz	10 nm	89.90	3.00	151 ft
				19 km	75.88		151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.85		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.88		151 m