


2024/05/07 1616Z

CYYT LEXAK **J575** IGTAS **V312** YHZ CYHZ

477.44 nm / 884.22 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 275kts
- Cruise Altitude: 300ft
- Cruise Speed: 320kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYYT APT	-	47.62013 -52.74683	0 ft 0 m	-	ST JOHNS INTL
LEXAK FIX	-	47.40000 -53.41167	10,700 ft 3,261 m	30	-
YQY VOR	J575 AWY-HI	46.15339 -60.05578	34,000 ft 10,363 m	283	SYDNEY/J.A. DOUGL VOR-DME
IGTAS FIX	J575 AWY-HI	45.08292 -62.98972	18,000 ft 5,486 m	138	-
YHZ VOR	V312 AWY-LO	44.92314 -63.40183	3,000 ft 914 m	19	HALIFAX VOR-DME
CYHZ APT	-	44.88316 -63.51055	0 ft 0 m	5	HALIFAX INTL

CYYT

Region: CANADA
Timezone: AMERICA/ST_JOHNS
Runways: 3

Elevation: 459 ft / 140 m
Location: 47.620500 -52.745200
Magnetic Var: 16.965 W

METAR

CYYT 071605Z 16005KT 1/4SM R10/3500VP6000FT/U R16/2600V3500FT/N -SHRA FG VV002 05/05 A2952 RMK FG8 TCU EMBD SLP000

TAF

TAF AMD TAF AMD CYYT 071439Z 0714/0812 17008KT 2SM -SHRA -DZ BKN006 OVC020 TEMPO 0714/0718 6SM BR FEW006 OVC025 FM0812

Frequencies

REC - 128.00 MHz - ATIS
TWR - 120.60 MHz -
GND - 121.90 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	98 ft	4,842 ft	356.23	ASPHALT	0 ft	0 ft
	30 m	1,476 m	13.19		0 m	0 m
20	98 ft	4,842 ft	176.23	ASPHALT	0 ft	0 ft
	30 m	1,476 m	193.19		0 m	0 m
16	200 ft	6,998 ft	139.12	ASPHALT	0 ft	148 ft
	61 m	2,133 m	156.08		0 m	45 m
34	200 ft	6,998 ft	319.13	ASPHALT	0 ft	151 ft
	61 m	2,133 m	336.10		0 m	46 m
11	200 ft	8,479 ft	85.91	ASPHALT	0 ft	0 ft
	61 m	2,584 m	102.87		0 m	0 m
29	200 ft	8,479 ft	265.93	ASPHALT	0 ft	0 ft
	61 m	2,584 m	282.90		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IMP	109.10 MHz	18 nm	85.92	-	459 ft
				33 km	102.88		459 m
16	LOC-ILS	IYT	110.70 MHz	18 nm	139.13	-	459 ft
				33 km	156.09		459 m
29	LOC-ILS	UYT	110.30 MHz	18 nm	265.92	-	459 ft
				33 km	282.88		459 m
11	GS	IMP	109.10 MHz	10 nm	85.92	3.00	459 ft
				19 km	102.88		459 m
16	GS	IYT	110.70 MHz	10 nm	139.13	3.00	459 ft
				19 km	156.09		459 m
29	GS	UYT	110.30 MHz	10 nm	265.92	3.00	459 ft
				19 km	282.88		459 m

CYHZ

Region: CANADA
Timezone: AMERICA/HALIFAX
Runways: 2

Elevation: 477 ft / 145 m
Location: 44.882500 -63.510400
Magnetic Var: 16.621 W

METAR

CYHZ 071600Z 28014G22KT 15SM SCT051 SCT250 17/03 A2962 RMK SC3CI1 SLP033 DENSITY ALT 1200FT

TAF

TAF CYHZ 071440Z 0715/0812 34005KT P6SM FEW020 FM071700 30010G20KT P6SM SCT050 BECMG 0722/0724 32006KT FM080300 3

Frequencies

REC - 121.00 MHz - ATIS
GND - 121.90 MHz - HALIFAX GROUND
APP - 118.70 MHz - HALIFAX APPROACH
APP - 128.55 MHz - HALIFAX APPROACH
CLD - 123.95 MHz - CLEARANCE DELIVERY
TWR - 118.40 MHz - HALIFAX TOWER
APP - 119.20 MHz - HALIFAX APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	200 ft	10,499 ft	34.99	ASPHALT	0 ft	0 ft
	61 m	3,200 m	51.61		0 m	0 m
23	200 ft	10,499 ft	215.00	ASPHALT	364 ft	0 ft
	61 m	3,200 m	231.62		111 m	0 m
14	200 ft	7,692 ft	125.18	ASPHALT	0 ft	0 ft
	61 m	2,344 m	141.80		0 m	0 m
32	200 ft	7,692 ft	305.20	ASPHALT	0 ft	0 ft
	61 m	2,344 m	321.82		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IHZ	109.10 MHz	18 nm	125.19	-	477 ft
				33 km	141.81		477 m
23	LOC-ILS	IJG	109.90 MHz	18 nm	215.00	-	477 ft
				33 km	231.62		477 m
05	LOC-LOC	IGX	109.90 MHz	18 nm	35.00	-	477 ft
				33 km	51.62		477 m
14	GS	IHZ	109.10 MHz	10 nm	125.19	3.00	477 ft
				19 km	141.81		477 m
23	GS	IJG	109.90 MHz	10 nm	215.00	3.00	477 ft
				19 km	231.62		477 m