
EGGP
Liverpool

EGPH
Edinburgh

2024/03/29 0949Z

EGGP LAKEY EGPH

158.07 nm / 292.75 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGGP APT	–	53.33363 -2.84977	0 ft 0 m	–	Liverpool
LAKEY FIX	–	54.23889 -2.98111	18,400 ft 5,608 m	54	–
EGPH APT	–	55.94869 -3.35972	0 ft 0 m	103	Edinburgh

EGGP

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 81 ft / 25 m
Location: 53.333600 -2.849780
Magnetic Var: 0.684 W

METAR

EGGP 290920Z 16009KT 9999 SCT013 09/06 Q0981

TAF

TAF AMD TAF AMD EGGP 290928Z 2909/3006 17007KT 9999 FEW040 TEMPO 2909/2911 BKN012 TEMPO 2910/2920 6000 SHRA PROB30

Frequencies

APP - 119.85 MHz - LIVERPOOL APPROACH
GND - 121.95 MHz - LIVERPOOL GROUND
TWR - 126.35 MHz - LIVERPOOL TOWER
REC - 124.32 MHz - LIVERPOOL INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft 45 m	7,478 ft 2,279 m	85.58 86.26	ASPHALT	194 ft 59 m	0 ft 0 m
27	148 ft 45 m	7,478 ft 2,279 m	265.61 266.29	ASPHALT	0 ft 0 m	82 ft 25 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ILVR	111.75 MHz	18 nm 33 km	- -	-	88 ft 88 m
27	DME	ILQ	111.75 MHz	18 nm 33 km	- -	-	88 ft 88 m
09	LOC-ILS	ILVR	111.75 MHz	18 nm 33 km	85.61 86.30	-	77 ft 77 m
27	LOC-ILS	ILQ	111.75 MHz	18 nm 33 km	265.05 265.73	-	55 ft 55 m
09	GS	ILVR	111.75 MHz	10 nm 19 km	86.20 86.88	3.00	80 ft 80 m
27	GS	ILQ	111.75 MHz	10 nm 19 km	266.20 266.88	3.00	80 ft 80 m

EGPH

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 136 ft / 41 m
Location: 55.950000 -3.372500
Magnetic Var: 1.235 W

METAR

EGPH 290920Z 26008KT 230V300 9999 FEW013 BKN019 07/05 Q0979

TAF

TAF EGPH 290500Z 2906/3006 25005KT 9999 SCT009 BKN020 TEMPO 2906/2911 6000 -RA BKN007 PROB40 TEMPO 2906/2909 4000

Frequencies

APP - 121.20 MHz - EDINBURGH APPROACH
TWR - 118.70 MHz - EDINBURGH TOWER

GND - 121.75 MHz - EDINBURGH GROUND
REC - 131.35 MHz - EDINBURGH INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft 46 m	8,369 ft 2,551 m	58.80 60.03	ASPHALT	692 ft 211 m	190 ft 58 m
24	150 ft 46 m	8,369 ft 2,551 m	238.82 240.06	ASPHALT	682 ft 208 m	194 ft 59 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IVG	108.90 MHz	18 nm 33 km	- -	-	123 ft 123 m
24	DME	ITH	108.90 MHz	18 nm 33 km	- -	-	123 ft 123 m
06	LOC-ILS	IVG	108.90 MHz	18 nm 33 km	58.81 60.05	-	136 ft 136 m
24	LOC-ILS	ITH	108.90 MHz	18 nm 33 km	238.81 240.05	-	136 ft 136 m
06	GS	IVG	108.90 MHz	10 nm 19 km	58.81 60.05	3.00	136 ft 136 m
24	GS	ITH	108.90 MHz	10 nm 19 km	238.81 240.05	3.00	136 ft 136 m