


2024/05/15 0606Z

BIKF KEF **5E20** YR **J564** PQI **J55** ENE **J581** PUT **J42** HFD KJFK

2261.72 nm / 4188.71 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 350ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BIKF	-	63.98161	0 ft	-	Keflavik
APT	-	-22.61456	0 m		
KEF	-	63.98681	100 ft	0	KEFLAVIK VORTAC
VOR	-	-22.61450	30 m		
EMBLA	5E20	63.47000	35,000 ft	120	-
FIX	AWY-HI	-26.98167	10,668 m		
6330N	5E20	63.00000	35,000 ft	86	-
FIX	AWY-HI	-30.00000	10,668 m		
6140N	5E20	61.00000	35,000 ft	306	-
FIX	AWY-HI	-40.00000	10,668 m		
OZN	5E20	60.05722	35,000 ft	109	PRINS CHRISTIAN SUND NDB
NDB	AWY-HI	-43.15972	10,668 m		
5850N	5E20	58.00000	35,000 ft	244	-
FIX	AWY-HI	-50.00000	10,668 m		
LOACH	5E20	55.51667	35,000 ft	274	-
FIX	AWY-HI	-57.01667	10,668 m		
YR	5E20	53.33833	35,000 ft	175	GOOSE NDB
NDB	AWY-HI	-60.36667	10,668 m		
PN	J564	49.83756	35,000 ft	258	PORT MENIER NDB
NDB	AWY-HI	-64.38628	10,668 m		
CL	J564	48.00889	35,000 ft	136	CHARLO NDB
NDB	AWY-HI	-66.43694	10,668 m		
TAFFY	J564	47.37338	35,000 ft	51	-
FIX	AWY-HI	-67.30390	10,668 m		
PQI19	J564	47.00922	35,000 ft	29	-
FIX	AWY-HI	-67.78471	10,668 m		
PQI	J564	46.77419	35,000 ft	18	PRESQUE ISLE VOR-DME
DME	AWY-HI	-68.09454	10,668 m		
FRIAR	J55	44.44137	35,000 ft	159	-
FIX	AWY-HI	-69.88455	10,668 m		
ENE	J55	43.42567	35,000 ft	68	KENNEBUNK VORTAC
VOR	AWY-HI	-70.61353	10,668 m		
PUT	J581	41.95547	25,400 ft	103	PUTNAM VOR-DME
VOR	AWY-HI	-71.84408	7,742 m		
HFD	J42	41.64111	17,500 ft	36	HARTFORD VOR-DME
VOR	AWY-HI	-72.54742	5,334 m		
KJFK	-	40.63990	0 ft	81	John F Kennedy Intl
APT	-	-73.77666	0 m		

BIKF

Region: ICELAND
Timezone: ATLANTIC/REYKJAVIK
Runways: 2

Elevation: 168 ft / 51 m
Location: 63.981600 -22.614600
Magnetic Var: 12.366 W

METAR

BIKF 150530Z 17005KT 9999 BKN028 BKN160 05/00 Q1011

TAF

TAF BIKF 150432Z 1506/1606 15008KT 9999 BKN025 TX09/1512Z TN05/1506Z TEMPO 1506/1606 -SHRA BKN015

Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.38		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.38		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.32		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.37		0 m	67 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.38		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.35		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.38		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.35		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.38		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.35		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.38		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.35		169 m

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.819 W

METAR

KJFK 150451Z 19003KT 10SM -RA FEW045 OVC090 15/13 A2993 RMK A02 RAB32 SLP136 P0000 T01500133 401940117

TAF

TAF KJFK 150535Z 1506/1612 18009KT P6SM VCSH BKN040 OVC090 TEMPO 1506/1509 5SM -SHRA BR BKN015 FM150900 VRB04KT 5SM

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
31R	DME	IRTH	111.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm 33 km	30.68 43.50	-	12 ft 12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm 33 km	30.67 43.49	-	12 ft 12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm 33 km	120.87 133.69	-	12 ft 12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm 33 km	210.67 223.49	-	12 ft 12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm 33 km	210.68 223.50	-	12 ft 12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm 33 km	300.84 313.66	-	12 ft 12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm 33 km	300.87 313.69	-	12 ft 12 m
04L	GS	IHIQ	110.90 MHz	10 nm 19 km	30.68 43.50	3.00	12 ft 12 m
04R	GS	IJFK	109.50 MHz	10 nm 19 km	30.67 43.49	3.00	12 ft 12 m
13L	GS	ITLK	111.50 MHz	10 nm 19 km	120.87 133.69	3.00	12 ft 12 m
22L	GS	IIWY	110.90 MHz	10 nm 19 km	210.67 223.49	3.00	12 ft 12 m
22R	GS	IJOC	109.50 MHz	10 nm 19 km	210.68 223.50	3.00	12 ft 12 m
31L	GS	IMOH	111.35 MHz	10 nm 19 km	300.84 313.66	3.00	12 ft 12 m
31R	GS	IRTH	111.50 MHz	10 nm 19 km	300.87 313.69	3.00	12 ft 12 m