

KDFW

Dallas Fort Worth Intl


KCLL

Easterwood Field

2024/05/23 0807Z

KDFW DARTZ KCLL

142.89 nm / 264.63 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 17000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KDFW	-	32.89711	0 ft	-	Dallas Fort Worth Intl
APT	-	-97.03655	0 m		
DARTZ	-	32.28450	13,700 ft	38	-
FIX	-	-96.81556	4,176 m		
KCLL	-	30.58875	0 ft	104	Easterwood Field
APT	-	-96.36420	0 m		

KDFW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 7

Elevation: 604 ft / 184 m
Location: 32.897200 -97.037700
Magnetic Var: 2.727 E

METAR

KDFW 230653Z 17005KT 10SM BKN050 23/21 A2981 RMK AO2 SLP086 T02280206 \$

TAF

KDFW 230652Z 2307/2412 11010KT P6SM SCT020 BKN050 FM230800 14010KT P6SM SCT009 BKN018 TEMPO 2309/2312 BKN009 FM23

Frequencies

REC - 123.77 MHz - ATIS ARRIVAL	REC - 135.92 MHz - ATIS DEPARTURE
COM - 122.95 MHz - UNICOM	CLD - 128.25 MHz - CLNC DEL
GND - 121.65 MHz - RGNL GND EAST 1	GND - 121.80 MHz - RGNL GND EAST 2
GND - 121.85 MHz - RGNL GND WEST	TWR - 126.55 MHz - RGNL TWR EAST 1
TWR - 127.50 MHz - RGNL TWR EAST 2	TWR - 134.90 MHz - RGNL TWR WEST 1
TWR - 124.15 MHz - RGNL TWR WEST 2	APP - 125.02 MHz - RGNL APP EAST 1
APP - 133.52 MHz - RGNL APP EAST 3	APP - 133.62 MHz - RGNL APP WEST 1
APP - 119.87 MHz - RGNL APP WEST 2	DEP - 118.55 MHz - RGNL DEP EAST 1
DEP - 124.82 MHz - RGNL DEP NORTH 1	DEP - 125.12 MHz - RGNL DEP SOUTH 1
DEP - 126.47 MHz - RGNL DEP WEST 1	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17C	151 ft	13,440 ft	180.26	CONCRETE	0 ft	413 ft
	46 m	4,097 m	177.54		0 m	126 m
35C	151 ft	13,440 ft	0.26	CONCRETE	0 ft	299 ft
	46 m	4,097 m	357.54		0 m	91 m
17L	151 ft	8,523 ft	180.25	CONCRETE	0 ft	400 ft
	46 m	2,598 m	177.52		0 m	122 m
35R	151 ft	8,523 ft	0.25	CONCRETE	0 ft	407 ft
	46 m	2,598 m	357.52		0 m	124 m
18R	151 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	46 m	4,096 m	177.52		0 m	123 m
36L	151 ft	13,439 ft	0.25	CONCRETE	0 ft	299 ft
	46 m	4,096 m	357.52		0 m	91 m
17R	200 ft	13,439 ft	180.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	177.53		0 m	122 m
35L	200 ft	13,439 ft	0.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	357.53		0 m	122 m
18L	200 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	61 m	4,096 m	177.52		0 m	123 m
36R	200 ft	13,439 ft	0.25	CONCRETE	0 ft	394 ft
	61 m	4,096 m	357.52		0 m	120 m
13R	151 ft	9,309 ft	139.18	CONCRETE	0 ft	397 ft
	46 m	2,837 m	136.46		0 m	121 m
31L	151 ft	9,309 ft	319.19	CONCRETE	0 ft	400 ft
	46 m	2,837 m	316.47		0 m	122 m
13L	200 ft	9,010 ft	135.41	CONCRETE	630 ft	299 ft
	61 m	2,746 m	132.68		192 m	91 m
31R	200 ft	9,010 ft	315.42	CONCRETE	0 ft	299 ft
	61 m	2,746 m	312.69		0 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13R	DME	ILWN	109.50 MHz	18 nm	-	-	590 ft
				33 km	-		590 m
17C	DME	IFLQ	110.30 MHz	18 nm	-	-	575 ft
				33 km	-		575 m
17L	DME	IPPZ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
17R	DME	IJHZ	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18L	DME	ICIX	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18R	DME	IVYN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
31R	DME	IRRA	110.90 MHz	18 nm	-	-	548 ft
				33 km	-		548 m
35C	DME	IPKQ	110.30 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
35L	DME	IUWX	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
35R	DME	IAJQ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
36L	DME	IBXN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
36R	DME	IFJN	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
13R	LOC-ILS	ILWN	109.50 MHz	18 nm	139.19	-	577 ft
				33 km	136.46		577 m
17C	LOC-ILS	IFLQ	110.30 MHz	18 nm	180.26	-	563 ft
				33 km	177.54		563 m
17L	LOC-ILS	IPPZ	111.75 MHz	18 nm	180.27	-	570 ft
				33 km	177.54		570 m
17R	LOC-ILS	IJHZ	111.35 MHz	18 nm	180.26	-	558 ft
				33 km	177.53		558 m
18L	LOC-ILS	ICIX	110.55 MHz	18 nm	180.25	-	570 ft
				33 km	177.52		570 m
18R	LOC-ILS	IVYN	111.90 MHz	18 nm	180.25	-	580 ft
				33 km	177.52		580 m
31R	LOC-ILS	IRRA	110.90 MHz	18 nm	315.40	-	552 ft
				33 km	312.67		552 m
35C	LOC-ILS	IPKQ	110.30 MHz	18 nm	0.26	-	558 ft
				33 km	357.53		558 m
35L	LOC-ILS	IUWX	111.35 MHz	18 nm	0.26	-	607 ft
				33 km	357.53		607 m
35R	LOC-ILS	IAJQ	111.75 MHz	18 nm	0.27	-	607 ft
				33 km	357.54		607 m
36L	LOC-ILS	IBXN	111.90 MHz	18 nm	0.25	-	598 ft
				33 km	357.52		598 m
36R	LOC-ILS	IFJN	110.55 MHz	18 nm	0.25	-	595 ft
				33 km	357.52		595 m
13R	GS	ILWN	109.50 MHz	10 nm	139.37	3.00	589 ft
				19 km	136.64		589 m
17C	GS	IFLQ	110.30 MHz	10 nm	180.53	3.00	562 ft
				19 km	177.80		562 m
17L	GS	IPPZ	111.75 MHz	10 nm	180.54	3.00	532 ft
				19 km	177.81		532 m
17R	GS	IJHZ	111.35 MHz	10 nm	180.52	3.00	567 ft
				19 km	177.79		567 m
18L	GS	ICIX	110.55 MHz	10 nm	180.49	3.00	594 ft
				19 km	177.77		594 m
18R	GS	IVYN	111.90 MHz	10 nm	180.50	3.00	601 ft
				19 km	177.77		601 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	177.77		601 m
31R	GS	IRRA	110.90 MHz	10 nm	315.80	3.00	513 ft
				19 km	313.07		513 m
35C	GS	IPKQ	110.30 MHz	10 nm	0.52	3.00	563 ft
				19 km	357.79		563 m
35L	GS	IUWX	111.35 MHz	10 nm	0.52	3.00	564 ft
				19 km	357.79		564 m
35R	GS	IAJQ	111.75 MHz	10 nm	0.54	3.00	565 ft
				19 km	357.81		565 m
36L	GS	IBXN	111.90 MHz	10 nm	0.50	3.00	584 ft
				19 km	357.77		584 m
36R	GS	IFJN	110.55 MHz	10 nm	0.49	3.00	577 ft
				19 km	357.77		577 m

KCLL

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 321 ft / 98 m
Location: 30.588800 -96.364200
Magnetic Var: 2.328 E

METAR

KCLL 230653Z AUTO 15007KT 10SM CLR 26/24 A2985 RMK A02 SLP101 T02610239

TAF

TAF KCLL 230520Z 2306/2406 14008KT P6SM FEW025 BKN035 FM230700 14011KT P6SM SCT015 BKN030 FM231500 17012KT P6SM B

Frequencies

REC - 126.85 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 118.50 MHz -
COM - 118.50 MHz - CTAF
GND - 128.70 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	7,021 ft	168.93	ASPHALT	0 ft	0 ft
	46 m	2,140 m	166.60		0 m	0 m
34	151 ft	7,021 ft	348.93	ASPHALT	0 ft	0 ft
	46 m	2,140 m	346.60		0 m	0 m
10	151 ft	5,152 ft	108.87	ASPHALT	0 ft	0 ft
	46 m	1,570 m	106.54		0 m	0 m
28	151 ft	5,152 ft	288.87	ASPHALT	0 ft	0 ft
	46 m	1,570 m	286.55		0 m	0 m
04	151 ft	5,152 ft	49.60	CONCRETE	0 ft	0 ft
	46 m	1,570 m	47.27		0 m	0 m
22	151 ft	5,152 ft	229.60	CONCRETE	0 ft	0 ft
	46 m	1,570 m	227.27		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	DME	ICLL	111.70 MHz	18 nm	-	-	330 ft
				33 km	-		330 m
34	LOC-ILS	ICLL	111.70 MHz	18 nm	348.93	-	326 ft
				33 km	346.60		326 m
34	GS	ICLL	111.70 MHz	10 nm	349.86	2.90	303 ft
				19 km	347.53		303 m