

EIDW

Dublin


KIAH

Houston George Bush Int

2024/05/06 1248Z

EIDW +53.43_-006.41 +53.45_-006.50 +54.30_-011.43 +54.94_-016.53 +55.36_-021.78 +55.56_-027.10
+55.52_-032.45 +55.25_-037.76 +54.75_-042.96 +54.03_-048.01 +53.12_-052.86 +52.01_-057.50
+50.73_-061.89 +49.30_-066.04 +47.72_-069.94 +46.02_-073.60 +44.21_-077.03 +42.31_-080.26
+40.32_-083.30 +38.25_-086.15 +36.12_-088.85 +33.93_-091.40 +30.25_-095.30 +30.21_-095.36
+30.17_-095.39 +30.11_-095.41 +30.05_-095.40 KIAH

3956.95 nm / 7328.28 km



Notes

Departing runway 27 EIDW. Arriving runway 15 KIAH.

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIDW	-	53.42243	0 ft	-	-
APT	-	-6.29007	0 m		
+53.43_-006.41	-	53.42903	110 ft	4	-
LATLON	-	-6.41101	34 m		
+53.45_-006.50	-	53.45373	380 ft	3	-
LATLON	-	-6.49892	116 m		
+54.30_-011.43	-	54.30199	40,000 ft	181	-
LATLON	-	-11.42501	12,192 m		
+54.94_-016.53	-	54.94332	40,000 ft	181	-
LATLON	-	-16.53279	12,192 m		
+55.36_-021.78	-	55.36437	40,000 ft	181	-
LATLON	-	-21.77717	12,192 m		
+55.56_-027.10	-	55.55696	40,000 ft	181	-
LATLON	-	-27.10338	12,192 m		
+55.52_-032.45	-	55.51718	40,000 ft	181	-
LATLON	-	-32.45031	12,192 m		
+55.25_-037.76	-	55.24586	40,000 ft	181	-
LATLON	-	-37.75520	12,192 m		
+54.75_-042.96	-	54.74841	40,000 ft	181	-
LATLON	-	-42.95862	12,192 m		
+54.03_-048.01	-	54.03435	40,000 ft	181	-
LATLON	-	-48.00886	12,192 m		
+53.12_-052.86	-	53.11646	40,000 ft	181	-
LATLON	-	-52.86490	12,192 m		
+52.01_-057.50	-	52.00977	40,000 ft	181	-
LATLON	-	-57.49775	12,192 m		
+50.73_-061.89	-	50.73053	40,000 ft	181	-
LATLON	-	-61.89022	12,192 m		
+49.30_-066.04	-	49.29539	40,000 ft	181	-
LATLON	-	-66.03551	12,192 m		
+47.72_-069.94	-	47.72061	40,000 ft	181	-
LATLON	-	-69.93530	12,192 m		
+46.02_-073.60	-	46.02165	40,000 ft	181	-
LATLON	-	-73.59761	12,192 m		
+44.21_-077.03	-	44.21284	40,000 ft	181	-
LATLON	-	-77.03477	12,192 m		
+42.31_-080.26	-	42.30722	40,000 ft	181	-
LATLON	-	-80.26183	12,192 m		
+40.32_-083.30	-	40.31652	40,000 ft	181	-
LATLON	-	-83.29516	12,192 m		
+38.25_-086.15	-	38.25119	40,000 ft	181	-
LATLON	-	-86.15159	12,192 m		
+36.12_-088.85	-	36.12049	40,000 ft	181	-
LATLON	-	-88.84772	12,192 m		
+33.93_-091.40	-	33.93260	40,000 ft	181	-
LATLON	-	-91.39951	12,192 m		
+30.25_-095.30	-	30.25041	2,040 ft	297	-
LATLON	-	-95.30364	622 m		
+30.21_-095.36	-	30.21486	1,340 ft	3	-
LATLON	-	-95.35653	408 m		
+30.17_-095.39	-	30.16582	790 ft	3	-
LATLON	-	-95.39213	241 m		
+30.11_-095.41	-	30.10922	380 ft	3	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-95.40617	116 m		
+30.05_-095.40	-	30.05187	110 ft	3	-
LATLON	-	-95.39698	34 m		
KIAH	-	29.98792	0 ft	4	-
APT	-	-95.35786	0 m		

EIDW

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 240 ft / 73 m
Location: 53.424900 -6.263080
Magnetic Var: 1.977 W

METAR

EIDW 061230Z 32008KT 9999 FEW012 BKN016 BKN019 13/09 Q1012 NOSIG

TAF

TAF EIDW 061100Z 0612/0712 33008KT 9999 FEW009 BKN020 PROB30 TEMPO 0612/0617 -DZ BKN014 BECMG 0702/0704 27005KT B

Frequencies

REC - 124.52 MHz - ATIS	TWR - 118.60 MHz - DUBLIN TOWER
GND - 118.75 MHz - DUBLIN GROUND	GND - 121.80 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY	APP - 133.27 MHz - DUBLIN APPROACH
APP - 121.10 MHz - DUBLIN APPROACH	APP - 119.92 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH	REC - 118.50 MHz - DUBLIN INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft	8,660 ft	95.26	ASPHALT	0 ft	0 ft
	45 m	2,640 m	97.23		0 m	0 m
28L	148 ft	8,660 ft	275.29	ASPHALT	0 ft	0 ft
	45 m	2,640 m	277.27		0 m	0 m
16	190 ft	6,805 ft	156.64	ASPHALT	0 ft	0 ft
	58 m	2,074 m	158.61		0 m	0 m
34	190 ft	6,805 ft	336.65	ASPHALT	0 ft	0 ft
	58 m	2,074 m	338.62		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm	-	-	200 ft
				33 km	-		200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm	95.26	-	242 ft
				33 km	97.24		242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm	156.64	-	242 ft
				33 km	158.62		242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm	275.26	-	242 ft
				33 km	277.24		242 m
10R	GS	IDE	108.90 MHz	10 nm	95.26	3.00	242 ft
				19 km	97.24		242 m
16	GS	IAC	111.50 MHz	10 nm	156.64	3.00	242 ft
				19 km	158.62		242 m
28L	GS	IDW	111.35 MHz	10 nm	275.26	3.00	242 ft
				19 km	277.24		242 m

KIAH

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 5

Elevation: 98 ft / 30 m
Location: 29.985400 -95.341200
Magnetic Var: 1.731 E

METAR

KIAH 061220Z 11005KT 4SM BR BKN005 OVC015 23/23 A2985 RMK A02 T02330228

TAF

TAF KIAH 061120Z 0612/0718 12006KT P6SM SCT004 BKN015 TEMPO 0612/0614 6SM BR BKN004 OVC015 FM061500 15011KT P6SM S

Frequencies

REC - 124.05 MHz - D-ATIS	REC - 122.95 MHz - UNICOM
CLD - 128.10 MHz - CLEARANCE DELIVERY	GND - 119.95 MHz - HOUSTON GROUND
GND - 121.70 MHz - HOUSTON GROUND	GND - 118.57 MHz - HOUSTON GROUND
TWR - 120.72 MHz - HOUSTON TOWER	TWR - 125.35 MHz - HOUSTON TOWER
TWR - 135.15 MHz - HOUSTON TOWER	TWR - 127.30 MHz - HOUSTON TOWER
APP - 120.05 MHz - HOUSTON APPROACH	APP - 124.35 MHz - HOUSTON APPROACH
DEP - 126.67 MHz - HOUSTON DEPARTURE	DEP - 132.25 MHz - HOUSTON DEPARTURE
DEP - 133.60 MHz - HOUSTON DEPARTURE	DEP - 127.12 MHz - HOUSTON DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	151 ft	10,010 ft	152.07	CONCRETE	0 ft	407 ft
	46 m	3,051 m	150.34		0 m	124 m
33L	151 ft	10,010 ft	332.08	CONCRETE	0 ft	407 ft
	46 m	3,051 m	330.35		0 m	124 m
15L	151 ft	12,013 ft	152.08	CONCRETE	0 ft	413 ft
	46 m	3,662 m	150.35		0 m	126 m
33R	151 ft	12,013 ft	332.09	CONCRETE	0 ft	413 ft
	46 m	3,662 m	330.35		0 m	126 m
08L	151 ft	9,008 ft	89.94	CONCRETE	0 ft	387 ft
	46 m	2,746 m	88.21		0 m	118 m
26R	151 ft	9,008 ft	269.96	CONCRETE	0 ft	387 ft
	46 m	2,746 m	268.23		0 m	118 m
08R	151 ft	9,412 ft	89.96	CONCRETE	0 ft	384 ft
	46 m	2,869 m	88.22		0 m	117 m
26L	151 ft	9,412 ft	269.97	CONCRETE	0 ft	384 ft
	46 m	2,869 m	268.24		0 m	117 m
09	151 ft	10,009 ft	89.95	CONCRETE	0 ft	387 ft
	46 m	3,051 m	88.22		0 m	118 m
27	151 ft	10,009 ft	269.97	CONCRETE	0 ft	387 ft
	46 m	3,051 m	268.24		0 m	118 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IBZU	111.55 MHz	18 nm	-	-	90 ft
				33 km	-		90 m
08R	DME	IIAH	109.70 MHz	18 nm	-	-	109 ft
				33 km	-		109 m
09	DME	IUYO	110.90 MHz	18 nm	-	-	100 ft
				33 km	-		100 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	IJYV	109.70 MHz	18 nm 33 km	- -	-	109 ft 109 m
26R	DME	IOND	111.55 MHz	18 nm 33 km	- -	-	84 ft 84 m
27	DME	IGHI	110.90 MHz	18 nm 33 km	- -	-	100 ft 100 m
08L	LOC-ILS	IBZU	111.55 MHz	18 nm 33 km	89.95 88.22	-	98 ft 98 m
08R	LOC-ILS	IIAH	109.70 MHz	18 nm 33 km	89.96 88.23	-	98 ft 98 m
09	LOC-ILS	IUYO	110.90 MHz	18 nm 33 km	89.96 88.23	-	98 ft 98 m
15R	LOC-ILS	ILKM	111.15 MHz	18 nm 33 km	152.08 150.35	-	98 ft 98 m
26L	LOC-ILS	IJYV	109.70 MHz	18 nm 33 km	269.96 268.23	-	98 ft 98 m
26R	LOC-ILS	IOND	111.55 MHz	18 nm 33 km	269.95 268.22	-	98 ft 98 m
27	LOC-ILS	IGHI	110.90 MHz	18 nm 33 km	269.96 268.23	-	98 ft 98 m
33R	LOC-ILS	ICDG	111.90 MHz	18 nm 33 km	332.09 330.36	-	98 ft 98 m
08L	GS	IBZU	111.55 MHz	10 nm 19 km	89.95 88.22	3.00	98 ft 98 m
08R	GS	IIAH	109.70 MHz	10 nm 19 km	89.96 88.23	3.00	98 ft 98 m
09	GS	IUYO	110.90 MHz	10 nm 19 km	89.96 88.23	3.00	98 ft 98 m
15R	GS	ILKM	111.15 MHz	10 nm 19 km	152.08 150.35	3.00	98 ft 98 m
26L	GS	IJYV	109.70 MHz	10 nm 19 km	269.96 268.23	3.00	98 ft 98 m
26R	GS	IOND	111.55 MHz	10 nm 19 km	269.95 268.22	3.00	98 ft 98 m
27	GS	IGHI	110.90 MHz	10 nm 19 km	269.96 268.23	3.00	98 ft 98 m
33R	GS	ICDG	111.90 MHz	10 nm 19 km	332.09 330.36	3.00	98 ft 98 m