


2024/05/04 0605Z

LFMT FJR LFTW

22.51 nm / 41.69 km



Notes

Basic altitude profile:

- Ascent Rate: 500ft/min
- Ascent Speed: 80kts
- Cruise Altitude: 200000ft
- Cruise Speed: 100kts
- Descent Rate: 500ft/min
- Descent Speed: 80kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMT	-	43.57626	0 ft	-	Montpellier/Mediterranee
APT	-	3.96326	0 m		
FJR	-	43.57836	100 ft	0	MONPELLIER MEDITERRANEE VOR-DM
VOR	-	3.97472	30 m		
LFTW	-	43.75744	0 ft	21	Garons Navy
APT	-	4.41639	0 m		

LFMT

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 17 ft / 5 m
Location: 43.576200 3.963250
Magnetic Var: 1.987 E

METAR

LFMT 040530Z AUTO 04005KT CAVOK 10/09 Q1016 NOSIG

TAF

TAF LFMT 040200Z 0403/0503 VRB05KT CAVOK PROB40 TEMPO 0415/0418 FEW020TCU

Frequencies

REC - 124.12 MHz - MONTPELLIER ATIS	GND - 121.95 MHz - MONTPELLIER GND
TWR - 118.20 MHz - MONTPELLIER TWR	TWR - 118.77 MHz - MONTPELLIER TWR
APP - 120.37 MHz - MONTPELLIER APP	APP - 130.85 MHz - MONTPELLIER APP
APP - 133.77 MHz - MONTPELLIER APP	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12L	164 ft	8,539 ft	124.83	ASPHALT	0 ft	0 ft
	50 m	2,603 m	122.85		0 m	0 m
30R	164 ft	8,539 ft	304.85	ASPHALT	0 ft	0 ft
	50 m	2,603 m	302.86		0 m	0 m
12R	98 ft	3,612 ft	124.80	ASPHALT	328 ft	0 ft
	30 m	1,101 m	122.81		100 m	0 m
30L	98 ft	3,612 ft	304.81	ASPHALT	0 ft	0 ft
	30 m	1,101 m	302.82		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30R	LOC-ILS	FG	108.55 MHz	18 nm	304.75	-	16 ft
				33 km	302.76		16 m
30R	GS	FG	108.55 MHz	10 nm	305.50	3.00	16 ft
				19 km	303.51		16 m

LFTW

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 309 ft / 94 m
Location: 43.757400 4.416350
Magnetic Var: 2.095 E

METAR

LFTW 040530Z AUTO 36003KT CAVOK 09/07 Q1016 NOSIG

TAF

TAF LFTW 040200Z 0403/0503 VRB03KT CAVOK PROB40 TEMPO 0414/0418 18010KT PROB40 TEMPO 0421/0503 4500 BR BKN012

Frequencies

REC - 129.35 MHz - GARONS ATIS	TWR - 121.80 MHz - GARONS GROUND
TWR - 123.20 MHz - GARONS TOWER	APP - 131.05 MHz - MONTPELLIER APPROACH
APP - 130.85 MHz - MONTPELLIER APPROACH	APP - 127.72 MHz - MONTPELLIER APPROACH
APP - 120.37 MHz - MONTPELLIER APPROACH	APP - 119.47 MHz - RHONE CONTROL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	8,026 ft	177.03	CONCRETE	0 ft	292 ft
	45 m	2,446 m	174.93		0 m	89 m
36	148 ft	8,026 ft	357.03	CONCRETE	0 ft	302 ft
	45 m	2,446 m	354.93		0 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	DME	NG	109.55 MHz	18 nm	-	-	340 ft
				33 km	-		340 m
36	LOC-ILS	NG	109.09 MHz	18 nm	356.75	-	308 ft
				33 km	354.65		308 m
36	GS	NG	109.09 MHz	10 nm	357.19	3.00	308 ft
				19 km	355.10		308 m