


EDDK
Köln Bonn

LFPG
Paris Charles De Gaulle

2024/05/23 0841Z

EDDK ARDEN LFPG

209.38 nm / 387.77 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 12000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDK	-	50.86580	0 ft	-	Koln Bonn
APT	-	7.13890	0 m		
ARDEN	-	49.86194	22,100 ft	106	-
FIX	-	4.85778	6,736 m		
LFPG	-	49.00974	0 ft	103	Paris Charles De Gaulle
APT	-	2.56262	0 m		

EDDK

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 3

Elevation: 296 ft / 90 m
Location: 50.865800 7.138910
Magnetic Var: 2.792 E

METAR

EDDK 230820Z AUTO 22005KT 150V310 9999 FEW025 18/11 Q1016 NOSIG

TAF

TAF EDDK 230500Z 2306/2412 14004KT 9999 SCT040 BECMG 2306/2309 24006KT PROB30 TEMPO 2312/2317 TSRA BKN030CB BECMG

Frequencies

REC - 112.15 MHz - ATIS	CLD - 121.85 MHz - KOELN BONN DELIVERY
GND - 121.72 MHz - KOELN BONN GROUND	GND - 121.95 MHz - KOELN BONN APRON
TWR - 124.97 MHz - KOELN BONN TOWER	TWR - 136.25 MHz - KOELN BONN MILITARY
APP - 118.75 MHz - LANGEN RADAR	APP - 135.35 MHz - LANGEN RADAR
APP - 121.05 MHz - KOELN BONN DIRECTOR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14L	197 ft	12,495 ft	137.55	ASPHALT	0 ft	0 ft
	60 m	3,808 m	134.76		0 m	0 m
32R	197 ft	12,495 ft	317.58	ASPHALT	0 ft	0 ft
	60 m	3,808 m	314.79		0 m	0 m
06	148 ft	8,045 ft	64.33	ASPHALT	0 ft	0 ft
	45 m	2,452 m	61.54		0 m	0 m
24	148 ft	8,045 ft	244.36	ASPHALT	0 ft	0 ft
	45 m	2,452 m	241.56		0 m	0 m
14R	148 ft	6,104 ft	137.56	ASPHALT	0 ft	0 ft
	45 m	1,860 m	134.77		0 m	0 m
32L	148 ft	6,104 ft	317.58	ASPHALT	0 ft	0 ft
	45 m	1,860 m	314.79		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14L	LOC-ILS	IKES	110.90 MHz	18 nm	137.57	-	296 ft
				33 km	134.78		296 m
24	LOC-ILS	IKOW	109.10 MHz	18 nm	244.35	-	296 ft
				33 km	241.56		296 m
32R	LOC-ILS	IKEN	111.10 MHz	18 nm	317.57	-	296 ft
				33 km	314.78		296 m
14L	GS	IKES	110.90 MHz	10 nm	137.57	3.00	296 ft
				19 km	134.78		296 m
24	GS	IKOW	109.10 MHz	10 nm	244.35	3.00	296 ft
				19 km	241.56		296 m
32R	GS	IKEN	111.10 MHz	10 nm	317.57	3.00	296 ft
				19 km	314.78		296 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.500 E

METAR

LFPG 230830Z 27006KT 240V300 CAVOK 15/10 Q1017 NOSIG

TAF

TAF LFPG 230500Z 2306/2412 26005KT CAVOK TX20/2314Z TN11/2402Z TEMPO 2312/2323 4000 SHRA BKN030TCU PROB30 TEMPO 2

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m