

OIII

Tehran Mehrabad Intl


LTCE

ERZURUM

2024/05/06 2147Z

OIII TRN **UM573** TBZ **UL333** DASIS **R660** ERZ LTCE

545.30 nm / 1009.89 km



Notes

Basic altitude profile:

- Ascent Rate: 3000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 420kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OIII	-	35.69263	0 ft	-	Teheran Mehrabad Intl
APT	-	51.31741	0 m		
TRN	-	35.69697	500 ft	1	TEHRAN VOR-DME
VOR	-	51.28378	152 m		
ASPOK	UM573	36.84167	34,000 ft	130	-
FIX	AWY-HI	49.00278	10,363 m		
DAMOS	UM573	37.34056	34,000 ft	58	-
FIX	AWY-HI	47.96222	10,363 m		
TBZ	UM573	38.13908	34,000 ft	95	TABRIZ VORTAC
VOR	AWY-HI	46.23089	10,363 m		
DASIS	UL333	38.90861	32,100 ft	105	-
FIX	AWY-HI	44.20806	9,784 m		
ERZ	R660	39.95750	22,500 ft	152	ERZURUM VOR-DME
VOR	AWY-LO	41.20722	6,858 m		
LTCE	-	39.95223	0 ft	1	ERZURUM
APT	-	41.17010	0 m		

OIII

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 3

Elevation: 3,963 ft / 1,208 m
Location: 35.692600 51.317500
Magnetic Var: 5.105 E

METAR

OIII 062130Z 08006KT 9999 FEW035 FEW040CB BKN100 17/06 Q1012 A2989

TAF

TAF OIII 061730Z 0618/0724 06008KT 7000 FEW035CB SCT040 BKN100 TEMPO 0618/0706 2000 SHRA FEW030CB SCT035 OVC080 TB

Frequencies

REC - 128.00 MHz - ATIS	TWR - 118.10 MHz - MEHRABAD TOWER
TWR - 124.45 MHz - MEHRABAD TOWER	GND - 121.70 MHz - MEHRABAD GROUND
GND - 121.90 MHz - MEHRABAD GROUND	CLD - 121.85 MHz - MEHRABAD CLEARANCE DELIVERY
APP - 119.70 MHz - MEHRABAD APPROACH	APP - 125.10 MHz - MEHRABAD APPROACH
APP - 119.70 MHz - MEHRABAD RADAR	APP - 125.10 MHz - MEHRABAD RADAR
DEP - 125.10 MHz - MEHRABAD RADAR	DEP - 119.70 MHz - MEHRABAD RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	131 ft	1,589 ft	88.24	CONCRETE	16 ft	75 ft
	40 m	484 m	83.13		5 m	23 m
27	131 ft	1,589 ft	268.24	CONCRETE	16 ft	194 ft
	40 m	484 m	263.13		5 m	59 m
11L	148 ft	13,087 ft	109.70	CONCRETE	0 ft	0 ft
	45 m	3,989 m	104.60		0 m	0 m
29R	148 ft	13,087 ft	289.73	CONCRETE	0 ft	0 ft
	45 m	3,989 m	284.62		0 m	0 m
11R	197 ft	13,379 ft	109.74	ASPHALT	0 ft	1,191 ft
	60 m	4,078 m	104.63		0 m	363 m
29L	197 ft	13,379 ft	289.76	ASPHALT	144 ft	141 ft
	60 m	4,078 m	284.66		44 m	43 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29L	DME	ITHL	109.90 MHz	18 nm	-	-	3,804 ft
				33 km	-		3,804 m
29L	LOC-ILS	ITHL	109.90 MHz	18 nm	289.75	-	3,963 ft
				33 km	284.64		3,963 m
29L	GS	ITHL	109.90 MHz	10 nm	289.75	3.30	3,963 ft
				19 km	284.64		3,963 m

LTCE

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 2

Elevation: 5,765 ft / 1,757 m
Location: 39.956600 41.170200
Magnetic Var: 6.636 E

METAR

LTCE 062120Z 10006KT 070V140 9999 BKN025 OVC070 05/02 Q1012 NOSIG RMK RWY08R 06008KT RWY26R 10008KT RWY08L 08006KT

TAF

TAF LTCE 061640Z 0618/0718 VRB02KT 9999 BKN025 OVC070 TEMPO 0618/0622 -SHRA TEMPO 0622/0702 -SHRA TEMPO 0712/0715

Frequencies

GND - 121.90 MHz - ERZURUM GROUND
TWR - 124.30 MHz - ERZURUM TOWER
APP - 118.70 MHz - ERZURUM APPROACH

APP - 124.30 MHz - ERZURUM APPROACH
TWR - 118.70 MHz - ERZURUM TOWER
REC - 119.80 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	98 ft	12,513 ft	88.06	CONCRETE	0 ft	0 ft
	30 m	3,814 m	81.42		0 m	0 m
26L	98 ft	12,513 ft	268.09	CONCRETE	0 ft	0 ft
	30 m	3,814 m	261.45		0 m	0 m
08L	148 ft	12,494 ft	88.04	CONCRETE	0 ft	0 ft
	45 m	3,808 m	81.41		0 m	0 m
26R	148 ft	12,494 ft	268.07	CONCRETE	0 ft	0 ft
	45 m	3,808 m	261.43		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26R	LOC-ILS	IERZ	110.50 MHz	18 nm	267.67	-	5,763 ft
				33 km	261.03		5,763 m
26R	GS	IERZ	110.50 MHz	10 nm	268.11	3.20	5,763 ft
				19 km	261.48		5,763 m