


2024/05/12 0702Z

ESGP LALIL ESGG

17.13 nm / 31.72 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ESGP	-	57.77684	0 ft	-	Goteborg Save
APT	-	11.87392	0 m		
LALIL	-	57.77347	1,500 ft	9	-
FIX	-	12.17719	457 m		
ESGG	-	57.66284	0 ft	7	Goteborg Landvetter
APT	-	12.27982	0 m		

## ESGP

Region: SWEDEN  
Timezone: EUROPE/STOCKHOLM  
Runways: 2

Elevation: 59 ft / 18 m  
Location: 57.776800 11.873900  
Magnetic Var: 4.580 E

## METAR

ESGP 120620Z AUTO 21006KT 9999 NCD 14/07 Q1025

## TAF

UNKNOWN

## Frequencies

TWR - 119.05 MHz - AFIS  
TWR - 129.10 MHz -  
APP - 124.67 MHz - GOTEBOG CON

TWR - 129.10 MHz - AFIS  
TWR - 119.05 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	6,696 ft	4.99	ASPHALT	203 ft	0 ft
	45 m	2,041 m	0.41		62 m	0 m
19	148 ft	6,696 ft	185.00	ASPHALT	0 ft	0 ft
	45 m	2,041 m	180.42		0 m	0 m
04	90 ft	2,814 ft	44.39	ASPHALT	0 ft	2,103 ft
	28 m	858 m	39.81		0 m	641 m
22	90 ft	2,814 ft	224.40	ASPHALT	0 ft	653 ft
	28 m	858 m	219.82		0 m	199 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	DME	GP	108.10 MHz	18 nm	-	-	70 ft
				33 km	-		70 m
19	LOC-ILS	GP	108.10 MHz	18 nm	185.01	-	59 ft
				33 km	180.43		59 m
19	GS	GP	108.10 MHz	10 nm	185.99	3.00	59 ft
				19 km	181.41		59 m

## ESGG

Region: SWEDEN  
Timezone: EUROPE/STOCKHOLM  
Runways: 1

Elevation: 505 ft / 154 m  
Location: 57.662800 12.279800  
Magnetic Var: 4.719 E

## METAR

ESGG 120620Z 16004KT 130V200 CAVOK 12/07 Q1026

## TAF

TAF TAF ESGG 120530Z 1206/1306 16005KT CAVOK

## Frequencies

REC - 114.60 MHz - ATIS	REC - 118.37 MHz - ATIS
GND - 121.90 MHz - GOTEBORG GROUND	GND - 121.60 MHz - GOTEBORG GROUND
TWR - 118.60 MHz - GOTEBORG TOWER	TWR - 123.10 MHz - GOTEBORG TOWER
APP - 123.10 MHz - GOTEBORG APPROACH	APP - 123.30 MHz - GOTEBORG APPROACH
APP - 124.20 MHz - GOTEBORG APPROACH	APP - 124.67 MHz - GOTEBORG APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	10,805 ft	25.95	ASPHALT	0 ft	207 ft
	45 m	3,293 m	21.23		0 m	63 m
21	148 ft	10,805 ft	205.97	ASPHALT	0 ft	207 ft
	45 m	3,293 m	201.25		0 m	63 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	LOC-ILS	SSG	110.30 MHz	18 nm	25.96	-	506 ft
				33 km	21.25		506 m
21	LOC-ILS	NGG	108.50 MHz	18 nm	205.96	-	506 ft
				33 km	201.24		506 m
03	GS	SSG	110.30 MHz	10 nm	25.96	3.00	506 ft
				19 km	21.24		506 m
21	GS	NGG	108.50 MHz	10 nm	205.96	3.00	506 ft
				19 km	201.24		506 m