

# HKJK

Nairobi Jomo Kanyatta Intl


# HTDA

MWALIMU JULIUS K NYERERE INTL

2024/05/08 0331Z

HKJK GABSO **UB533** DV HTDA

362.22 nm / 670.83 km



## Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 240kts
- Cruise Altitude: 35000ft
- Cruise Speed: 250kts
- Descent Rate: 2000ft/min
- Descent Speed: 240kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HKJK APT	-	-1.31707 36.93076	0 ft 0 m	-	Nairobi Jomo Kanyatta Intl
GABSO FIX	-	-2.85248 37.56752	35,000 ft 10,668 m	99	-
OKNES FIX	UB533 AWY-LO	-3.58472 37.90000	35,000 ft 10,668 m	48	-
LUDOL FIX	UB533 AWY-HI	-3.81602 37.96136	35,000 ft 10,668 m	14	-
GEREN FIX	UB533 AWY-HI	-5.06480 38.46110	25,400 ft 7,742 m	80	-
DV VOR	UB533 AWY-HI	-6.88865 39.19271	200 ft 61 m	117	DAR ES SALAAM VOR-DME
HTDA APT	-	-6.87505 39.20426	0 ft 0 m	1	MWALIMU JULIUS K NYERERE INTL

## HKJK

Region: KENYA

Timezone: AFRICA/NAIROBI

Runways: 1

Elevation: 5,330 ft / 1,625 m

Location: -1.316650 36.931300

Magnetic Var: 0.799 E

## METAR

HKJK 080300Z 23003KT 9999 FEW014 SCT080 16/16 Q1022 NOSIG

## TAF

TAF TAF HKJK 072300Z 0800/0906 24005KT 9999 BKN017 BECMG 0808/0811 15010KT FEW024CB BKN025 BECMG 0820/0823 24005KT

## Frequencies

REC - 126.20 MHz - NAIROBI ATIS

TWR - 118.70 MHz - NAIROBI TOWER

DEP - 119.70 MHz - NAIROBI DEPARTURE

GND - 121.60 MHz - NAIROBI GROUND

APP - 119.70 MHz - NAIROBI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	13,528 ft	53.83	ASPHALT	0 ft	194 ft
	45 m	4,123 m	53.03		0 m	59 m
24	148 ft	13,528 ft	233.83	ASPHALT	0 ft	197 ft
	45 m	4,123 m	233.03		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	NL	110.30 MHz	18 nm	53.83	-	5,330 ft
				33 km	53.03		5,330 m
06	GS	NL	110.30 MHz	10 nm	53.83	3.00	5,330 ft
				19 km	53.03		5,330 m

## HTDA

Region: TANZANIA  
Timezone: AFRICA/DAR\_ES\_SALAAM  
Runways: 2

Elevation: 182 ft / 55 m  
Location: -6.874990 39.204400  
Magnetic Var: 2.100 W

## METAR

UNKNOWN

## TAF

TAF HTDA 072300Z 0800/0906 23005KT 9999 SCT013 TEMPO 0807/0812 20015KT SHRA BKN018 FEW019CB BECMG 0814/0817 SCT02

## Frequencies

REC - 119.00 MHz - DAR-ES-SALAAM ATIS  
TWR - 118.30 MHz - DAR-ES-SALAAM TOWER

GND - 121.80 MHz - DAR-ES-SALAAM GROUND  
APP - 119.60 MHz - DAR-ES-SALAAM APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	151 ft	9,880 ft	44.82	ASPHALT	0 ft	190 ft
	46 m	3,011 m	46.92		0 m	58 m
23	151 ft	9,880 ft	224.82	ASPHALT	0 ft	187 ft
	46 m	3,011 m	226.92		0 m	57 m
14	98 ft	3,304 ft	135.19	ASPHALT	0 ft	0 ft
	30 m	1,007 m	137.29		0 m	0 m
32	98 ft	3,304 ft	315.19	ASPHALT	0 ft	0 ft
	30 m	1,007 m	317.29		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	DL	110.50 MHz	18 nm	44.81	-	182 ft
				33 km	46.91		182 m
05	GS	DL	110.50 MHz	10 nm	44.81	3.00	182 ft
				19 km	46.91		182 m