


2024/05/08 2042Z

CYYT 4700N05500W 4700N06000W 4600N06500W 4500N07000W 4400N07500W CYHM

1180.33 nm / 2185.97 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 25000ft
- Cruise Speed: 270kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYYT	-	47.62013	0 ft	-	ST JOHNS INTL
APT	-	-52.74683	0 m		
4700N05500W	-	47.00000	34,000 ft	99	-
LATLON	-	-55.00000	10,363 m		
4700N06000W	-	47.00000	34,000 ft	204	-
LATLON	-	-60.00000	10,363 m		
4600N06500W	-	46.00000	34,000 ft	215	-
LATLON	-	-65.00000	10,363 m		
4500N07000W	-	45.00000	34,000 ft	218	-
LATLON	-	-70.00000	10,363 m		
4400N07500W	-	44.00000	34,000 ft	222	-
LATLON	-	-75.00000	10,363 m		
CYHM	-	43.17428	0 ft	220	John C Munro Hamilton Intl
APT	-	-79.93075	0 m		

CYYT

Region: CANADA
Timezone: AMERICA/ST_JOHNS
Runways: 3

Elevation: 459 ft / 140 m
Location: 47.620500 -52.745200
Magnetic Var: 16.964 W

METAR

CYYT 082010Z 36012G18KT 15SM -DZ OVC006 04/04 A2956 RMK ST8 SLP016

TAF

TAF AMD TAF AMD CYYT 081905Z 0819/0918 36012G22KT P6SM OVC012 TEMPO 0819/0821 5SM -RA -DZ BR OVC009 FM082100 34015

Frequencies

REC - 128.00 MHz - ATIS
TWR - 120.60 MHz -
GND - 121.90 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	98 ft	4,842 ft	356.23	ASPHALT	0 ft	0 ft
	30 m	1,476 m	13.19		0 m	0 m
20	98 ft	4,842 ft	176.23	ASPHALT	0 ft	0 ft
	30 m	1,476 m	193.19		0 m	0 m
16	200 ft	6,998 ft	139.12	ASPHALT	0 ft	148 ft
	61 m	2,133 m	156.08		0 m	45 m
34	200 ft	6,998 ft	319.13	ASPHALT	0 ft	151 ft
	61 m	2,133 m	336.10		0 m	46 m
11	200 ft	8,479 ft	85.91	ASPHALT	0 ft	0 ft
	61 m	2,584 m	102.87		0 m	0 m
29	200 ft	8,479 ft	265.93	ASPHALT	0 ft	0 ft
	61 m	2,584 m	282.90		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IMP	109.10 MHz	18 nm	85.92	-	459 ft
				33 km	102.88		459 m
16	LOC-ILS	IYT	110.70 MHz	18 nm	139.13	-	459 ft
				33 km	156.09		459 m
29	LOC-ILS	UYT	110.30 MHz	18 nm	265.92	-	459 ft
				33 km	282.88		459 m
11	GS	IMP	109.10 MHz	10 nm	85.92	3.00	459 ft
				19 km	102.88		459 m
16	GS	IYT	110.70 MHz	10 nm	139.13	3.00	459 ft
				19 km	156.09		459 m
29	GS	UYT	110.30 MHz	10 nm	265.92	3.00	459 ft
				19 km	282.88		459 m

CYHM

Region: CANADA
Timezone: AMERICA/TORONTO
Runways: 2

Elevation: 779 ft / 237 m
Location: 43.174300 -79.930600
Magnetic Var: 9.967 W

METAR

CYHM 082000Z CCA 27018G37KT 15SM SCT033 SCT038 BKN085 18/10 A2964 RMK CU3SC1AC1 SLP038 DENSITY ALT 1700FT

TAF

TAF CYHM 081740Z 0818/0918 26022G32KT P6SM FEW050 FEW150 TEMPO 0818/0822 BKN050 BKN150 BECMG 0823/0901 30012G22KT

Frequencies

REC - 128.10 MHz - ATIS
TWR - 119.70 MHz -

GND - 121.60 MHz -
TWR - 125.00 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	200 ft	10,013 ft	107.29	CONCRETE	1,604 ft	151 ft
	61 m	3,052 m	117.25		489 m	46 m
30	200 ft	10,013 ft	287.31	CONCRETE	404 ft	148 ft
	61 m	3,052 m	297.28		123 m	45 m
06	151 ft	6,013 ft	48.63	CONCRETE	0 ft	0 ft
	46 m	1,833 m	58.60		0 m	0 m
24	151 ft	6,013 ft	228.64	CONCRETE	0 ft	0 ft
	46 m	1,833 m	238.61		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IAB	110.90 MHz	18 nm	107.30	-	779 ft
				33 km	117.27		779 m
12	GS	IAB	110.90 MHz	10 nm	107.30	3.00	779 ft
				19 km	117.27		779 m