


2024/05/20 1051Z

URSS RUMBA URKA

146.09 nm / 270.56 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 150ft
- Cruise Speed: 450kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
URSS	-	43.44475	0 ft	-	Sochi
APT	-	39.94730	0 m		
RUMBA	-	43.86667	15,700 ft	44	-
FIX	-	39.11667	4,785 m		
URKA	-	45.00190	0 ft	101	Vityazevo
APT	-	37.34761	0 m		

## URSS

Region: RUSSIA  
Timezone: EUROPE/MOSCOW  
Runways: 2

Elevation: 90 ft / 27 m  
Location: 43.444600 39.947100  
Magnetic Var: 7.545 E

## METAR

URSS 201030Z 27005MPS 9999 FEW040 19/14 Q1016 R02/010070 R06/010070 NOSIG RMK R06/28005G08MPS MT OBSC QFE761

## TAF

TAF URSS 200755Z 2009/2109 27006G11MPS 9999 FEW040TCU TEMPO 2009/2017 24005G10MPS BECMG 2017/2019 05003G08MPS SC

## Frequencies

REC - 129.37 MHz - ATIS	CLD - 132.70 MHz - SOCHI DELIVERY
GND - 119.00 MHz - SOCHI GROUND	GND - 118.50 MHz - SOCHI GROUND
TWR - 135.80 MHz - SOCHI TOWER	TWR - 121.20 MHz - SOCHI TOWER
APP - 124.60 MHz - SOCHI APPROACH	APP - 119.70 MHz - SOCHI RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,662 ft	64.77	CONCRETE	0 ft	243 ft
	45 m	2,945 m	57.23		0 m	74 m
24	148 ft	9,662 ft	244.79	CONCRETE	0 ft	0 ft
	45 m	2,945 m	237.25		0 m	0 m
02	161 ft	8,208 ft	28.61	CONCRETE	0 ft	164 ft
	49 m	2,502 m	21.07		0 m	50 m
20	161 ft	8,208 ft	208.62	CONCRETE	0 ft	164 ft
	49 m	2,502 m	201.08		0 m	50 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IAD	110.50 MHz	18 nm	28.62	-	83 ft
				33 km	21.08		83 m
06	LOC-ILS	ISO	111.10 MHz	18 nm	64.76	-	83 ft
				33 km	57.22		83 m
02	GS	IAD	110.50 MHz	10 nm	28.62	2.83	83 ft
				19 km	21.08		83 m
06	GS	ISO	111.10 MHz	10 nm	64.76	2.83	83 ft
				19 km	57.22		83 m

URKA

Region: RUSSIA  
Timezone: EUROPE/MOSCOW  
Runways: 1

Elevation: 176 ft / 54 m  
Location: 45.002100 37.347300  
Magnetic Var: 7.799 E

METAR

URKA 201030Z 30005MPS 9999 SCT/// 24/15 Q1017 R03/010070 TEMPO SCT030 RMK QFE759/1012

TAF

TAF TAF URKA 200753Z 2009/2109 33003MPS 9999 SCT030CB TEMPO 2009/2024 02005G10MPS FM210000 07005G10MPS CAVOK TEMPF

Frequencies

TWR - 119.80 MHz - ANAPA TOWER  
REC - 125.40 MHz - ANAPA ATIS

COM - 118.70 MHz - ANAPA RADAR  
TWR - 118.90 MHz - ANAPA GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	8,210 ft	42.13	CONCRETE	0 ft	0 ft
	45 m	2,502 m	34.33		0 m	0 m
22	148 ft	8,210 ft	222.15	CONCRETE	0 ft	0 ft
	45 m	2,502 m	214.35		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IAN	109.10 MHz	18 nm	42.14	-	176 ft
				33 km	34.34		176 m
22	LOC-ILS	IAP	110.90 MHz	18 nm	222.14	-	176 ft
				33 km	214.34		176 m
04	GS	IAN	109.10 MHz	10 nm	42.14	3.00	176 ft
				19 km	34.34		176 m
22	GS	IAP	110.90 MHz	10 nm	222.14	3.00	176 ft
				19 km	214.34		176 m