

BIKF  
Keflavik


-

VHHH  
Hong Kong Intl

2024/05/12 0122Z

BIKF SKARD MIKLA ING ROSTI CONNY DIPAR ROKID AGARU XV DILAT SILUS MORIT LUVES YIH ENLOK LIG BUBDA  
YIN VIBOS ZUH SIERA VHHH

5675.54 nm / 10511.10 km



Notes

Requested: BIKF SKARD MIKLA ING ROSTI CONNY DIPAR ROKID AGARU XV DILAT SILUS MORIT LUVES YIH ENLOK LIG BUBDA YIN VI

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BIKF	-	63.98161	0 ft	-	Keflavik
APT	-	-22.61456	0 m		
SKARD	-	63.94278	0 ft	63	-
FIX	-	-20.20500	0 m		
MIKLA	-	63.84833	0 ft	69	-
FIX	-	-17.57417	0 m		
ING	-	63.80306	0 ft	24	INGO VOR-DME
VOR	-	-16.63806	0 m		
ROSTI	-	63.40639	0 ft	71	-
FIX	-	-14.11222	0 m		
CONNY	-	61.90000	0 ft	251	-
FIX	-	-5.58333	0 m		
DIPAR	-	62.07972	0 ft	858	-
FIX	-	25.12444	0 m		
ROKID	-	61.98333	0 ft	694	-
FIX	-	49.95000	0 m		
AGARU	-	59.88500	0 ft	398	-
FIX	-	62.95333	0 m		
XV	-	58.58972	0 ft	422	NOVY VASYUGAN NDB
NDB	-	76.50750	0 m		
DILAT	-	52.46389	0 ft	555	-
FIX	-	88.82611	0 m		
SILUS	-	46.81056	0 ft	470	-
FIX	-	97.21056	0 m		
MORIT	-	42.03333	0 ft	374	-
FIX	-	102.81667	0 m		
LUVES	-	38.14667	0 ft	343	-
FIX	-	108.30667	0 m		
YIH	-	30.56333	0 ft	481	SANXIA VOR-DME
VOR	-	111.47833	0 m		
ENLOK	-	28.81333	0 ft	153	-
FIX	-	113.61500	0 m		
LIG	-	27.62667	0 ft	71	LILING VOR-DME
VOR	-	113.52667	0 m		
BUBDA	-	25.87000	0 ft	105	-
FIX	-	113.46833	0 m		
YIN	-	24.20667	0 ft	99	YINGDE VOR-DME
VOR	-	113.41000	0 m		
VIBOS	-	22.62500	0 ft	95	-
FIX	-	113.32833	0 m		
ZUH	-	22.22167	0 ft	25	LIANSHENGWEI VOR-DME
VOR	-	113.46667	0 m		
SIERA	-	21.98500	0 ft	15	-
FIX	-	113.55333	0 m		
VHHH	-	22.30899	0 ft	27	Hong Kong Intl
APT	-	113.91461	0 m		

## BIKF

Region: ICELAND  
Timezone: ATLANTIC/REYKJAVIK  
Runways: 2

Elevation: 168 ft / 51 m  
Location: 63.981600 -22.614600  
Magnetic Var: 12.369 W

## METAR

BIKF 120100Z 07014KT 9999 -RA FEW025 BKN035 OVC057 08/07 Q1000

## TAF

TAF BIKF 120102Z 1203/1303 07015KT 9999 -SHRA SCT015 BKN022 TX10/1215Z TN04/1303Z TEMPO 1203/1218 4000 RADZ BKN00

## Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.38		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.38		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.32		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.38		0 m	67 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.38		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.35		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.38		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.35		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.38		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.35		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.38		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.35		169 m

## VHHH

Region: HONG KONG  
Timezone: UNKNOWN  
Runways: 2

Elevation: 27 ft / 8 m  
Location: 22.308900 113.915000  
Magnetic Var: 3.238 W

## METAR

VHHH 120100Z 32003KT 9999 FEW012 28/24 Q1013 NOSIG

## TAF

TAF VHHH 112300Z 1200/1306 VRB05KT 9000 FEW010 SCT025 TX31/1206Z TX29/1306Z TN25/1222Z BECMG 1202/1204 24010KT TEMPO

## Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.02		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m