


2024/05/13 0205Z

EGHH HASTY LFQQ

188.37 nm / 348.86 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 250ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGHH	-	50.78007	0 ft	-	Bournemouth
APT	-	-1.84253	0 m		
HASTY	-	50.72833	21,000 ft	90	-
FIX	-	0.53333	6,401 m		
LFQQ	-	50.56633	0 ft	98	Lille Lesquin
APT	-	3.09538	0 m		

EGHH

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 38 ft / 12 m
Location: 50.780100 -1.842480
Magnetic Var: 0.026 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

APP - 119.47 MHz - BOURNMOUTH APPROACH
GND - 121.70 MHz - BOURNMOUTH GROUND

TWR - 125.60 MHz - BOURNMOUTH TOWER
REC - 133.72 MHz - BOURNMOUTH INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	7,443 ft	75.26	ASPHALT	1,411 ft	0 ft
	46 m	2,269 m	75.29		430 m	0 m
26	150 ft	7,443 ft	255.28	ASPHALT	0 ft	167 ft
	46 m	2,269 m	255.31		0 m	51 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IBMH	110.50 MHz	20 nm	-	-	31 ft
				37 km	-		31 m
26	DME	IBH	110.50 MHz	20 nm	-	-	31 ft
				37 km	-		31 m
08	LOC-ILS	IBMH	110.50 MHz	18 nm	75.27	-	38 ft
				33 km	75.30		38 m
26	LOC-ILS	IBH	110.50 MHz	18 nm	255.27	-	38 ft
				33 km	255.30		38 m
08	GS	IBMH	110.50 MHz	10 nm	75.27	3.00	38 ft
				19 km	75.30		38 m
26	GS	IBH	110.50 MHz	10 nm	255.27	3.00	38 ft
				19 km	255.30		38 m

LFQQ

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 154 ft / 47 m
Location: 50.566300 3.095390
Magnetic Var: 1.588 E

METAR

LFQQ 130130Z AUTO 19006KT 9999 FEW015 BKN100 BKN140 16/15 Q1011 TEMPO 0500 FG VV///

TAF

TAF AMD LFQQ 130033Z 1300/1406 19005KT CAVOK TEMPO 1300/1309 BKN009 PROB40 TEMPO 1302/1307 2000 BR BKN002 PROB30 T

Frequencies

REC - 119.32 MHz - LILLE ATIS
TWR - 118.55 MHz - LILLE TWR
COM - 123.50 MHz - LILLE UNICOM

GND - 121.85 MHz - LILLE GND
APP - 126.47 MHz - LILLE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	146 ft	9,250 ft	77.36	ASPHALT	0 ft	0 ft
	45 m	2,819 m	75.77		0 m	0 m
26	146 ft	9,250 ft	257.39	ASPHALT	919 ft	0 ft
	45 m	2,819 m	255.80		280 m	0 m
02	98 ft	5,172 ft	14.83	ASPHALT	0 ft	0 ft
	30 m	1,576 m	13.24		0 m	0 m
20	98 ft	5,172 ft	194.84	ASPHALT	0 ft	0 ft
	30 m	1,576 m	193.25		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	LL	110.10 MHz	18 nm	77.13	-	135 ft
				33 km	75.54		135 m
26	LOC-ILS	LIL	110.75 MHz	18 nm	257.13	-	157 ft
				33 km	255.54		157 m
26	GS	LIL	110.75 MHz	10 nm	257.00	3.00	129 ft
				19 km	255.41		129 m