


2024/05/02 1445Z

OMDB MOBET **A419** BND **A453** GADER **G206** RIKAD **M375** KHOLM **A454** AMDAR **A114** TRZ **G3** PR **A107** DNB **B156**
PRONA **B350** BL UAAA

1624.34 nm / 3008.27 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25491	0 ft	-	DUBAI INTL
APT	-	55.36426	0 m		
MOBET	-	26.73500	35,000 ft	98	-
FIX	-	56.15222	10,668 m		
BND	A419	27.19706	35,000 ft	30	BANDAR ABBASS VOR-DME
VOR	AWY-LO	56.36678	10,668 m		
MOBAD	A453	27.70722	35,000 ft	60	-
FIX	AWY-LO	57.33583	10,668 m		
NABOD	A453	28.27500	35,000 ft	67	-
FIX	AWY-LO	58.43361	10,668 m		
PEKES	A453	28.99139	35,000 ft	87	-
FIX	AWY-LO	59.87250	10,668 m		
DANOV	A453	29.24556	35,000 ft	31	-
FIX	AWY-LO	60.39917	10,668 m		
ZDN	A453	29.48675	35,000 ft	30	ZAHEDAN VOR-DME
VOR	AWY-LO	60.90161	10,668 m		
PIRAN	A453	29.56861	35,000 ft	13	-
FIX	AWY-LO	61.13583	10,668 m		
GADER	A453	29.68325	35,000 ft	18	-
FIX	AWY-HI	61.46762	10,668 m		
NABKA	G206	31.48327	35,000 ft	129	-
FIX	AWY-LO	62.85192	10,668 m		
DILAM	G206	32.17500	35,000 ft	50	-
FIX	AWY-LO	63.40000	10,668 m		
BAGNI	G206	32.62500	35,000 ft	59	-
FIX	AWY-LO	64.44167	10,668 m		
RIKAD	G206	33.46167	35,000 ft	113	-
FIX	AWY-LO	66.45833	10,668 m		
VUVEN	M375	34.54167	35,000 ft	68	-
FIX	AWY-LO	66.92500	10,668 m		
SERGO	M375	35.24028	35,000 ft	43	-
FIX	AWY-LO	67.12167	10,668 m		
KHOLM	M375	36.71667	35,000 ft	92	-
FIX	AWY-LO	67.68333	10,668 m		
AMDAR	A454	37.20833	35,000 ft	33	-
FIX	AWY-LO	67.34333	10,668 m		
TRZ	A114	37.28500	35,000 ft	4	TERMEZ VOR-DME
VOR	AWY-LO	67.30667	10,668 m		
UTDP	G3	37.62000	35,000 ft	22	-
APT	AWY-LO	67.51833	10,668 m		
ANVAR	G3	38.00000	35,000 ft	27	-
FIX	AWY-LO	67.85000	10,668 m		
PR	G3	38.53333	35,000 ft	41	OKTYABRSKY NDB
NDB	AWY-LO	68.40167	10,668 m		
DNB	A107	38.54167	35,000 ft	19	DUSHANBE VOR-DME
VOR	AWY-LO	68.81167	10,668 m		
JD	B156	38.54333	35,000 ft	23	FAYZABAD NDB
NDB	AWY-LO	69.31333	10,668 m		
IVNAR	B156	39.25000	35,000 ft	68	-
FIX	AWY-HI	70.46667	10,668 m		
PRONA	B156	39.51667	35,000 ft	24	-
FIX	AWY-HI	70.88000	10,668 m		
KYZYL	B350	40.25000	35,000 ft	71	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	72.10000	10,668 m		
OSH	B350	40.63667	35,000 ft	37	-
VOR	AWY-LO	72.74333	10,668 m		
IRISU	B350	40.96667	35,000 ft	34	-
FIX	AWY-LO	73.36667	10,668 m		
MALEX	B350	41.31500	35,000 ft	35	-
FIX	AWY-LO	74.00333	10,668 m		
MEDAS	B350	41.78000	29,300 ft	47	-
FIX	AWY-LO	74.87167	8,931 m		
BL	B350	42.43333	14,600 ft	68	BALYKCHI NDB
NDB	AWY-LO	76.13333	4,450 m		
UAAA	-	43.35523	0 ft	68	Almaty Intl
APT	-	77.04457	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.351 E

METAR

OMDB 021400Z 27010KT 9999 FEW040 29/20 Q1006 NOSIG

TAF

TAF OMDB 021100Z 0212/0318 18008KT 8000 FEW040 PROB30 0212/0215 30012KT BECMG 0306/0308 29014KT BECMG 0316/0318 1

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

UAAA

Region: KAZAKHSTAN AND KYRGYZSTAN
Timezone: ASIA/ALMATY
Runways: 2

Elevation: 2,238 ft / 682 m
Location: 43.355500 77.044000
Magnetic Var: 5.450 E

METAR

UAAA 021430Z VRB01MPS 9999 SCT100 BKN200 15/05 Q1011 NOSIG

TAF

TAF UAAA 021101Z 0212/0312 17003MPS 9999 SCT050 BKN100 TX25/0310Z TN08/0301Z TEMPO 0212/0214 08004G09MPS TEMPO 02

Frequencies

REC - 129.80 MHz - ATIS
GND - 121.70 MHz - ALMATY GROUND
APP - 120.80 MHz - ALMATY RADAR
REC - 135.10 MHz - ATIS
TWR - 119.40 MHz - ALMATY TOWER
APP - 124.80 MHz - ALMATY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	148 ft	14,768 ft	55.71	CONCRETE	0 ft	0 ft
	45 m	4,501 m	50.26		0 m	0 m
23R	148 ft	14,768 ft	235.74	CONCRETE	0 ft	0 ft
	45 m	4,501 m	230.29		0 m	0 m
05R	148 ft	14,409 ft	55.69	ASPHALT	0 ft	246 ft
	45 m	4,392 m	50.24		0 m	75 m
23L	148 ft	14,409 ft	235.72	ASPHALT	0 ft	246 ft
	45 m	4,392 m	230.27		0 m	75 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	LOC-ILS	IMA	109.10 MHz	18 nm	55.73	-	2,238 ft
				33 km	50.28		2,238 m
05R	LOC-ILS	ILM	110.30 MHz	18 nm	55.71	-	2,238 ft
				33 km	50.26		2,238 m
23L	LOC-ILS	IAL	108.10 MHz	18 nm	235.71	-	2,238 ft
				33 km	230.26		2,238 m
23R	LOC-ILS	IAA	111.30 MHz	18 nm	235.73	-	2,238 ft
				33 km	230.28		2,238 m
05L	GS	IMA	109.10 MHz	10 nm	55.73	3.00	2,238 ft
				19 km	50.28		2,238 m
05R	GS	ILM	110.30 MHz	10 nm	55.71	3.00	2,238 ft
				19 km	50.26		2,238 m
23L	GS	IAL	108.10 MHz	10 nm	235.71	3.00	2,238 ft
				19 km	230.26		2,238 m
23R	GS	IAA	111.30 MHz	10 nm	235.73	3.00	2,238 ft
				19 km	230.28		2,238 m