YSCB
Canberra


-

YMML
Melbourne Intl

2024/03/28 1856Z

YSCB RUMIE **Q29** TAREX YMML

254.99 nm / 472.25 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 320kts
- Cruise Altitude: 26000ft
- Cruise Speed: 490kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YSCB APT	–	-35.30548 149.19334	0 ft 0 m	–	Canberra
RUMIE FIX	–	-36.32972 147.72861	33,600 ft 10,241 m	94	–
NABBA FIX	Q29 AWY-LO	-36.70528 147.04194	25,800 ft 7,864 m	40	–
TAREX FIX	Q29 AWY-LO	-37.30583 145.91417	11,900 ft 3,627 m	65	–
YMML APT	–	-37.66530 144.83667	0 ft 0 m	55	Melbourne Intl

YSCB

Region: AUSTRALIA
Timezone: AUSTRALIA/SYDNEY
Runways: 2

Elevation: 1,886 ft / 575 m
Location: -35.305500 149.193000
Magnetic Var: 12.469 E

METAR

YSCB 281830Z AUTO 00000KT 9999 // OVC035 16/13 Q1028 RF00.0/000.0

TAF

TAF AMD YSCB 281726Z 2817/2918 09006KT 9999 SCT015 BKN025 BECMG 2818/2819 09006KT 9999 BKN015 BECMG 2823/2900 0500

Frequencies

REC - 127.45 MHz - CANBERRA ATIS
TWR - 118.70 MHz - CANBERRA TOWER
DEP - 125.90 MHz - CANBERRA DEPARTURE
APP - 125.90 MHz - CANBERRA APPROACH

GND - 121.70 MHz - CANBERRA GROUND
COM - 118.70 MHz - CANBERRA CTAF
DEP - 124.50 MHz - CANBERRA DEPARTURE
APP - 124.50 MHz - CANBERRA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft 45 m	10,795 ft 3,290 m	179.99 167.52	ASPHALT	0 ft 0 m	148 ft 45 m
35	148 ft 45 m	10,795 ft 3,290 m	359.99 347.52	ASPHALT	1,968 ft 600 m	92 ft 28 m
12	148 ft 45 m	5,501 ft 1,677 m	130.00 117.53	ASPHALT	0 ft 0 m	0 ft 0 m
30	148 ft 45 m	5,501 ft 1,677 m	310.00 297.53	ASPHALT	213 ft 65 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35	DME	ICB	109.50 MHz	18 nm 33 km	- -	-	1,888 ft 1,888 m
35	LOC-ILS	ICB	109.50 MHz	18 nm 33 km	359.99 347.52	-	1,886 ft 1,886 m
35	GS	ICB	109.50 MHz	10 nm 19 km	359.99 347.52	3.00	1,886 ft 1,886 m

YMML

Region: AUSTRALIA
Timezone: AUSTRALIA/MELBOURNE
Runways: 2

Elevation: 433 ft / 132 m
Location: -37.665500 144.837000
Magnetic Var: 11.561 E

METAR

YMML 281830Z 30005KT 9999 BKN015 13/10 Q1024

TAF

TAF AMD YMML 281721Z 2818/3000 29006KT 9999 BKN014 BECMG 2820/2821 36006KT 9999 SCT014 FM282300 01010KT CAVOK FM29

Frequencies

REC - 132.67 MHz - YMML ATIS
GND - 121.70 MHz - MELBOURNE GND
APP - 132.00 MHz - MELBOURNE APP

CLD - 127.20 MHz - MELBOURNE INTL CLD
TWR - 120.50 MHz - MELBOURNE TWR
DEP - 118.90 MHz - MELBOURNE DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft 45 m	7,513 ft 2,290 m	94.00 82.44	ASPHALT	0 ft 0 m	197 ft 60 m
27	148 ft 45 m	7,513 ft 2,290 m	273.98 262.42	ASPHALT	0 ft 0 m	174 ft 53 m
16	155 ft 47 m	12,012 ft 3,661 m	171.60 160.04	ASPHALT	0 ft 0 m	200 ft 61 m
34	155 ft 47 m	12,012 ft 3,661 m	351.60 340.04	ASPHALT	0 ft 0 m	200 ft 61 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IMS	109.70 MHz	18 nm 33 km	171.60 160.04	-	433 ft 433 m
27	LOC-ILS	IMW	109.30 MHz	18 nm 33 km	273.99 262.43	-	433 ft 433 m
16	GS	IMS	109.70 MHz	10 nm 19 km	171.60 160.04	3.00	433 ft 433 m
27	GS	IMW	109.30 MHz	10 nm 19 km	273.99 262.43	3.00	433 ft 433 m