


**LEZL**  
Sevilla

**LEBB**  
Bilbao

2024/06/15 1641Z

LEZL HIJ TLD **UN858** DGO LEBB

384.22 nm / 711.58 km



## Notes

Requested: LEZL HIJ UZ230 TLD UN858 DGO LEBB

Unmatched points: UZ230

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEZL	-	37.41794	0 ft	-	Sevilla
APT	-	-5.89309	0 m		
HIJ	-	38.50813	0 ft	75	HINOJOSA VOR-DME
VOR	-	-5.09968	0 m		
TLD	-	39.96946	0 ft	94	TOLEDO VOR-DME
VOR	-	-4.33747	0 m		
SIE	UN858	41.15170	0 ft	78	SOMOSIERRA VOR-DME
VOR	AWY-HI	-3.60467	0 m		
DGO	UN858	42.45331	0 ft	84	DOMINGO VOR-DME
VOR	AWY-HI	-2.88071	0 m		
LEBB	-	43.30169	0 ft	50	Bilbao
APT	-	-2.91766	0 m		

## LEZL

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 110 ft / 34 m  
Location: 37.417900 -5.893090  
Magnetic Var: 0.540 W

## METAR

LEZL 151630Z 23011KT 180V280 CAVOK 32/00 Q1012 NOSIG

## TAF

TAF LEZL 151400Z 1515/1615 25010KT CAVOK TX32/1515Z TN16/1605Z BECMG 1522/1524 VRB02KT

## Frequencies

REC - 118.17 MHz - ATIS  
GND - 121.70 MHz - SEVILLA GROUND  
APP - 124.72 MHz - SEVILLA APPROACH  
TWR - 118.10 MHz - SEVILLA TOWER  
APP - 120.80 MHz - SEVILLA APPROACH  
APP - 128.50 MHz - SEVILLA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	11,008 ft	89.75	ASPHALT	0 ft	164 ft
	45 m	3,355 m	90.29		0 m	50 m
27	148 ft	11,008 ft	269.77	ASPHALT	0 ft	171 ft
	45 m	3,355 m	270.31		0 m	52 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ISE	111.10 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
27	DME	ISV	110.10 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
09	LOC-ILS	ISE	111.10 MHz	18 nm	89.77	-	111 ft
				33 km	90.31		111 m
27	LOC-ILS	ISV	110.10 MHz	18 nm	269.74	-	111 ft
				33 km	270.28		111 m
09	GS	ISE	111.10 MHz	10 nm	90.51	3.00	111 ft
				19 km	91.05		111 m
27	GS	ISV	110.10 MHz	10 nm	270.51	3.00	22 ft
				19 km	271.05		22 m

## LEBB

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 2

Elevation: 136 ft / 41 m  
Location: 43.301700 -2.917430  
Magnetic Var: 0.183 E

## METAR

LEBB 151630Z 33007KT 300V360 9999 BKN050 20/11 Q1016 NOSIG

## TAF

TAF LEBB 151100Z 1512/1612 30009KT 9999 BKN060 TX21/1512Z TN11/1606Z PROB40 TEMPO 1512/1516 31015G25KT

## Frequencies

TWR - 118.50 MHz - BILBAO TOWER  
APP - 120.70 MHz - BILBAO APPROACH  
GND - 121.70 MHz - BILBAO GROUND  
REC - 118.82 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	6,264 ft	96.65	ASPHALT	0 ft	0 ft
	45 m	1,909 m	96.47		0 m	0 m
28	148 ft	6,264 ft	276.67	ASPHALT	1,808 ft	0 ft
	45 m	1,909 m	276.49		551 m	0 m
12	148 ft	8,520 ft	116.73	ASPHALT	0 ft	194 ft
	45 m	2,597 m	116.55		0 m	59 m
30	148 ft	8,520 ft	296.75	ASPHALT	1,496 ft	187 ft
	45 m	2,597 m	296.57		456 m	57 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IBO	111.55 MHz	13 nm	-	-	133 ft
				24 km	-		133 m
30	DME	IBL	110.30 MHz	13 nm	-	-	132 ft
				24 km	-		132 m
12	LOC-ILS	IBO	111.55 MHz	18 nm	116.73	-	137 ft
				33 km	116.55		137 m
30	LOC-ILS	IBL	110.30 MHz	18 nm	296.73	-	137 ft
				33 km	296.55		137 m
12	GS	IBO	111.55 MHz	10 nm	116.73	3.10	137 ft
				19 km	116.55		137 m
30	GS	IBL	110.30 MHz	10 nm	296.73	3.40	137 ft
				19 km	296.55		137 m