


2024/05/12 0613Z

LFPO OBURO **UH10** DJL **UM729** MOLUS **UL615** AOSTA **UM729** GEN LIRP

452.53 nm / 838.09 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 33000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72636	0 ft	-	Paris Orly
APT	-	2.36703	0 m	-	
OBURO	-	47.65167	35,000 ft	99	-
FIX	-	4.26472	10,668 m	-	-
DJL	UH10	47.27078	35,000 ft	40	DIJON-LONGVIC VOR-DME
VOR	AWY-HI	5.09733	10,668 m	-	
TUROM	UM729	46.84194	35,000 ft	43	-
FIX	AWY-HI	5.96639	10,668 m	-	-
GALBI	UM729	46.72889	35,000 ft	9	-
FIX	AWY-HI	6.14361	10,668 m	-	-
MOLUS	UM729	46.44389	35,000 ft	27	-
FIX	AWY-HI	6.67944	10,668 m	-	-
ORSUD	UL615	45.95778	35,000 ft	35	-
FIX	AWY-HI	7.18167	10,668 m	-	-
AOSTA	UL615	45.79639	35,000 ft	11	-
FIX	AWY-HI	7.34583	10,668 m	-	-
PIMOT	UM729	45.50417	33,000 ft	23	-
FIX	AWY-HI	7.72000	10,058 m	-	-
TONDA	UM729	45.10917	27,100 ft	32	-
FIX	AWY-HI	8.22972	8,260 m	-	-
GEN	UM729	44.42444	19,500 ft	54	GENOVA VOR-DME
VOR	AWY-HI	9.08233	5,944 m	-	
LIRP	-	43.68388	0 ft	71	PISA
APT	-	10.39272	0 m	-	

## LFPO

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 291 ft / 89 m  
Location: 48.726300 2.366980  
Magnetic Var: 1.451 E

## METAR

LFPO 120600Z 00000KT CAVOK 17/11 Q1014 NOSIG

## TAF

TAF LFPO 120500Z 1206/1312 08005KT CAVOK BECMG 1208/1210 21010KT TEMPO 1212/1219 20015G25KT 4000 TSRA BKN025CB PR

## Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m

## LIRP

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 4 ft / 1 m  
Location: 43.682800 10.395600  
Magnetic Var: 3.409 E

## METAR

LIRP 120545Z 15004KT CAVOK 13/13 Q1018 NOSIG

## TAF

TAF LIRP 120500Z 1206/1306 09004KT CAVOK BECMG 1208/1210 27010KT BECMG 1219/1221 VRB03KT BECMG 1222/1224 4000 BR 9

## Frequencies

GND - 121.60 MHz - PISA GROUND  
TWR - 119.10 MHz - PISA TOWER  
APP - 122.10 MHz - PISA APPROACH

TWR - 122.10 MHz - PISA TOWER  
APP - 124.27 MHz - PISA APPROACH  
APP - 126.07 MHz - PISA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,825 ft	36.73	ASPHALT	463 ft	0 ft
	45 m	2,995 m	33.32		141 m	0 m
22L	148 ft	9,825 ft	216.74	ASPHALT	833 ft	190 ft
	45 m	2,995 m	213.33		254 m	58 m
04L	148 ft	8,984 ft	36.71	ASPHALT	791 ft	0 ft
	45 m	2,738 m	33.30		241 m	0 m
22R	148 ft	8,984 ft	216.73	ASPHALT	0 ft	190 ft
	45 m	2,738 m	213.32		0 m	58 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IPI	109.70 MHz	18 nm	36.76	-	7 ft
				33 km	33.35		7 m
04R	GS	IPI	109.70 MHz	10 nm	37.45	3.00	3 ft
				19 km	34.04		3 m