


2024/05/06 1209Z

CYXU YYZ **V104** LANRK CYMX

344.90 nm / 638.76 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYXU APT	-	43.03635 -81.15066	0 ft 0 m	-	LONDON
YYZ VOR	-	43.65822 -79.63153	27,100 ft 8,260 m	76	TORONTO VOR-DME
OO NDB	V104 AWY-LO	43.92083 -78.89997	35,000 ft 10,668 m	35	OSHAWA NDB
LERAK FIX	V104 AWY-LO	44.05436 -78.51694	35,000 ft 10,668 m	18	-
YCF VOR	V104 AWY-LO	44.33306 -77.70283	35,000 ft 10,668 m	38	CAMPBELLFORD VOR-DME
SHARB FIX	V104 AWY-LO	44.73722 -76.89778	28,700 ft 8,748 m	42	-
LANRK FIX	V104 AWY-LO	44.99222 -76.37639	22,900 ft 6,980 m	26	-
CYMX APT	-	45.67556 -74.03590	0 ft 0 m	106	Montreal Mirabel Intl

## CYXU

Region: CANADA  
Timezone: AMERICA/TORONTO  
Runways: 2

Elevation: 912 ft / 278 m  
Location: 43.036400 -81.150700  
Magnetic Var: 9.146 W

## METAR

CYXU 061100Z 01005KT 15SM BKN250 09/02 A3007 RMK CI6 CONTRAILS SLP188

## TAF

TAF CYXU 061140Z 0612/0712 01005KT P6SM BKN240 BECMG 0613/0615 02010KT RMK NXT FCST BY 061800Z

## Frequencies

REC - 127.80 MHz - ATIS  
TWR - 119.40 MHz -  
GND - 121.90 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	200 ft	8,799 ft	138.71	ASPHALT	0 ft	154 ft
	61 m	2,682 m	147.86		0 m	47 m
33	200 ft	8,799 ft	318.72	ASPHALT	0 ft	148 ft
	61 m	2,682 m	327.87		0 m	45 m
09	200 ft	6,286 ft	78.98	ASPHALT	0 ft	0 ft
	61 m	1,916 m	88.13		0 m	0 m
27	200 ft	6,286 ft	259.00	ASPHALT	0 ft	0 ft
	61 m	1,916 m	268.15		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	IXU	109.50 MHz	18 nm	138.72	-	912 ft
				33 km	147.87		912 m
15	GS	IXU	109.50 MHz	10 nm	138.72	3.00	912 ft
				19 km	147.87		912 m

## CYMX

Region: CANADA  
Timezone: AMERICA/MONTREAL  
Runways: 2

Elevation: 270 ft / 82 m  
Location: 45.675200 -74.035400  
Magnetic Var: 13.817 W

## METAR

CYMX 061132Z 00000KT 25SM BKN017 13/12 A2995 RMK SC7 SLP145

## TAF

TAF CYMX 061140Z 0612/0712 25006KT P6SM BKN015 TEMPO 0612/0614 SCT015 FM061400 26005KT P6SM FEW050 FM061700 25008

## Frequencies

REC - 125.70 MHz - ATIS  
APP - 124.65 MHz -

COM - 119.10 MHz - MIRABEL RADIO  
DEP - 124.65 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	11,992 ft	44.87	CONCRETE	0 ft	200 ft
	61 m	3,655 m	58.68		0 m	61 m
24	200 ft	11,992 ft	224.89	CONCRETE	0 ft	200 ft
	61 m	3,655 m	238.71		0 m	61 m
11	200 ft	11,969 ft	98.45	CONCRETE	0 ft	148 ft
	61 m	3,648 m	112.26		0 m	45 m
29	200 ft	11,969 ft	278.48	CONCRETE	0 ft	148 ft
	61 m	3,648 m	292.30		0 m	45 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IKP	111.30 MHz	18 nm	44.88	-	270 ft
				33 km	58.70		270 m
11	LOC-ILS	IJX	110.90 MHz	18 nm	98.46	-	270 ft
				33 km	112.28		270 m
24	LOC-ILS	IIT	111.70 MHz	18 nm	224.88	-	270 ft
				33 km	238.70		270 m
06	GS	IKP	111.30 MHz	10 nm	44.88	3.00	270 ft
				19 km	58.70		270 m
11	GS	IJX	110.90 MHz	10 nm	98.46	3.00	270 ft
				19 km	112.28		270 m
24	GS	IIT	111.70 MHz	10 nm	224.88	3.00	270 ft
				19 km	238.70		270 m