

SKBO

Bogota - El Dorado Intl


KPSP

Palm Springs Intl

2024/05/13 0031Z

SKBO BOG **A323** MQU **UA317** TBG **UM419** ASOKU **UL655** UGATA NAU **UL655** PPE **UJ7** MXL KPSP

2957.40 nm / 5477.11 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKBO APT	-	4.70159 -74.14695	0 ft 0 m	-	Bogota - El Dorado Intl
BOG VOR	-	4.84664 -74.32356	4,800 ft 1,463 m	13	BOGOTA VOR-DME
DELTA FIX	A323 AWY-LO	4.99194 -74.56528	10,500 ft 3,200 m	16	-
MQU VOR	A323 AWY-LO	5.20722 -74.92417	18,800 ft 5,730 m	25	MARIQUITA VOR-DME
DAKMO FIX	UA317 AWY-HI	7.46139 -77.80975	34,000 ft 10,363 m	219	-
ITAGO FIX	UA317 AWY-HI	8.07953 -78.62394	34,000 ft 10,363 m	61	-
TBG DME	UA317 AWY-HI	8.78757 -79.56202	34,000 ft 10,363 m	70	TABOGA ISLAND VOR-DME
AROVI FIX	UM419 AWY-HI	9.59167 -80.84444	34,000 ft 10,363 m	90	-
ANSON FIX	UM419 AWY-HI	10.71122 -82.65153	34,000 ft 10,363 m	126	-
ASOKU FIX	UM419 AWY-HI	16.07694 -91.38222	34,000 ft 10,363 m	603	-
UGATA FIX	UL655 AWY-HI	18.99972 -95.14472	34,000 ft 10,363 m	277	-
NAU VOR	-	20.19175 -96.74550	34,000 ft 10,363 m	115	NAUTLA VOR-DME
IREKO FIX	UL655 AWY-HI	23.48333 -100.64722	34,000 ft 10,363 m	293	-
CDR VOR	UL655 AWY-HI	24.15972 -101.48739	34,000 ft 10,363 m	61	CONCEPCION VOR-DME
UDIPO FIX	UL655 AWY-HI	28.59596 -108.50000	34,000 ft 10,363 m	461	-
PPE VOR	UL655 AWY-HI	31.35425 -113.51939	34,000 ft 10,363 m	309	PENASCO VOR-DME
MXL VOR	UJ7 AWY-HI	32.63106 -115.23758	20,600 ft 6,279 m	116	MEXICALI VOR-DME
KPSP APT	-	33.82968 -116.50622	0 ft 0 m	96	Palm Springs Intl

SKBO

Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 2

Elevation: 8,358 ft / 2,548 m
Location: 4.701600 -74.147000
Magnetic Var: 8.193 W

METAR

SKBO 130000Z 04003KT 8000 -RA BKN017 14/14 Q1027 RETSRA BECMG FM0100 NSW

TAF

TAF SKBO 122230Z 1300/1324 VRB02KT 9999 SCT017 TEMPO 1300/1303 RADZ BKN015 BECMG 1316/1318 28010KT BKN020 PROB40

Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.43		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.43		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.43		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.43		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m