LTBA
Istanbul Ataturk


-

LUKK
Chisinau Intl

2024/03/29 0619Z

LTBA FATIH **G1** RIXEN **UN616** DINRO **UL601** CND **UG107** IRMAL LUKK

361.87 nm / 670.19 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTBA APT	–	40.97914 28.81283	0 ft 0 m	–	Istanbul Ataturk
FATIH FIX	–	41.22806 28.79944	5,300 ft 1,615 m	14	–
UNSAV FIX	G1 AWY-LO	41.47833 28.78972	10,700 ft 3,261 m	15	–
RIXEN FIX	G1 AWY-LO	42.08222 28.76611	22,600 ft 6,888 m	36	–
MATEL FIX	UN616 AWY-HI	43.05917 28.79194	35,000 ft 10,668 m	58	–
DINRO FIX	UN616 AWY-HI	43.70000 28.80833	35,000 ft 10,668 m	38	–
CND VOR	UL601 AWY-HI	44.29446 28.47952	34,200 ft 10,424 m	38	CONSTANTA VOR-DME
BARUK FIX	UG107 AWY-HI	44.54139 28.56964	29,900 ft 9,114 m	15	–
CETUL FIX	UG107 AWY-HI	44.69752 28.62703	27,900 ft 8,504 m	9	–
TLC NDB	UG107 AWY-HI	44.99257 28.73636	23,900 ft 7,285 m	18	TULCEA NDB
IRMAL FIX	UG107 AWY-HI	45.32333 28.82000	23,500 ft 7,163 m	20	–
LUKK APT	–	46.92779 28.93092	0 ft 0 m	96	Chisinau Intl

LTBA

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 163 ft / 50 m
Location: 40.976100 28.814200
Magnetic Var: 6.055 E

METAR

LTBA 290550Z 21004KT 180V240 CAVOK 14/10 Q1017 RMK RWY23 VRB02KT

TAF

TAF LTBA 290440Z 2906/3006 24012KT CAVOK BECMG 2915/2918 VRB02KT BECMG 3003/3006 05012KT

Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL
TWR - 118.02 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER
APP - 119.35 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH

REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.37 MHz - YESILKOY TOWER
TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.97 MHz - YESILKOY TOWER
TWR - 125.30 MHz - YESILKOY TOWER
TWR - 126.05 MHz - YESILKOY TOWER
APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.57 MHz - YESILKOY APPROACH
APP - 124.45 MHz - YESILKOY APPROACH
APP - 127.10 MHz - YESILKOY APPROACH
APP - 128.72 MHz - YESILKOY APPROACH
APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.77 MHz - YESILKOY APPROACH
APP - 133.07 MHz - YESILKOY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft 60 m	8,513 ft 2,595 m	58.45 52.40	ASPHALT	492 ft 150 m	207 ft 63 m
23	197 ft 60 m	8,513 ft 2,595 m	238.47 232.41	ASPHALT	0 ft 0 m	197 ft 60 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm 33 km	- -	-	82 ft 82 m
23	DME	IATA	111.90 MHz	18 nm 33 km	- -	-	163 ft 163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm 33 km	58.46 52.41	-	163 ft 163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm 33 km	238.46 232.41	-	163 ft 163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.41		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.41		163 m

LUKK

Region: MOLDOVA
Timezone: EUROPE/CHISINAU
Runways: 2
Elevation: 397 ft / 121 m
Location: 46.929600 28.933300
Magnetic Var: 7.183 E

METAR

LUKK 290600Z 24010KT 200V270 CAVOK 14/06 Q1009 NOSIG

TAF

TAF LUKK 290507Z 2906/3006 25009KT CAVOK BECMG 2906/2908 29016KT TEMPO 2907/2914 30022G34KT BECMG 2915/2917 VRB05

Frequencies

APP - 133.30 MHz - CHISINAU APPROACH
GND - 121.80 MHz - CHISINAU GROUND CONTROL
TWR - 129.72 MHz - CHISINAU TOWER
GND - 131.70 MHz - CHISINAU APRON
TWR - 118.10 MHz - CHISINAU TOWER
REC - 125.22 MHz - CHISINAU ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft 45 m	7,799 ft 2,377 m	97.09 89.91	CONCRETE	0 ft 0 m	0 ft 0 m
27	148 ft 45 m	7,799 ft 2,377 m	277.12 269.93	CONCRETE	0 ft 0 m	0 ft 0 m
08	148 ft 45 m	11,753 ft 3,582 m	88.29 81.10	CONCRETE	0 ft 0 m	0 ft 0 m
26	148 ft 45 m	11,753 ft 3,582 m	268.32 261.14	CONCRETE	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IRG	110.30 MHz	18 nm 33 km	- -	-	397 ft 397 m
26	DME	ILD	109.90 MHz	18 nm 33 km	- -	-	286 ft 286 m
08	LOC-ILS	IRG	110.30 MHz	18 nm 33 km	88.31 81.13	-	398 ft 398 m
26	LOC-ILS	ILD	109.90 MHz	18 nm 33 km	268.31 261.13	-	398 ft 398 m
08	GS	IRG	110.30 MHz	10 nm 19 km	88.31 81.13	3.00	398 ft 398 m
26	GS	ILD	109.90 MHz	10 nm 19 km	268.31 261.13	3.00	398 ft 398 m