

EHAM

Schiphol


LEPA

Palma De Mallorca

2024/05/08 2159Z

EHAM LERVO **UY131** MOPIL **UZ319** XERAM **Z319** SOTUS REM **B3** VATRI **G40** TRO **B373** MOU **A27** CFA **UY27** PPG **UP84**
KUREG LEPA

775.28 nm / 1435.81 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 260kts
- Cruise Altitude: 31000ft
- Cruise Speed: 290kts
- Descent Rate: 1500ft/min
- Descent Speed: 280kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.31485 4.75812	0 ft 0 m	-	Schiphol
LERVO FIX	-	50.83316 4.15872	32,700 ft 9,967 m	91	-
NILEM FIX	UY131 AWY-HI	50.29667 4.11889	34,000 ft 10,363 m	32	-
MOFIL FIX	UY131 AWY-HI	50.14778 4.10778	34,000 ft 10,363 m	8	-
KENAP FIX	UZ319 AWY-HI	49.95861 4.09389	34,000 ft 10,363 m	11	-
XERAM FIX	UZ319 AWY-HI	49.59667 4.06722	34,000 ft 10,363 m	21	-
SOTUS FIX	Z319 AWY-LO	49.38000 4.05028	18,500 ft 5,639 m	13	-
REM VOR	-	49.31164 4.04536	34,000 ft 10,363 m	4	REIMS CHAMPAGNE VORTAC
DIKOL FIX	B3 AWY-LO	49.13750 4.04917	19,500 ft 5,944 m	10	-
VATRI FIX	B3 AWY-LO	48.79333 4.05833	19,500 ft 5,944 m	20	-
ARSIL FIX	G40 AWY-LO	48.56000 4.06167	19,500 ft 5,944 m	14	-
TRO VOR	G40 AWY-LO	48.25122 3.96314	18,500 ft 5,639 m	18	TROYES BARBEREY VOR
LUREN FIX	B373 AWY-LO	48.02583 3.91389	18,500 ft 5,639 m	13	-
AVLON FIX	B373 AWY-LO	47.56000 3.81333	18,500 ft 5,639 m	28	-
NEPAP FIX	B373 AWY-LO	46.93389 3.67944	18,500 ft 5,639 m	37	-
MOU VOR	B373 AWY-LO	46.70678 3.63167	18,500 ft 5,639 m	13	MOULINS VOR-DME
BAKNO FIX	A27 AWY-LO	46.50000 3.53139	18,500 ft 5,639 m	13	-
PESAN FIX	A27 AWY-LO	46.19917 3.38722	18,500 ft 5,639 m	19	-
CFA VOR	A27 AWY-LO	45.78747 3.19219	18,500 ft 5,639 m	26	CLERMONT FERRAND AUVERGNE VOR-
MALEB FIX	UY27 AWY-HI	45.43083 3.18139	34,000 ft 10,363 m	21	-
MOKDI FIX	UY27 AWY-HI	44.95694 3.16694	34,000 ft 10,363 m	28	-
MEN VOR	UY27 AWY-HI	44.60833 3.16242	34,000 ft 10,363 m	20	MENDE-Nasbinals VOR-DME
AMLIR FIX	UY27 AWY-HI	44.44306 3.16500	35,000 ft 10,668 m	9	-
BADAM FIX	UY27 AWY-HI	44.08639 3.17056	35,000 ft 10,668 m	21	-
NEKTA FIX	UY27 AWY-HI	43.75083 3.02500	34,000 ft 10,363 m	21	-
SIJAN FIX	UY27 AWY-HI	43.19750 2.93695	34,000 ft 10,363 m	33	-
PPG	UY27	42.75047	34,000 ft	27	PERPIGNAN RIVESALTES VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	2.86714	10,363 m		
ALBER	UP84	42.45148	34,000 ft	18	-
FIX	AWY-HI	2.83212	10,363 m		
GIR	UP84	41.93118	30,600 ft	31	GERONA VOR-DME
VOR	AWY-HI	2.77197	9,327 m		
LANDA	UP84	41.68433	26,400 ft	14	-
FIX	AWY-HI	2.75133	8,047 m		
KUREG	UP84	40.89930	24,500 ft	47	-
FIX	AWY-HI	2.71883	7,468 m		
LEPA	-	39.55254	0 ft	80	Palma De Mallorca
APT	-	2.73496	0 m		

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.042 E

METAR

EHAM 082125Z 03004KT CAVOK 11/09 Q1029 NOSIG

TAF

TAF EHAM 081707Z 0818/0924 36005KT 9999 SCT045 BECMG 0820/0822 6000 MIFG BECMG 0822/0901 VRB02KT 2000 BCFG PROB30

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.20		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.17		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.17		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.15		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.15		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.85		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.16		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.84	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.18	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.15	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.16	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.75	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.18	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.20	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.84	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.18	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.15	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.16	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.75	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.18	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.20	3.00	-11 ft -11 m

LEPA

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 24 ft / 7 m
Location: 39.551700 2.738890
Magnetic Var: 1.677 E

METAR

LEPA 082130Z VRB02KT CAVOK 18/14 Q1021 NOSIG

TAF

TAF LEPA 081700Z 0818/0918 05010KT 9999 FEW025 TX23/0912Z TN11/0906Z BECMG 0818/0820 VRB04KT BECMG 0906/0909 0400

Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.81		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.82		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.78		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.80		69 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.79		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.82		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.79		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.79		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.82		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.79		24 m