

SMJP

Paramaribo Johan A Pengel Intl


HKJK

Nairobi Jomo Kanyatta Intl

2024/05/11 1119Z

SMJP ZY **UG443** CYR 500N05000W 600N04500W DETOM **UL695** EGIMI **UL375** ORARO 300N03000W ERETU **UN857**
MAROA **UL435** BITEK SIBAX **UG433** TUROT SOLDA GARAT **UG853** TESKI **UA560** MEPON BIPEX **UR979** LV **UH455**
ARASI GUPAM TAPEK AMPIL MOROS **UA610** PIPLO **UA610F** NN **UA609** NAKAT HKJK

6233.69 nm / 11544.80 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 280kts
- Cruise Altitude: 38000ft
- Cruise Speed: 480kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SMJP APT	-	5.45283 -55.18778	0 ft 0 m	-	Paramaribo Johan A Pengel Intl
ZY VOR	-	5.45054 -55.18438	0 ft 0 m	0	ZANDERIJ VOR-DME
MIKOK FIX	UG443 AWY-LO	5.25417 -54.30222	19,000 ft 5,791 m	54	-
GEDAX FIX	UG443 AWY-HI	4.96389 -53.01917	35,000 ft 10,668 m	78	-
CYR VOR	UG443 AWY-HI	4.81364 -52.36839	35,000 ft 10,668 m	39	CAYENNE VOR-DME
500N05000W LATLON	-	5.00000 -50.00000	35,000 ft 10,668 m	142	-
600N04500W LATLON	-	6.00000 -45.00000	35,000 ft 10,668 m	304	-
DETOM FIX	-	8.50000 -42.00000	35,000 ft 10,668 m	233	-
ARUSI FIX	UL695 AWY-HI	6.41667 -37.33333	35,000 ft 10,668 m	304	-
EGIMI FIX	UL695 AWY-HI	6.00000 -36.33333	35,000 ft 10,668 m	64	-
DIKEB FIX	UL375 AWY-HI	4.49783 -34.15483	35,000 ft 10,668 m	158	-
OBKUT FIX	UL375 AWY-HI	3.43050 -32.61833	35,000 ft 10,668 m	112	-
ORARO FIX	UL375 AWY-HI	2.24717 -30.92283	35,000 ft 10,668 m	124	-
300N03000W LATLON	-	3.00000 -30.00000	35,000 ft 10,668 m	71	-
ERETU FIX	-	3.12833 -28.80000	35,000 ft 10,668 m	72	-
MAROA FIX	UN857 AWY-HI	6.43556 -27.06177	35,000 ft 10,668 m	224	-
BUVUK FIX	UL435 AWY-HI	5.50000 -25.83333	35,000 ft 10,668 m	92	-
ASOBU FIX	UL435 AWY-HI	4.35361 -24.22667	35,000 ft 10,668 m	118	-
BITEX FIX	UL435 AWY-HI	1.26333 -19.85667	35,000 ft 10,668 m	321	-
SIBAX FIX	-	0.72667 -16.29000	35,000 ft 10,668 m	216	-
TUROT FIX	UG433 AWY-HI	4.57167 -12.16500	35,000 ft 10,668 m	338	-
SOLDA FIX	-	4.58333 -10.35000	35,000 ft 10,668 m	108	-
GARAT FIX	-	4.90033 -9.36644	35,000 ft 10,668 m	61	-
DEVLI FIX	UG853 AWY-HI	4.00000 -7.50000	35,000 ft 10,668 m	124	-
TESKI FIX	UG853 AWY-HI	2.38361 -4.88139	35,000 ft 10,668 m	184	-
ENERA FIX	UA560 AWY-HI	2.79306 -4.29139	35,000 ft 10,668 m	43	-
INAKA	UA560	3.68667	35,000 ft	94	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-3.00000	10,668 m		
MEPON	UA560	4.39354	35,000 ft	74	-
FIX	AWY-HI	-1.97396	10,668 m		
BIPEX	-	4.51722	35,000 ft	13	-
FIX	-	-1.78444	10,668 m		
INVOR	UR979	2.30806	35,000 ft	393	-
FIX	AWY-HI	4.39917	10,668 m		
INOSA	UR979	1.71910	35,000 ft	102	-
FIX	AWY-HI	6.00031	10,668 m		
KOPOX	UR979	1.50889	35,000 ft	37	-
FIX	AWY-HI	6.58333	10,668 m		
IPOTA	UR979	1.20750	35,000 ft	52	-
FIX	AWY-HI	7.40944	10,668 m		
LV	UR979	0.47983	35,000 ft	127	LIBREVILLE VOR-DME
VOR	AWY-HI	9.40197	10,668 m		
ARASI	UH455	1.80056	35,000 ft	95	-
FIX	AWY-HI	10.27750	10,668 m		
GUPAM	-	2.06389	35,000 ft	46	-
FIX	-	11.01083	10,668 m		
TAPEK	-	2.60278	35,000 ft	65	-
FIX	-	11.95139	10,668 m		
AMPIL	-	3.15028	35,000 ft	137	-
FIX	-	14.17056	10,668 m		
MOROS	-	2.80667	35,000 ft	94	-
FIX	-	15.71528	10,668 m		
OPGAM	UA610	2.36861	35,000 ft	120	-
FIX	AWY-HI	17.67056	10,668 m		
SERAL	UA610	2.34917	35,000 ft	5	-
FIX	AWY-HI	17.75722	10,668 m		
PIPLO	UA610	2.26833	35,000 ft	22	-
FIX	AWY-HI	18.11667	10,668 m		
AXUVI	UA610F	2.00384	35,000 ft	66	-
FIX	AWY-HI	19.19466	10,668 m		
SOLPA	UA610F	1.81858	35,000 ft	46	-
FIX	AWY-HI	19.94773	10,668 m		
GAMEL	UA610F	1.65528	35,000 ft	39	-
FIX	AWY-HI	20.59200	10,668 m		
BUPOX	UA610F	1.42722	35,000 ft	57	-
FIX	AWY-HI	21.51639	10,668 m		
SEROK	UA610F	0.89227	35,000 ft	134	-
FIX	AWY-HI	23.69811	10,668 m		
KGI	UA610F	0.49258	35,000 ft	99	BANGOKA VOR-DME
VOR	AWY-HI	25.31343	10,668 m		
IKPAN	UA610F	0.39064	35,000 ft	99	-
FIX	AWY-HI	26.97486	10,668 m		
LIPOK	UA610F	0.24399	35,000 ft	143	-
FIX	AWY-HI	29.36159	10,668 m		
OPERO	UA610F	0.21066	35,000 ft	32	-
FIX	AWY-HI	29.90161	10,668 m		
MUBAK	UA610F	0.17066	35,000 ft	41	-
FIX	AWY-HI	30.59524	10,668 m		
NN066	UA610F	0.18575	35,000 ft	46	-
FIX	AWY-HI	31.36394	10,668 m		
NN	UA610F	0.05300	35,000 ft	64	ENTEBBE VOR-DME
VOR	AWY-HI	32.43800	10,668 m		
ALKON	UA609	-0.43599	35,000 ft	96	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	33.96743	10,668 m		
MELMO	UA609	-0.60265	31,500 ft	38	-
FIX	AWY-HI	34.58411	9,601 m		
NAKAT	UA609	-0.83598	21,000 ft	49	-
FIX	AWY-HI	35.36747	6,401 m		
HKJK	-	-1.31707	0 ft	98	Nairobi Jomo Kanyatta Intl
APT	-	36.93076	0 m		

SMJP

Region: SURINAME
Timezone: AMERICA/PARAMARIBO
Runways: 1

Elevation: 59 ft / 18 m
Location: 5.452850 -55.187800
Magnetic Var: 17.791 W

METAR

SMJP 111100Z 00000KT 9999 SCT008 FEW015CB 26/25 Q1011 NOSIG

TAF

TAF SMJP 102200Z 1100/1124 07006KT 9999 FEW008 SCT020 TX31/1117Z TN24/1109Z TEMPO 1110/1112 05005KT 5000 SHRA SCT

Frequencies

GND - 121.90 MHz - ZANDERIJ GROUND
APP - 120.00 MHz - ZANDERIJ APPROACH

TWR - 118.50 MHz - ZANDERIJ TOWER
DEP - 128.80 MHz - ZANDERIJ DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	151 ft	11,428 ft	89.69	ASPHALT	0 ft	230 ft
	46 m	3,483 m	107.48		0 m	70 m
29	151 ft	11,428 ft	269.69	ASPHALT	0 ft	197 ft
	46 m	3,483 m	287.48		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IZAN	109.90 MHz	18 nm	89.67	-	59 ft
				33 km	107.46		59 m
11	GS	IZAN	109.90 MHz	10 nm	90.33	3.00	56 ft
				19 km	108.12		56 m

HKJK

Region: KENYA

Timezone: AFRICA/NAIROBI

Runways: 1

Elevation: 5,330 ft / 1,625 m

Location: -1.316650 36.931300

Magnetic Var: 0.800 E

METAR

HKJK 111030Z VRB05KT 9999 BKN025 25/16 Q1022 NOSIG

TAF

TAF HKJK 102300Z 1100/1206 22005KT 9999 BKN016 BECMG 1108/1111 14010KT BKN024 BECMG 1120/1123 22005KT BKN016

Frequencies

REC - 126.20 MHz - NAIROBI ATIS

TWR - 118.70 MHz - NAIROBI TOWER

DEP - 119.70 MHz - NAIROBI DEPARTURE

GND - 121.60 MHz - NAIROBI GROUND

APP - 119.70 MHz - NAIROBI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	13,528 ft	53.83	ASPHALT	0 ft	194 ft
	45 m	4,123 m	53.03		0 m	59 m
24	148 ft	13,528 ft	233.83	ASPHALT	0 ft	197 ft
	45 m	4,123 m	233.03		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	NL	110.30 MHz	18 nm	53.83	-	5,330 ft
				33 km	53.03		5,330 m
06	GS	NL	110.30 MHz	10 nm	53.83	3.00	5,330 ft
				19 km	53.03		5,330 m