


2024/05/23 0432Z

LIBR AME **M872** PES **UM872** URBAN **UW95** LUTOR LIML

480.62 nm / 890.10 km



Notes

Basic altitude profile:

- Ascent Rate: 9ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 20ft
- Cruise Speed: 300kts
- Descent Rate: 35ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIBR	-	40.66082	0 ft	-	BRINDISI/Casale
APT	-	17.94267	0 m		
AME	-	41.50000	35,000 ft	107	AMENDOLA NDB
NDB	-	15.83778	10,668 m		
PES	M872	42.43611	35,000 ft	92	PESCARA VOR-DME
VOR	AWY-LO	14.18444	10,668 m		
NORKI	UM872	43.07972	35,000 ft	54	-
FIX	AWY-HI	13.32861	10,668 m		
LEONN	UM872	43.29500	35,000 ft	18	-
FIX	AWY-HI	13.03667	10,668 m		
GUBIN	UM872	43.48694	35,000 ft	16	-
FIX	AWY-HI	12.77417	10,668 m		
URBAN	UM872	43.79389	35,000 ft	26	-
FIX	AWY-HI	12.34833	10,668 m		
PELEG	UW95	44.22778	27,400 ft	37	-
FIX	AWY-HI	11.73528	8,352 m		
LUTOR	UW95	44.48806	22,600 ft	22	-
FIX	AWY-HI	11.36083	6,888 m		
LIML	-	45.45030	0 ft	105	Milano Linate
APT	-	9.27280	0 m		

LIBR

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 46 ft / 14 m
Location: 40.661400 17.941700
Magnetic Var: 4.542 E

METAR

LIBR 230350Z 27007KT CAVOK 17/10 Q1015

TAF

TAF LIBR 222300Z 2300/2324 VRB05KT CAVOK BECMG 2302/2304 33012KT BECMG 2318/2320 VRB05KT

Frequencies

TWR - 118.10 MHz - BRINDISI TOWER
APP - 118.40 MHz - BRINDISI APPROACH

TWR - 122.10 MHz - BRINDISI TOWER
APP - 121.00 MHz - BRINDISI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	10,010 ft	137.16	ASPHALT	479 ft	194 ft
	45 m	3,051 m	132.61		146 m	59 m
31	148 ft	10,010 ft	317.17	ASPHALT	0 ft	1,165 ft
	45 m	3,051 m	312.63		0 m	355 m
05	148 ft	5,911 ft	52.48	ASPHALT	0 ft	0 ft
	45 m	1,802 m	47.94		0 m	0 m
23	148 ft	5,911 ft	232.50	ASPHALT	0 ft	0 ft
	45 m	1,802 m	227.95		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	LOC-ILS	IBN	109.50 MHz	18 nm	317.16	-	46 ft
				33 km	312.62		46 m
31	GS	IBN	109.50 MHz	10 nm	317.16	2.50	46 ft
				19 km	312.62		46 m

LIML

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 354 ft / 108 m
Location: 45.450300 9.272810
Magnetic Var: 3.243 E

METAR

LIML 230350Z VRB01KT 6000 SCT060 14/14 Q1015 NOSIG

TAF

TAF LIML 222300Z 2300/2324 VRB05KT 9999 SCT050 TEMPO 2300/2306 4000 TSRA BKN012 TEMPO 2306/2310 4000 SHRA BKN008 T

Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.43		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.43		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.42		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.42		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.44		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.44		352 m