

UKBB

Boryspil


KJFK

John F Kennedy Intl

2024/05/09 0214Z

UKBB BORAT **UL33** BABUN **UL32** SUW **L32** GOLAD **G720** UMKK **B120** RANOK **UL741** ROE **UL983** AMRAM **UP60** VAXIT
UN581 ETSOM **UP58** ERAKA 5800N01500W 5800N02000W 5800N02500W 5700N03000W 5600N03500W 5500N04000W
5400N04500W 5350N **5E51** YQX **N124B** TUSKY **J575** BOS **J42** HFD KJFK

4158.53 nm / 7701.59 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UKBB	-	50.33947	0 ft	-	Boryspil
APT	-	30.89290	0 m		
BORAT	-	51.46644	28,900 ft	83	-
FIX	-	29.58651	8,809 m		
MAGEP	UL33	51.94667	34,000 ft	35	-
FIX	AWY-HI	29.05167	10,363 m		
BABUN	UL33	52.18167	34,000 ft	17	-
FIX	AWY-HI	28.78333	10,363 m		
OGARA	UL32	52.69000	34,000 ft	64	-
FIX	AWY-HI	27.24000	10,363 m		
GANVI	UL32	52.95500	34,000 ft	34	-
FIX	AWY-HI	26.40500	10,363 m		
KOMEN	UL32	53.37667	34,000 ft	56	-
FIX	AWY-HI	25.00500	10,363 m		
NIMAN	UL32	53.65000	34,000 ft	37	-
FIX	AWY-HI	24.05333	10,363 m		
SOTET	UL32	53.82972	34,000 ft	20	-
FIX	AWY-HI	23.55306	10,363 m		
SUW	UL32	54.06967	34,000 ft	27	SUWALKI VOR-DME
VOR	AWY-HI	22.90025	10,363 m		
GOLAD	L32	54.33333	18,500 ft	29	-
FIX	AWY-LO	22.17500	5,639 m		
UMKK	G720	54.89005	34,000 ft	64	KHRABROVO
APT	AWY-HI	20.59264	10,363 m		
TARUN	B120	54.90000	34,000 ft	34	-
FIX	AWY-HI	19.60000	10,363 m		
RANOK	B120	54.91333	34,000 ft	22	-
FIX	AWY-HI	18.95833	10,363 m		
RUMAR	UL741	55.03353	34,000 ft	99	-
FIX	AWY-HI	16.07089	10,363 m		
ROE	UL741	55.06558	34,000 ft	45	RONNE VOR-DME
VOR	AWY-HI	14.75869	10,363 m		
TELMO	UL983	55.05461	34,000 ft	22	-
FIX	AWY-HI	14.11628	10,363 m		
BALOX	UL983	55.03553	34,000 ft	23	-
FIX	AWY-HI	13.42697	10,363 m		
DETUS	UL983	55.02281	34,000 ft	14	-
FIX	AWY-HI	12.99967	10,363 m		
MATEK	UL983	55.01639	34,000 ft	6	-
FIX	AWY-HI	12.80083	10,363 m		
KOSMO	UL983	55.01528	34,000 ft	2	-
FIX	AWY-HI	12.73028	10,363 m		
CDA	UL983	55.00150	34,000 ft	12	CODAN VOR-DME
VOR	AWY-HI	12.37921	10,363 m		
TUDLO	UL983	55.27583	34,000 ft	61	-
FIX	AWY-HI	10.64778	10,363 m		
ASBIL	UL983	55.37194	34,000 ft	23	-
FIX	AWY-HI	9.99389	10,363 m		
VES	UL983	55.60315	34,000 ft	59	VESTA VOR-DME
VOR	AWY-HI	8.29996	10,363 m		
AMRAM	UL983	55.94361	34,000 ft	59	-
FIX	AWY-HI	6.63417	10,363 m		
NAMIK	UP60	56.38139	34,000 ft	47	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	5.44083	10,363 m		
VAXIT	UP60	56.53750	34,000 ft	17	-
FIX	AWY-HI	5.00000	10,363 m		
ELSAN	UN581	56.70528	34,000 ft	43	-
FIX	AWY-HI	3.73278	10,363 m		
GIBSU	UN581	56.76306	34,000 ft	15	-
FIX	AWY-HI	3.26944	10,363 m		
ODMIX	UN581	56.97000	34,000 ft	60	-
FIX	AWY-HI	1.46750	10,363 m		
ADN	UN581	57.31056	34,000 ft	123	ABERDEEN VOR-DME
VOR	AWY-HI	-2.26722	10,363 m		
VADNO	UN581	57.45306	34,000 ft	44	-
FIX	AWY-HI	-3.62722	10,363 m		
ETSOM	UN581	57.89194	34,000 ft	190	-
FIX	AWY-HI	-9.50000	10,363 m		
ERAKA	UP58	58.00000	34,000 ft	17	-
FIX	AWY-HI	-10.00000	10,363 m		
5800N01500W	-	58.00000	34,000 ft	159	-
LATLON	-	-15.00000	10,363 m		
5800N02000W	-	58.00000	34,000 ft	159	-
LATLON	-	-20.00000	10,363 m		
5800N02500W	-	58.00000	34,000 ft	159	-
LATLON	-	-25.00000	10,363 m		
5700N03000W	-	57.00000	34,000 ft	172	-
LATLON	-	-30.00000	10,363 m		
5600N03500W	-	56.00000	34,000 ft	176	-
LATLON	-	-35.00000	10,363 m		
5500N04000W	-	55.00000	34,000 ft	180	-
LATLON	-	-40.00000	10,363 m		
5400N04500W	-	54.00000	34,000 ft	184	-
LATLON	-	-45.00000	10,363 m		
5350N	-	53.00000	34,000 ft	188	-
FIX	-	-50.00000	10,363 m		
YQX	5E51	48.89958	18,000 ft	300	GANDER VOR-DME
VOR	AWY-LO	-54.53500	5,486 m		
TUSKY	N124B	43.56500	34,000 ft	607	-
FIX	AWY-HI	-67.00000	10,363 m		
CANAL	J575	42.66903	34,000 ft	143	-
FIX	AWY-HI	-70.02271	10,363 m		
SCUPP	J575	42.60306	34,000 ft	9	-
FIX	AWY-HI	-70.23037	10,363 m		
BOS	J575	42.35744	34,000 ft	36	BOSTON VOR-DME
VOR	AWY-HI	-70.98956	10,363 m		
PUT	J42	41.95547	24,400 ft	45	PUTNAM VOR-DME
VOR	AWY-HI	-71.84408	7,437 m		
HFD	J42	41.64111	18,000 ft	36	HARTFORD VOR-DME
VOR	AWY-HI	-72.54742	5,486 m		
KJFK	-	40.63990	0 ft	81	John F Kennedy Intl
APT	-	-73.77666	0 m		

UKBB

Region: UKRAINE
Timezone: EUROPE/KIEV
Runways: 2

Elevation: 427 ft / 130 m
Location: 50.339500 30.892800
Magnetic Var: 8.417 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 126.70 MHz - ATIS ARRIVAL	REC - 125.95 MHz - ATIS DEPARTURE
REC - 134.25 MHz - ATIS ARRIVAL NON-ENGLISH	REC - 119.42 MHz - ATIS DEPARTURE NON-ENGLISH
CLD - 130.27 MHz - BORYSPIL CLEARANCE	GND - 118.05 MHz - BORYSPIL GROUND
GND - 127.92 MHz - BORYSPIL GROUND	TWR - 119.30 MHz - BORYSPIL TOWER
TWR - 119.65 MHz - BORYSPIL TOWER	DEP - 119.42 MHz - BORYSPIL DEPARTURE
DEP - 125.95 MHz - BORYSPIL DEPARTURE	APP - 128.17 MHz - BORYSPIL RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18R	207 ft	11,479 ft	182.65	CONCRETE	0 ft	0 ft
	63 m	3,499 m	174.24		0 m	0 m
36L	207 ft	11,479 ft	2.65	CONCRETE	0 ft	0 ft
	63 m	3,499 m	354.23		0 m	0 m
18L	197 ft	13,123 ft	182.69	CONCRETE	0 ft	331 ft
	60 m	4,000 m	174.28		0 m	101 m
36R	197 ft	13,123 ft	2.69	CONCRETE	0 ft	328 ft
	60 m	4,000 m	354.27		0 m	100 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	LOC-ILS	IBI	111.30 MHz	18 nm	182.69	-	427 ft
				33 km	174.27		427 m
18R	LOC-ILS	IKB	108.90 MHz	18 nm	182.65	-	427 ft
				33 km	174.23		427 m
36L	LOC-ILS	IKE	110.50 MHz	18 nm	2.65	-	427 ft
				33 km	354.23		427 m
36R	LOC-ILS	INO	109.70 MHz	18 nm	2.69	-	427 ft
				33 km	354.27		427 m
18L	GS	IBI	111.30 MHz	10 nm	182.69	3.00	427 ft
				19 km	174.27		427 m
18R	GS	IKB	108.90 MHz	10 nm	182.65	3.00	427 ft
				19 km	174.23		427 m
36L	GS	IKE	110.50 MHz	10 nm	2.65	3.00	427 ft
				19 km	354.23		427 m
36R	GS	INO	109.70 MHz	10 nm	2.69	3.00	427 ft
				19 km	354.27		427 m

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.820 W

METAR

KJFK 090151Z 27010KT 10SM BKN250 26/11 A2956 RMK AO2 SLP008 T02560111

TAF

KJFK 082334Z 0900/1006 24012KT P6SM FEW060 BKN250 FM090100 27011KT P6SM SCT250 FM090500 32008KT P6SM FEW250 FM091

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m