

# LOWL

Linz


# EPWA

Warsaw Frederic Chopin

2024/06/12 0135Z

LOWL LEDVA **L156** GINAT **Z121** NETIR NOMIX IBEKA **M984** RODAK EPWA

381.78 nm / 707.05 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWL	-	48.23530	0 ft	-	Linz
APT	-	14.18810	0 m		
LEDVA	-	48.72880	35,000 ft	107	-
FIX	-	16.78920	10,668 m		
GINAT	L156	48.93830	35,000 ft	18	-
FIX	AWY-HI	17.11510	10,668 m		
ESETO	Z121	49.22990	35,000 ft	29	-
FIX	AWY-HI	17.71830	10,668 m		
NETIR	Z121	49.69470	35,000 ft	47	-
FIX	AWY-HI	18.70900	10,668 m		
NOMIX	-	49.93970	34,700 ft	16	-
FIX	-	18.92310	10,577 m		
IBEKA	-	50.02780	33,500 ft	5	-
FIX	-	18.94170	10,211 m		
RODAK	M984	50.60640	21,000 ft	58	-
FIX	AWY-HI	20.16280	6,401 m		
EPWA	-	52.16510	0 ft	98	Warsaw Frederic Chopin
APT	-	20.96700	0 m		

## LOWL

Region: AUSTRIA  
Timezone: EUROPE/VIENNA  
Runways: 2

Elevation: 978 ft / 298 m  
Location: 48.235300 14.188100  
Magnetic Var: 4.504 E

## METAR

LOWL 120050Z AUTO 27004KT 9999 -RA FEW050 OVC070 11/09 Q1018

## TAF

TAF LOWL 112315Z 1200/1224 27004KT 9999 FEW020 BKN050 TX15/1216Z TN11/1205Z TEMPO 1200/1208 -RA PROB30 TEMPO 1203

## Frequencies

REC - 128.12 MHz - ATIS  
APP - 119.75 MHz - LINZ DIRECTOR

TWR - 118.80 MHz - LINZ TOWER  
APP - 129.62 MHz - LINZ RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	197 ft	9,852 ft	87.00	ASPHALT	820 ft	0 ft
	60 m	3,003 m	82.50		250 m	0 m
26	197 ft	9,852 ft	267.03	ASPHALT	492 ft	0 ft
	60 m	3,003 m	262.53		150 m	0 m
08L	144 ft	1,865 ft	86.91	GRASS	0 ft	0 ft
	44 m	568 m	82.40		0 m	0 m
26R	144 ft	1,865 ft	266.91	GRASS	0 ft	0 ft
	44 m	568 m	262.41		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	OEM	110.55 MHz	18 nm	-	-	964 ft
				33 km	-		964 m
26	DME	OEL	109.30 MHz	18 nm	-	-	996 ft
				33 km	-		996 m
08	LOC-ILS	OEM	110.55 MHz	18 nm	87.04	-	978 ft
				33 km	82.54		978 m
26	LOC-ILS	OEL	109.30 MHz	18 nm	267.04	-	978 ft
				33 km	262.54		978 m
08	GS	OEM	110.55 MHz	10 nm	87.04	3.00	978 ft
				19 km	82.54		978 m
26	GS	OEL	109.30 MHz	10 nm	267.04	3.00	978 ft
				19 km	262.54		978 m

## EPWA

Region: POLAND  
Timezone: EUROPE/WARSAW  
Runways: 2

Elevation: 362 ft / 110 m  
Location: 52.165100 20.967000  
Magnetic Var: 6.634 E

## METAR

EPWA 120100Z 25005KT CAVOK 09/06 Q1015 NOSIG

## TAF

TAF EPWA 112330Z 1200/1224 26005KT CAVOK

## Frequencies

REC - 120.45 MHz - ATIS	TWR - 118.30 MHz - OKECIE TOWER
GND - 121.90 MHz - OKECIE GROUND	CLD - 121.60 MHz - CLEARANCE DELIVERY
APP - 128.80 MHz - WARSAW APPROACH	APP - 125.05 MHz - WARSAW APPROACH
REC - 118.77 MHz - OLSZTYN INFORMATION	REC - 119.45 MHz - WARSAW INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	164 ft	9,166 ft	114.57	ASPHALT	0 ft	492 ft
	50 m	2,794 m	107.94		0 m	150 m
29	164 ft	9,166 ft	294.60	ASPHALT	1,617 ft	102 ft
	50 m	2,794 m	287.97		493 m	31 m
15	197 ft	12,093 ft	151.80	ASPHALT	0 ft	144 ft
	60 m	3,686 m	145.17		0 m	44 m
33	197 ft	12,093 ft	331.82	ASPHALT	2,159 ft	148 ft
	60 m	3,686 m	325.19		658 m	45 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	WAS	109.90 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
33	DME	WA	110.30 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
11	LOC-ILS	WAS	109.90 MHz	18 nm	114.59	-	362 ft
				33 km	107.96		362 m
33	LOC-ILS	WA	110.30 MHz	18 nm	331.82	-	362 ft
				33 km	325.19		362 m
11	GS	WAS	109.90 MHz	10 nm	114.59	3.00	362 ft
				19 km	107.96		362 m
33	GS	WA	110.30 MHz	10 nm	331.82	3.00	362 ft
				19 km	325.19		362 m